

## Søgeprotokol for Nationale Kliniske Retningslinjer

<b>Projekttitel/aspekt</b>	NKR 29 for Diagnostik og Nonfarmakologisk Behandling af Unipolar Depression (primærlitteratur)
<b>Kontakt Fagkonsulent /projektleder</b>	Nicolai Ladegaard / Malene Kristine Nielsen
<b>Kontakt Søgespecialist</b>	Karen Tølbøl Sigaard
<b>Senest opdateret</b>	23.11.2015

<b>Baggrund</b>	<p>PICO-spørgsmål:</p> <ol style="list-style-type: none"> <li>1. Bør personer tidligere diagnosticeret med depression tilbydes tidlig opsporing for recidiv?</li> <li>2. Bør patienter diagnosticeret med depression af let til moderat grad tilbydes fysisk træning som add-on til vanlig behandling?</li> <li>3. Bør patienter med depression af moderat til svær grad behandles med psykoterapeutisk samtalebehandling som add-on til farmakologisk behandling?</li> <li>4. Bør patienter med depression af moderat til svær grad tilbydes korttids psykodynamisk psykoterapi eller kognitiv adfærdsterapi (KAT)?</li> <li>5. Bør patienter med depression af moderat til svær grad tilbydes interpersonel psykoterapi (IPT) eller kognitiv adfærdsterapi (KAT)?</li> <li>6. Bør patienter med langvarig eller kronisk og/eller behandlingsrefraktær depression af moderat til svær grad overgå til psykoterapeutisk monobehandling?</li> <li>7. Bør patienter med depression af moderat til svær grad, som er remitteret, tilbydes mindfulness-træning som add-on til farmakologisk behandling for at forebygge tilbagefald?</li> <li>8. Bør patienter med depression af let til moderat grad tilbydes samtaleterapi i almen praksis?</li> <li>9. Bør patienter med depression tilbydes en familie/ par-terapi/ netværksintervention som add-on til vanlig behandling?</li> <li>10. Bør patienter med depression tilbydes collaborative care frem for vanlig behandling</li> </ol>
<b>Søgetermer</b>	Se søgestrategierne under de enkelte PICOs
<b>Inklusions- og eksklusionskriterier</b>	<p>Sprog: Engelsk, dansk, norsk og svensk</p> <p>År: de sidste 10 år (2005 -2015), eller fra nyeste, relevante systematiske review</p> <p>Publikationstyper: primærlitteratur (rct-studier)</p>

## Informationskilder

Database	Interface	Dato for søgning
Medline	OVID	18.08.2015-23.11.2015
EMBASE	OVID	18.08.2015-23.11.2015
CINAHL	EBSCO	18.08.2015-23.11.2015
PSYCINFO	OVID	18.08.2015-23.11.2015

## Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldttekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit, hvor mange referencer den enkelte søgestreng genererer

## Søgestrategi

### Indhold

PICO 1 .....	3
PICO 2 .....	7
PICO 3 .....	11
PICO 4 .....	19
PICO 5 .....	24
PICO 6 .....	29
PICO 7 .....	35
PICO 8 .....	38
PICO 8, 2. omgang .....	43
PICO 9 .....	48
PICO 10 .....	53

# PICO 1

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 10.09.2015

Search Strategy:

#	Searches	Results
1	Depression/	84955
2	exp Depressive Disorder/	86606
3	depress*.mp.	422762
4	dysthym*.tw.	2806
5	or/1-4	423552
6	exp Mass Screening/	106738
7	screen*.mp.	576714
8	case finding.tw.	3700
9	casefinding.tw.	79
10	or/6-9	586594
11	5 and 10	17132
12	exp Randomized Controlled Trials as Topic/	103785
13	exp randomized controlled trial/	410693
14	(randomi#ed adj3 trial).mp.	451782
15	(RCT or randomi#ed controlled study* or "double blind*").mp.	184927
16	placebo.mp.	173971
17	controlled clinical trial*.mp.	114957
18	controlled clinical trial/	91598
19	or/12-18	704480
20	11 and 19	1647
21	limit 11 to (controlled clinical trial or randomized controlled trial)	1164
22	20 or 21	1647
23	limit 22 to (yr="2012 - 2015" and (danish or english or norwegian or swedish))	618

Database(s): **Embase** 1974 to 2015 September 09

Søgt d. 10.09.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or	319440

	premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	
2	depress*.ti,ab,kw.	452870
3	dysthym*.tw.	3583
4	or/1-3	554469
5	exp mass screening/	174214
6	screen*.mp.	912343
7	case finding.tw.	4329
8	casefinding.tw.	123
9	or/5-8	915508
10	4 and 9	29427
11	"randomized controlled trial (topic)"/	82025
12	randomized controlled trial/	384814
13	exp controlled clinical trial/	523033
14	(randomi#ed adj3 trial).mp.	527176
15	(RCT or randomi#ed controlled study* or "double blind*").mp.	225726
16	placebo.mp.	358479
17	controlled clinical trial*.mp.	411745
18	or/11-17	928027
19	10 and 18	3156
20	limit 10 to (randomized controlled trial or controlled clinical trial)	1627
21	19 or 20	3156
22	limit 21 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	1190

Database(s): **PsycINFO** 1806 to September Week 1 2015

Søgt d. 10.09.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102144
2	"depression (emotion)"/	22459
3	depress*.mp.	271237
4	dysthym*.tw.	3566
5	or/1-4	271816
6	exp screening/	18675
7	screen*.mp.	83406
8	case finding.tw.	603
9	exp screening tests/	4915
10	casefinding.tw.	22
11	or/6-10	87012

12	5 and 11	14988
13	(randomi#ed adj3 trial).mp.	22074
14	(RCT or randomi#ed controlled study* or "double blind*").mp.	22952
15	placebo.mp.	33281
16	controlled clinical trial*.mp.	2394
17	or/13-16	60289
18	12 and 17	950
19	limit 12 to "2000 treatment outcome/clinical trial"	708
20	18 or 19	1193
21	limit 20 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	487

## CINAHL

Søgt d. 10.09.2015

#	Query	Limiters/Expanders	Results
S20	S18 OR S19	Limiters - Published Date: 20120101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	141
S19	S4 AND S9	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	152
S18	S10 AND S17	Search modes - Boolean/Phrase	458
S17	S11 OR S12 OR S13 OR S14 OR S15 OR S16	Search modes - Boolean/Phrase	91,772
S16	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	23,827
S15	controlled clinical trial*	Search modes - Boolean/Phrase	4,803
S14	placebo	Search modes - Boolean/Phrase	23,699
S13	RCT OR "randomi#ed controlled study*" OR "double blind*"	Search modes - Boolean/Phrase	29,437
S12	randomi#ed N3 trial*	Search modes - Boolean/Phrase	67,108
S11	randomi#ed N3 trial*	Search modes - Boolean/Phrase	67,108
S10	S4 AND S9	Search modes - Boolean/Phrase	5,746
S9	S5 OR S6 OR S7 OR S8	Search modes - Boolean/Phrase	85,732
S8	casefinding	Search modes - Boolean/Phrase	13
S7	case finding	Search modes - Boolean/Phrase	670
S6	screen*	Search modes - Boolean/Phrase	77,725
S5	(MH "Health Screening+")	Search modes - Boolean/Phrase	45,137
S4	S1 OR S2 OR S3	Search modes - Boolean/Phrase	73,382

S3	dysthym*	Search modes - Boolean/Phrase	441
S2	depress*	Search modes - Boolean/Phrase	73,332
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,629

I alt 2436 referencer, heraf 1539 unikke.

## PICO 2

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 19.08.2015

Search Strategy:

#	Searches	Results
1	Depression/	84111
2	exp Depressive Disorder/	85996
3	depress*.mp.	420281
4	1 or 2 or 3	420852
5	exp Exercise/	129491
6	exercise*.mp.	274877
7	Physical Fitness/	23028
8	physical fitness.mp.	25608
9	exp Exercise Therapy/	33318
10	kinesiotherap*.mp.	128
11	exercising.mp.	8170
12	or/5-11	325030
13	4 and 12	14859
14	exp Randomized Controlled Trials as Topic/	103064
15	exp randomized controlled trial/	408002
16	(randomi#ed adj3 trial*).mp.	584398
17	(RCT or randomi#ed controlled study* or "double blind*").mp.	183902
18	placebo.mp.	172911
19	controlled clinical trial*.mp.	114550
20	controlled clinical trial/	91381
21	or/14-20	739765
22	13 and 21	3166
23	limit 13 to (controlled clinical trial or randomized controlled trial)	2456
24	22 or 23	3166
25	limit 24 to (yr="2013 - 2015" and (danish or english or norwegian or swedish))	533

Database(s): **Embase** 1974 to 2015 August 18

Søgt d. 19.08.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or	318028

	premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	
2	depress*.ti,ab,kw.	450590
3	1 or 2	551691
4	exp exercise/	237095
5	exercise*.ti,ab,kw.	282489
6	fitness/	31215
7	physical fitness.ti,ab,kw.	8873
8	exp kinesiotherapy/	54007
9	kinesiotherap*.ti,ab,kw.	329
10	exercising.ti,ab,kw.	10001
11	or/4-10	403946
12	3 and 11	19332
13	"randomized controlled trial (topic)"/	80457
14	randomized controlled trial/	382784
15	exp controlled clinical trial/	520653
16	(randomi#ed adj3 trial*).mp.	586880
17	(RCT or randomi#ed controlled study* or "double blind*").mp.	224536
18	placebo.mp.	356881
19	controlled clinical trial*.mp.	411074
20	or/13-19	971126
21	12 and 20	4445
22	limit 12 to (randomized controlled trial or controlled clinical trial)	2324
23	21 or 22	4445
24	limit 23 to ((danish or english or norwegian or swedish) and yr="2013 - 2015")	1010

Database(s): **PsycINFO** 1806 to August Week 2 2015

Søgt d. 18.08.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	101636
2	"depression (emotion)"/	22429
3	depress*.mp.	269946
4	or/1-3	270173
5	exp exercise/	19235
6	exercise*.mp.	54642
7	physical fitness/	3426
8	physical fitness.mp.	4431
9	kinesiotherap*.mp.	16



10	exercising.mp.	2864
11	or/5-10	59714
12	4 and 11	4893
13	(randomi#ed adj3 trial*).mp.	31715
14	(RCT or randomi#ed controlled study* or "double blind*").mp.	22835
15	placebo.mp.	33163
16	controlled clinical trial*.mp.	2379
17	or/13-16	67298
18	12 and 17	598
19	limit 12 to "2000 treatment outcome/clinical trial"	353
20	18 or 19	716
21	limit 20 to ((danish or english or norwegian or swedish) and yr="2013 - 2015")	216

## CINAHL

Søgt d. 19.08.2015

#	Query	Limiters/Expanders	Results
S21	S19 OR S20	Limiters - Published Date: 20130101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	151
S20	S3 AND S11	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	251
S19	S12 AND S18	Search modes - Boolean/Phrase	561
S18	S13 OR S14 OR S15 OR S16 OR S17	Search modes - Boolean/Phrase	91,366
S17	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	23,577
S16	controlled clinical trial*	Search modes - Boolean/Phrase	4,791
S15	placebo	Search modes - Boolean/Phrase	23,640
S14	RCT OR "randomi#ed controlled study*" OR "double blind*"	Search modes - Boolean/Phrase	29,338
S13	randomi#ed N3 trial*	Search modes - Boolean/Phrase	66,733
S12	S3 AND S11	Search modes - Boolean/Phrase	3,626
S11	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10	Search modes - Boolean/Phrase	108,072
S10	exercising	Search modes - Boolean/Phrase	1,861
S9	kinesiotherap*	Search modes - Boolean/Phrase	49
S8	(MH "Therapeutic Exercise+")	Search modes - Boolean/Phrase	28,325

S7	"physical fitness"	Search modes - Boolean/Phrase	9,036
S6	(MH "Physical Fitness+")	Search modes - Boolean/Phrase	8,490
S5	exercise*	Search modes - Boolean/Phrase	90,370
S4	(MH "Exercise+")	Search modes - Boolean/Phrase	54,963
S3	(S1 OR S2)	Search modes - Boolean/Phrase	73,134
S2	depress*	Search modes - Boolean/Phrase	73,099
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,389

I alt 1910 referencer, heraf 1226 unikke.

## PICO 3

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 18.08.2015

Search Strategy:

#	Searches	Results
1	Depression/	84111
2	exp Depressive Disorder/	85996
3	depress*.mp.	420211
4	1 or 2 or 3	420782
5	exp Behavior Therapy/	56379
6	exp Cognitive Therapy/	18162
7	(cognitive adj2 therap*).mp.	22782
8	behavioral activation.mp.	967
9	behavioural activation.mp.	224
10	(behavio* adj2 therap*).mp.	37218
11	(functional adj2 therap*).mp.	1901
12	cbt.mp.	6163
13	interpersonal psychotherapy.mp.	658
14	exp Interpersonal Relations/	272542
15	exp Psychotherapy/	157088
16	14 and 15	21463
17	interpersonal therapy.mp.	246
18	ipt.mp.	1587
19	Psychotherapy, Psychodynamic/	161
20	(psychodynamic adj2 therapy).mp.	422
21	(psychodynamic adj2 psychotherapy).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	913
22	exp Psychoanalytic Therapy/	14831
23	psychoanalysis.mp.	11457
24	Psychoanalysis/	8334
25	psychoanalytic.mp.	28641
26	or/5-13,16-25	116419
27	4 and 26	13785
28	exp Antidepressive Agents/	125482
29	exp Combined Modality Therapy/	218344
30	exp Drug Therapy/	1111827
31	"add on".mp.	5464

32	antidepressant*.mp.	50195
33	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1287
34	exp Serotonin Uptake Inhibitors/	32839
35	("selective serotonin reuptake inhibitor*" or SSRI*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	12072
36	Citalopram/	4002
37	citalopram.mp.	5665
38	escitalopram.mp.	1648
39	fluoxetine.mp. or exp Fluoxetine/	11803
40	mirtazapine.mp.	1705
41	paroxetine.mp. or exp Paroxetine/	5572
42	sertraline.mp. or exp Sertraline/	4069
43	venlafaxine.mp.	3432
44	pharmacologic*.mp.	228671
45	pharmacotherapy.mp.	21292
46	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	509
47	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	3345
48	("norepinephrine dopamine reuptake inhibitor*" or ndr*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	64
49	("selective serotonin reuptake enhancer*" or ssre*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	49
50	("monoamine oxidase inhibitor*" or maol*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	11295
51	or/28-50	1583657
52	exp Randomized Controlled Trials as Topic/	103064
53	exp randomized controlled trial/	408002
54	(randomi#ed adj3 trial*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word,	584333

	rare disease supplementary concept word, unique identifier]	
55	(RCT or randomi#ed controlled study* or "double blind*").mp.	183878
56	placebo.mp.	172895
57	controlled clinical trial*.mp.	114549
58	controlled clinical trial/	91381
59	or/52-58	739685
60	27 and 59	4798
61	limit 27 to (controlled clinical trial or randomized controlled trial)	3436
62	60 or 61	4798
63	limit 62 to (yr="2013 - 2015" and (danish or english or norwegian or swedish))	1254
64	51 and 63	286

Database(s): **Embase** 1974 to 2015 August 17

Søgt d. 18.08.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	317930
2	depress*.ti,ab,kw.	450491
3	1 or 2	551558
14	exp behavior therapy/	38864
15	exp cognitive therapy/	38202
16	(cognitive adj2 therap*).mp.	41915
17	behavioral activation.mp.	1212
18	behavioural activation.mp.	279
19	(behavio* adj2 therap*).mp.	53919
20	(functional adj2 therap*).mp.	2592
21	cbt.mp.	9505
22	interpersonal psychotherapy.mp.	874
23	exp human relation/	618760
24	exp psychotherapy/	201765
25	23 and 24	37861
26	interpersonal therapy.mp.	422
27	ipt.mp.	2039
28	psychodynamic psychotherapy/	405
29	(psychodynamic adj2 therapy).mp.	718

30	(psychodynamic adj2 psychotherapy).mp.	1493
31	psychoanalysis/	37580
32	psychoanalysis.mp.	38904
33	psychoanalytic.mp.	20351
34	14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33	149240
35	exp antidepressant agent/	336632
36	exp drug therapy/	1983273
37	"add on".mp.	19927
38	antidepressant*.mp.	127953
39	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp.	2336
40	("selective serotonin reuptake inhibitor*" or SSRI*).mp.	18456
41	citalopram.mp.	18929
42	escitalopram.mp.	8054
43	fluoxetine.mp.	40039
44	mirtazapine/	9587
45	mirtazapine.mp.	9714
46	paroxetine.mp.	24299
47	sertraline.mp.	21221
48	venlafaxine/	17023
49	venlafaxine.mp.	17274
50	pharmacologic*.mp.	307133
51	pharmacotherapy.mp.	34219
52	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp.	746
53	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*).mp.	5304
54	("norepinephrine dopamine reuptake inhibitor*" or ndri*).mp.	150
55	("selective serotonin reuptake enhancer*" or ssre*).mp.	70
56	("monoamine oxidase inhibitor*" or maoi*).mp.	18588
57	or/35-56	2496215
58	3 and 34 and 57	10791
59	"randomized controlled trial (topic)"/	80393
60	randomized controlled trial/	382705
61	exp controlled clinical trial/	520558
62	(randomi#ed adj3 trial*).mp.	586713
63	(RCT or randomi#ed controlled study* or "double blind*").mp.	224499
64	placebo.mp.	356814
65	controlled clinical trial*.mp.	411039
66	or/59-65	970912
67	58 and 66	3885
68	limit 58 to (randomized controlled trial or controlled clinical trial)	1415

69	67 or 68	3885
70	limit 69 to ((danish or english or norwegian or swedish) and yr="2013 - 2015")	801

Database(s): **PsycINFO** 1806 to August Week 2 2015

Søgt d. 18.08.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	101636
2	"depression (emotion)"/	22429
3	depress*.mp.	269946
4	or/1-3	270173
5	exp behavior therapy/	17558
6	exp Cognitive Therapy/	12065
7	(cognitive adj2 therap*).mp.	31521
8	behavioral activation.mp.	1620
9	behavioural activation.mp.	230
10	(behavio* adj2 therap*).mp.	40644
11	(functional adj2 therap*).mp.	479
12	cbt.mp.	9124
13	interpersonal psychotherapy/	1091
14	interpersonal psychotherapy.mp.	1620
15	interpersonal therapy.mp.	552
16	ipt.mp.	873
17	psychodynamic psychotherapy/	2624
18	(psychodynamic adj2 therapy).mp.	1584
19	(psychodynamic adj2 psychotherapy).mp.	3825
20	exp Psychoanalysis/	49763
21	psychoanalysis.mp.	65110
22	psychoanalytic.mp.	67243
23	or/5-22	155279
24	exp antidepressant drugs/	33567
25	exp drug therapy/	120098
26	adjunctive treatment/	701
27	"add on".mp.	1431
28	antidepressant*.mp.	34560
29	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp.	922
30	exp Serotonin Reuptake Inhibitors/	11001
31	("selective serotonin reuptake inhibitor*" or SSRI*).mp.	7962
32	citalopram.mp.	2310
33	escitalopram.mp.	1101
34	fluoxetine.mp.	5939

35	mirtazapine.mp.	1030
36	paroxetine.mp.	2999
37	sertraline.mp.	2400
38	venlafaxine.mp.	2067
39	pharmacologic*.mp.	36360
40	pharmacotherapy.mp.	10569
41	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp.	193
42	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*).mp.	1468
43	("norepinephrine dopamine reuptake inhibitor*" or ndri*).mp.	29
44	("selective serotonin reuptake enhancer*" or ssre*).mp.	11
45	("monoamine oxidase inhibitor*" or maoi*).mp.	2175
46	or/24-45	170021
47	4 and 23 and 46	3177
48	(randomi#ed adj3 trial*).mp.	31715
49	(RCT or randomi#ed controlled study* or "double blind*").mp.	22835
50	placebo.mp.	33163
51	controlled clinical trial*.mp.	2379
52	or/48-51	67298
53	47 and 52	861
54	limit 47 to "2000 treatment outcome/clinical trial"	499
55	53 or 54	1040
56	limit 55 to ((danish or english or norwegian or swedish) and yr="2013 - 2015")	209

## CINAHL

Søgt d. 18.08.2015

#	Query	Limiters/Expanders	Results
S55	S53 OR S54	Limiters - Published Date: 20130101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	42
S54	S3 AND S22 AND S45	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	64
S53	S46 AND S52	Search modes - Boolean/Phrase	262
S52	S47 OR S48 OR S49 OR S50 OR S51	Search modes - Boolean/Phrase	91,366
S51	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	23,577
S50	controlled clinical trial*	Search modes - Boolean/Phrase	4,791
S49	placebo	Search modes - Boolean/Phrase	23,640



S48	RCT or "randomi#ed controlled study*" or "double blind"	Search modes - Boolean/Phrase	29,338
S47	randomi#ed N3 trial*	Search modes - Boolean/Phrase	66,733
S46	S3 AND S22 AND S45	Search modes - Boolean/Phrase	995
S45	S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44	Search modes - Boolean/Phrase	127,144
S44	("monoamine oxidase inhibitor*" OR maoi*)	Search modes - Boolean/Phrase	603
S43	("selective serotonin reuptake enhancer*" OR ssre*)	Search modes - Boolean/Phrase	4
S42	("norepinephrine dopamine reuptake inhibitor*" OR ndri*)	Search modes - Boolean/Phrase	5
S41	("norepinephrine reuptake inhibitor*" OR "noradrenaline reuptake inhibitor*" OR nri*)	Search modes - Boolean/Phrase	290
S40	("noradrenergic and specific serotonin antidepressant*" OR nassa*)	Search modes - Boolean/Phrase	71
S39	pharmacotherapy	Search modes - Boolean/Phrase	3,170
S38	pharmacologic*	Search modes - Boolean/Phrase	15,252
S37	"venlafaxine"	Search modes - Boolean/Phrase	637
S36	"sertraline"	Search modes - Boolean/Phrase	689
S35	"paroxetine"	Search modes - Boolean/Phrase	773
S34	"mirtazapine"	Search modes - Boolean/Phrase	273
S33	"fluoxetine"	Search modes - Boolean/Phrase	1,185
S32	"escitalopram"	Search modes - Boolean/Phrase	232
S31	"Citalopram"	Search modes - Boolean/Phrase	712
S30	("selective serotonin reuptake inhibitor*" OR SSRI*)	Search modes - Boolean/Phrase	1,775
S29	(MH "Serotonin Uptake Inhibitors+")	Search modes - Boolean/Phrase	5,930
S28	("serotonin-norepinephrine reuptake inhibitor*" OR snri*)	Search modes - Boolean/Phrase	180
S27	antidepressant*	Search modes - Boolean/Phrase	5,879
S26	"add on"	Search modes - Boolean/Phrase	6,562
S25	(MH "Drug Therapy+")	Search modes - Boolean/Phrase	80,809
S24	(MH "Combined Modality Therapy+")	Search modes - Boolean/Phrase	18,236
S23	(MH "Antidepressive Agents+")	Search modes - Boolean/Phrase	11,498
S22	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	Search modes - Boolean/Phrase	31,633

S21	psychoanalytic	Search modes - Boolean/Phrase	1,169
S20	psychoanalysis	Search modes - Boolean/Phrase	682
S19	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	569
S18	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	200
S17	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	110
S16	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	48
S15	ipt	Search modes - Boolean/Phrase	153
S14	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S13	S11 AND S12	Search modes - Boolean/Phrase	14,284
S12	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	92,419
S11	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	151,342
S10	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	157
S9	cbt	Search modes - Boolean/Phrase	1,595
S8	(behavio* N2 therap*)	Search modes - Boolean/Phrase	10,025
S7	"behavioural activation"	Search modes - Boolean/Phrase	32
S6	"behavioral activation"	Search modes - Boolean/Phrase	94
S5	cognitive N2 therap*	Search modes - Boolean/Phrase	9,513
S4	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	13,020
S3	(S1 OR S2)	Search modes - Boolean/Phrase	73,134
S2	depress*	Search modes - Boolean/Phrase	73,099
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,389

I alt 1338 referencer, heraf 939 unikke.

## PICO 4

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 07.10.2015

Search Strategy:

#	Searches	Results
1	Depression/	85236
2	exp Depressive Disorder/	86817
3	depress*.mp.	421972
4	1 or 2 or 3	422546
5	exp Behavior Therapy/	57029
6	exp Cognitive Therapy/	18504
7	(cognitive adj2 therap*).mp.	23023
8	(cognitive behavio* adj2 treatment).mp.	1760
9	behavioral activation.mp.	970
10	behavioural activation.mp.	225
11	(behavio* adj2 therap*).mp.	37449
12	(functional adj2 therap*).mp.	1907
13	cbt.mp.	6203
14	or/5-13	68922
15	Psychotherapy, Psychodynamic/	178
16	(psychodynamic adj2 therapy).mp.	430
17	(psychodynamic adj2 psychotherapy).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	926
18	psychoanalytic.mp.	28698
19	Psychoanalysis/	8369
20	psychoanalysis.mp.	11492
21	exp Psychoanalytic Therapy/	14869
22	or/15-21	35363
23	4 and 14 and 22	275
24	exp Randomized Controlled Trials as Topic/	104032
25	exp randomized controlled trial/	411525
26	(randomi#ed adj3 trial*).mp.	588041
27	(RCT or randomi#ed controlled study* or "double blind*").mp.	184599
28	placebo.mp.	173338
29	controlled clinical trial*.mp.	114951
30	controlled clinical trial/	91669
31	or/24-30	743631

32	23 and 31	92
33	limit 23 to (controlled clinical trial or randomized controlled trial)	44
34	32 or 33	92
35	limit 34 to (yr="2012 - 2015" and (danish or english or norwegian or swedish))	36

Database(s): **Embase** 1974 to 2015 October 06

Søgt d. 07.10.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	321158
2	depress*.ti,ab,kw.	455322
3	1 or 2	557250
4	exp behavior therapy/	39113
5	exp cognitive therapy/	38757
6	(cognitive adj2 therap*).mp.	42528
7	behavioral activation.mp.	1230
8	behavioural activation.mp.	287
9	(behavio* adj2 therap*).mp.	54481
10	(functional adj2 therap*).mp.	2626
11	cbt.mp.	9707
12	psychodynamic psychotherapy/	441
13	(psychodynamic adj2 therapy).mp.	729
14	(psychodynamic adj2 psychotherapy).mp.	1531
15	psychoanalysis/	37650
16	psychoanalysis.mp.	38981
17	psychoanalytic.mp.	20394
18	(cognitive behavio* adj2 treatment).mp.	2745
19	or/4-11,18	79754
20	or/12-17	47644
21	3 and 19 and 20	564
22	"randomized controlled trial (topic)"/	84001
23	randomized controlled trial/	387381
24	exp controlled clinical trial/	525987
25	(randomi#ed adj3 trial*).mp.	596968
26	(RCT or randomi#ed controlled study* or "double blind*").mp.	227066

27	placebo.mp.	360188
28	controlled clinical trial*.mp.	412411
29	or/22-28	983915
30	21 and 29	158
31	limit 21 to (randomized controlled trial or controlled clinical trial)	51
32	30 or 31	158
33	limit 32 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	73

Database(s): **PsycINFO** 1806 to September Week 5 2015

Søgt d. 07.10.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102707
2	"depression (emotion)"/	22490
3	depress*.mp.	272720
4	or/1-3	272947
5	exp behavior therapy/	17672
6	exp Cognitive Therapy/	12130
7	(cognitive adj2 therap*).mp.	31923
8	behavioral activation.mp.	1644
9	behavioural activation.mp.	232
10	(behavio* adj2 therap*).mp.	41098
11	(functional adj2 therap*).mp.	481
12	cbt.mp.	9275
13	psychodynamic psychotherapy/	2664
14	(psychodynamic adj2 therapy).mp.	1596
15	(psychodynamic adj2 psychotherapy).mp.	3873
16	exp Psychoanalysis/	50101
17	psychoanalysis.mp.	65474
18	psychoanalytic.mp.	67518
19	(cognitive behavio* adj2 treatment).mp.	4152
20	or/5-12,19	56819
21	or/13-18	101617
22	4 and 20 and 21	442
23	(randomi#ed adj3 trial*).mp.	32467
24	(RCT or randomi#ed controlled study* or "double blind*").mp.	23092
25	placebo.mp.	33420
26	controlled clinical trial*.mp.	2409
27	or/23-26	68298
28	22 and 27	54

29	limit 22 to "2000 treatment outcome/clinical trial"	25
30	28 or 29	65
31	limit 30 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	28

## CINAHL

Søgt d. 08.10.2015

#	Query	Limiters/Expanders	Results
S27	S25 OR S26	Limiters - Published Date: 20120101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	9
S26	S3 AND S17 AND S18	Limiters - Publication Type: Clinical Trial Search modes - Boolean/Phrase	3
S25	S3 AND S17 AND S18 AND S24	Search modes - Boolean/Phrase	19
S24	S19 OR S20 OR S21 OR S22 OR S23	Search modes - Boolean/Phrase	94,674
S23	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,169
S22	controlled clinical trial*	Search modes - Boolean/Phrase	4,855
S21	placebo	Search modes - Boolean/Phrase	26,813
S20	RCT OR "randomi#ed controlled study*" OR "double blind"	Search modes - Boolean/Phrase	33,132
S19	randomi#ed N3 trial*	Search modes - Boolean/Phrase	68,451
S18	S10 OR S11 OR S12 OR S13 OR S14 OR S15	Search modes - Boolean/Phrase	1,907
S17	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S16	Search modes - Boolean/Phrase	17,100
S16	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	686
S15	psychoanalytic	Search modes - Boolean/Phrase	1,179
S14	psychoanalysis	Search modes - Boolean/Phrase	683
S13	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	572
S12	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	201
S11	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	125
S10	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	49
S9	cbt	Search modes - Boolean/Phrase	1,628

S8	(behavio* N2 therap*)	Search modes - Boolean/Phrase	10,160
S7	"behavioural activation"	Search modes - Boolean/Phrase	32
S6	"behavioral activation"	Search modes - Boolean/Phrase	98
S5	cognitive N2 therap*	Search modes - Boolean/Phrase	9,666
S4	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	13,228
S3	(S1 OR S2)	Search modes - Boolean/Phrase	74,098
S2	depress*	Search modes - Boolean/Phrase	74,063
S1	(MH "Depression+")	Search modes - Boolean/Phrase	49,044

I alt 146 referencer, heraf 94 unikke.

## PICO 5

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	Depression/	85675
2	exp Depressive Disorder/	87091
3	depress*.mp.	423516
4	1 or 2 or 3	424091
5	exp Behavior Therapy/	57258
6	exp Cognitive Therapy/	18630
7	(cognitive adj2 therap*).mp.	23151
8	behavioral activation.mp.	970
9	behavioural activation.mp.	226
10	(behavio* adj2 therap*).mp.	37569
11	(functional adj2 therap*).mp.	1914
12	cbt.mp.	6241
13	(cognitive behavio* adj2 treatment).mp.	1765
14	interpersonal psychotherapy.mp.	662
15	exp Interpersonal Relations/	275339
16	exp Psychotherapy/	158655
17	15 and 16	21593
18	interpersonal therapy.mp.	249
19	ipt.mp.	1613
20	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13	69187
21	14 or 17 or 18 or 19	23478
22	4 and 20 and 21	799
23	exp Randomized Controlled Trials as Topic/	104559
24	exp randomized controlled trial/	413681
25	(randomi#ed adj3 trial*).mp.	591052
26	(RCT or randomi#ed controlled study* or "double blind*").mp.	185262
27	placebo.mp.	173984
28	controlled clinical trial*.mp.	115262
29	controlled clinical trial/	91880
30	or/23-29	747030
31	22 and 30	305
32	limit 22 to (controlled clinical trial or randomized controlled trial)	213
33	31 or 32	305



34	limit 33 to (yr="2012 - 2015" and (danish or english or norwegian or swedish))	92
----	--	----

Database(s): **Embase** 1974 to 2015 October 07

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	321236
2	depress*.ti,ab,kw.	455390
3	1 or 2	557348
4	exp behavior therapy/	39113
5	exp cognitive therapy/	38762
6	(cognitive adj2 therap*).mp.	42536
7	behavioral activation.mp.	1231
8	behavioural activation.mp.	287
9	(behavio* adj2 therap*).mp.	54485
10	(functional adj2 therap*).mp.	2626
11	cbt.mp.	9710
12	(cognitive behavio* adj2 treatment).mp.	2746
13	interpersonal psychotherapy.mp.	884
14	exp human relation/	625002
15	exp psychotherapy/	203458
16	14 and 15	38133
17	interpersonal therapy.mp.	424
18	ipt.mp.	2078
19	4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12	79763
20	13 or 16 or 17 or 18	40685
21	3 and 19 and 20	3642
22	"randomized controlled trial (topic)"/	84118
23	randomized controlled trial/	387448
24	exp controlled clinical trial/	526061
25	(randomi#ed adj3 trial*).mp.	597173
26	(RCT or randomi#ed controlled study* or "double blind*").mp.	227101
27	placebo.mp.	360251
28	controlled clinical trial*.mp.	412428
29	or/22-28	984147

30	21 and 29	1363
31	limit 21 to (randomized controlled trial or controlled clinical trial)	713
32	30 or 31	1363
33	limit 32 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	565

Database(s): **PsycINFO** 1806 to September Week 5 2015

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102707
2	"depression (emotion)"/	22490
3	depress*.mp.	272720
4	or/1-3	272947
5	exp behavior therapy/	17672
6	exp Cognitive Therapy/	12130
7	(cognitive adj2 therap*).mp.	31923
8	behavioral activation.mp.	1644
9	behavioural activation.mp.	232
10	(behavio* adj2 therap*).mp.	41098
11	(functional adj2 therap*).mp.	481
12	cbt.mp.	9275
13	(cognitive behavio* adj2 treatment).mp.	4152
14	interpersonal psychotherapy/	1102
15	interpersonal psychotherapy.mp.	1634
16	interpersonal therapy.mp.	558
17	ipt.mp.	882
18	interpersonal relations.mp.	4299
19	exp Interpersonal Relationships/	134803
20	18 or 19	137748
21	exp Psychotherapy/	187445
22	20 and 21	9437
23	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13	56819
24	14 or 15 or 16 or 17 or 22	11545
25	4 and 23 and 24	689
26	(randomi#ed adj3 trial*).mp.	32467
27	(RCT or randomi#ed controlled study* or "double blind*").mp.	23092
28	placebo.mp.	33420
29	controlled clinical trial*.mp.	2409
30	or/26-29	68298
31	25 and 30	140

32	limit 25 to "2000 treatment outcome/clinical trial"	59
33	31 or 32	164
34	limit 33 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	46

## CINAHL

Søgt d. 08.10.2015

#	Query	Limiters/Expanders	Results
S30	S28 OR S29	Limiters - Published Date: 20120101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	14
S29	S3 AND S19 AND S20	Limiters - Publication Type: Clinical Trial Search modes - Boolean/Phrase	15
S28	S21 AND S27	Search modes - Boolean/Phrase	35
S27	S22 OR S23 OR S24 OR S25 OR S26	Search modes - Boolean/Phrase	94,674
S26	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,169
S25	controlled clinical trial*	Search modes - Boolean/Phrase	4,855
S24	placebo	Search modes - Boolean/Phrase	26,813
S23	RCT OR "randomi#ed controlled study*" OR "double blind**"	Search modes - Boolean/Phrase	33,132
S22	randomi#ed N3 trial*	Search modes - Boolean/Phrase	68,451
S21	S3 AND S19 AND S20	Search modes - Boolean/Phrase	188
S20	S12 OR S15 OR S16 OR S17	Search modes - Boolean/Phrase	14,620
S19	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S18	Search modes - Boolean/Phrase	17,633
S18	(functional N2 therap*)	Search modes - Boolean/Phrase	559
S17	ipt	Search modes - Boolean/Phrase	157
S16	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S15	(S13 AND S14)	Search modes - Boolean/Phrase	14,382
S14	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	93,205
S13	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	152,941
S12	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	159
S11	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	686
S10	(MH "Cognitive Therapy+")	Search modes - Boolean/Phrase	8,796
S9	cbt	Search modes - Boolean/Phrase	1,628
S8	(behavio* N2 therap*)	Search modes - Boolean/Phrase	10,160

S7	"behavioural activation"	Search modes - Boolean/Phrase	32
S6	"behavioral activation"	Search modes - Boolean/Phrase	98
S5	cognitive N2 therap*	Search modes - Boolean/Phrase	9,666
S4	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	13,228
S3	(S1 OR S2)	Search modes - Boolean/Phrase	74,098
S2	depress*	Search modes - Boolean/Phrase	74,063
S1	(MH "Depression+")	Search modes - Boolean/Phrase	49,044

I alt 717 referencer, heraf 584 unikke.

## PICO 6

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	Depressive Disorder, Treatment-Resistant/	442
2	(chronic adj2 depress*).mp.	2256
3	(persistent adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	625
4	long term depress*.mp.	3438
5	(resistant adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	2366
6	(refractory adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	697
7	1 or 2 or 3 or 4 or 5 or 6	9230
8	exp Behavior Therapy/	57258
9	exp Cognitive Therapy/	18630
10	(cognitive adj2 therap*).mp.	23151
11	(cognitive behavio* adj2 treatment).mp.	1765
12	behavioral activation.mp.	970
13	behavioural activation.mp.	226
14	(behavio* adj2 therap*).mp.	37569
15	(functional adj2 therap*).mp.	1914
16	cbt.mp.	6241
17	interpersonal psychotherapy.mp.	662
18	exp Interpersonal Relations/	275339
19	exp Psychotherapy/	158655
20	18 and 19	21593
21	interpersonal therapy.mp.	249
22	ipt.mp.	1613
23	Psychotherapy, Psychodynamic/	179
24	(psychodynamic adj2 therapy).mp.	432
25	(psychodynamic adj2 psychotherapy).mp.	929
26	cbasp.mp.	55
27	cognitive behavio?ral analysis system of psychotherapy.mp.	66
28	exp Psychoanalytic Therapy/	14873
29	psychoanalysis.mp.	11498

30	Psychoanalysis/	8372
31	psychoanalytic.mp.	28708
32	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31	117683
33	7 and 32	398
34	exp Randomized Controlled Trials as Topic/	104559
35	exp randomized controlled trial/	413681
36	(randomi#ed adj3 trial*).mp.	591052
37	(RCT or randomi#ed controlled study* or "double blind*").mp.	185262
38	placebo.mp.	173984
39	controlled clinical trial*.mp.	115262
40	controlled clinical trial/	91880
41	or/34-40	747030
42	33 and 41	174
43	limit 33 to (controlled clinical trial or randomized controlled trial)	120
44	42 or 43	174
45	limit 44 to (yr="2012 - 2015" and (danish or english or norwegian or swedish))	64

Database(s): **Embase** 1974 to 2015 October 07

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	treatment resistant depression.mp. or exp treatment resistant depression/	2336
2	(chronic adj2 depress*).mp.	3193
3	(persistent adj2 depress*).mp.	776
4	long term depress*.mp.	5630
5	(resistant adj2 depress*).mp.	3802
6	(refractory adj2 depress*).mp.	1007
7	1 or 2 or 3 or 4 or 5 or 6	13978
8	exp behavior therapy/	39113
9	exp cognitive therapy/	38762
10	(cognitive adj2 therap*).mp.	42536
11	(cognitive behavio* adj2 treatment).mp.	2746
12	behavioral activation.mp.	1231
13	behavioural activation.mp.	287
14	(behavio* adj2 therap*).mp.	54485
15	(functional adj2 therap*).mp.	2626
16	cbt.mp.	9710
17	interpersonal psychotherapy.mp.	884
18	exp human relation/	625002

19	exp psychotherapy/	203458
20	18 and 19	38133
21	interpersonal therapy.mp.	424
22	ipt.mp.	2078
23	psychodynamic psychotherapy/	441
24	(psychodynamic adj2 therapy).mp.	729
25	(psychodynamic adj2 psychotherapy).mp.	1531
26	cbasp.mp.	91
27	cognitive behavior?ral analysis system of psychotherapy.mp.	100
28	exp Psychoanalytic Therapy/	37651
29	psychoanalysis/	37651
30	psychoanalysis.mp.	38982
31	psychoanalytic.mp.	20395
32	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 20 or 21 or 22 or 23 or 24 or 25 or 29 or 30 or 31	150697
33	7 and 32	670
34	"randomized controlled trial (topic)"/	84118
35	randomized controlled trial/	387448
36	exp controlled clinical trial/	526061
37	(randomi#ed adj3 trial*).mp.	597173
38	(RCT or randomi#ed controlled study* or "double blind*").mp.	227101
39	placebo.mp.	360251
40	controlled clinical trial*.mp.	412428
41	or/34-40	984147
42	33 and 41	253
43	limit 33 to (randomized controlled trial or controlled clinical trial)	119
44	42 or 43	253
45	limit 44 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	117

Database(s): **PsycINFO** 1806 to September Week 5 2015

Søgt d. 08.10.2015

Search Strategy:

#	Searches	Results
1	exp Treatment Resistant Depression/ or treatment resistant depression.mp.	2105
2	(chronic adj2 depress*).mp.	2398
3	(persistent adj2 depress*).mp.	408
4	long term depress*.mp.	1656
5	(resistant adj2 depress*).mp.	2663
6	(refractory adj2 depress*).mp.	711
7	1 or 2 or 3 or 4 or 5 or 6	7354

8	exp behavior therapy/	17672
9	exp Cognitive Therapy/	12130
10	(cognitive adj2 therap*).mp.	31923
11	behavioral activation.mp.	1644
12	behavioural activation.mp.	232
13	(behavio* adj2 therap*).mp.	41098
14	(functional adj2 therap*).mp.	481
15	cbt.mp.	9275
16	interpersonal psychotherapy/	1102
17	interpersonal psychotherapy.mp.	1634
18	interpersonal therapy.mp.	558
19	ipt.mp.	882
20	psychodynamic psychotherapy/	2664
21	(psychodynamic adj2 therapy).mp.	1596
22	(psychodynamic adj2 psychotherapy).mp.	3873
23	exp Psychoanalysis/	50101
24	psychoanalysis.mp.	65474
25	psychoanalytic.mp.	67518
26	(cognitive behavio* adj2 treatment).mp.	4152
27	cbasp.mp.	92
28	cognitive behavio?ral analysis system of psychotherapy.mp.	113
29	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28	156874
30	7 and 29	551
31	(randomi#ed adj3 trial*).mp.	32467
32	(RCT or randomi#ed controlled study* or "double blind*").mp.	23092
33	placebo.mp.	33420
34	controlled clinical trial*.mp.	2409
35	or/31-34	68298
36	30 and 35	86
37	limit 30 to "2000 treatment outcome/clinical trial"	72
38	36 or 37	124
39	limit 38 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	44

## CINAHL

Søgt d. 08.10.2015

#	Query	Limiters/Expanders	Results
S40	S38 OR S39	Limiters - Published Date: 20120101-20151231; Language:	13



		Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	
S39	S23 AND S30	Limiters - Publication Type: Clinical Trial Search modes - Boolean/Phrase	13
S38	S31 AND S37	Search modes - Boolean/Phrase	38
S37	S32 OR S33 OR S34 OR S35 OR S36	Search modes - Boolean/Phrase	94,674
S36	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,169
S35	controlled clinical trial*	Search modes - Boolean/Phrase	4,855
S34	placebo	Search modes - Boolean/Phrase	26,813
S33	RCT OR "randomi#ed controlled study*" OR "double blind**"	Search modes - Boolean/Phrase	33,132
S32	randomi#ed N3 trial*	Search modes - Boolean/Phrase	68,451
S31	S23 AND S30	Search modes - Boolean/Phrase	143
S30	S24 OR S25 OR S26 OR S27 OR S28 OR S29	Search modes - Boolean/Phrase	1,521
S29	(refractory N2 depress*)	Search modes - Boolean/Phrase	55
S28	(resistant N2 depress*)	Search modes - Boolean/Phrase	275
S27	long term depress*	Search modes - Boolean/Phrase	418
S26	(persistent N2 depress*)	Search modes - Boolean/Phrase	118
S25	(chronic N2 depress*)	Search modes - Boolean/Phrase	703
S24	"treatment resistant depressi**"	Search modes - Boolean/Phrase	185
S23	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22	Search modes - Boolean/Phrase	32,669
S22	"cognitive behavio?ral analysis system of psychotherapy"	Search modes - Boolean/Phrase	2
S21	"cbasp"	Search modes - Boolean/Phrase	1
S20	(functional* N2 therap*)	Search modes - Boolean/Phrase	576
S19	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	686
S18	psychoanalytic	Search modes - Boolean/Phrase	1,179
S17	psychoanalysis	Search modes - Boolean/Phrase	683
S16	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	572
S15	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	201
S14	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	125
S13	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	49
S12	ipt	Search modes - Boolean/Phrase	157

S11	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S10	S8 AND S9	Search modes - Boolean/Phrase	14,382
S9	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	93,205
S8	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	152,941
S7	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	159
S6	cbt	Search modes - Boolean/Phrase	1,628
S5	(behavio* N2 therap*)	Search modes - Boolean/Phrase	10,160
S4	"behavioural activation"	Search modes - Boolean/Phrase	32
S3	"behavioral activation"	Search modes - Boolean/Phrase	98
S2	cognitive N2 therap*	Search modes - Boolean/Phrase	9,666
S1	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	13,228

I alt 238 referencer, heraf 140 unikke.

## PICO 7

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 29.09.2015

Search Strategy:

#	Searches	Results
1	Depression/	85141
2	exp Depressive Disorder/	86736
3	depress*.mp.	422191
4	1 or 2 or 3	422765
5	Meditation/	1875
6	Mindfulness/	562
7	mindfulness.mp.	2768
8	meditat*.mp.	4403
9	or/5-8	6074
10	4 and 9	1087
11	exp Randomized Controlled Trials as Topic/	103960
12	exp randomized controlled trial/	411204
13	(randomi#ed adj3 trial*).mp.	588320
14	(RCT or randomi#ed controlled study* or "double blind*").mp.	184738
15	placebo.mp.	173599
16	controlled clinical trial*.mp.	114972
17	controlled clinical trial/	91649
18	or/11-17	744047
19	10 and 18	409
20	limit 10 to (controlled clinical trial or randomized controlled trial)	259
21	19 or 20	409
22	limit 21 to (yr="2011 - 2015" and (danish or english or norwegian or swedish))	271

Database(s): **Embase** 1974 to 2015 September 28

Søgt d. 29.09.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	320648

2	depress*.ti,ab,kw.	454617
3	1 or 2	556391
4	mindfulness/	1595
5	mindfulness.mp.	4210
6	meditation/	4694
7	meditat*.mp.	7226
8	or/4-7	9933
9	3 and 8	2139
10	"randomized controlled trial (topic)"/	83230
11	randomized controlled trial/	386553
12	exp controlled clinical trial/	525030
13	(randomi#ed adj3 trial*).mp.	595058
14	(RCT or randomi#ed controlled study* or "double blind*").mp.	226659
15	placebo.mp.	359615
16	controlled clinical trial*.mp.	412168
17	or/10-16	981549
18	9 and 17	652
19	limit 9 to (randomized controlled trial or controlled clinical trial)	359
20	18 or 19	652
21	limit 20 to ((danish or english or norwegian or swedish) and yr="2011 - 2015")	476

Database(s): **PsycINFO** 1806 to September Week 4 2015

Søgt d. 29.09.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102550
2	"depression (emotion)"/	22485
3	depress*.mp.	272337
4	or/1-3	272564
5	exp Mindfulness/	4782
6	mindfulness.mp.	6750
7	exp meditation/	3403
8	meditat*.mp.	6970
9	or/5-8	11916
10	(randomi#ed adj3 trial*).mp.	32388
11	(RCT or randomi#ed controlled study* or "double blind*").mp.	23064
12	placebo.mp.	33395
13	controlled clinical trial*.mp.	2407
14	or/10-13	68191
15	4 and 9	1977

16	14 and 15	280
17	limit 15 to "2000 treatment outcome/clinical trial"	160
18	16 or 17	342
19	limit 18 to ((danish or english or norwegian or swedish) and yr="2011 - 2015")	219

## CINAHL

Søgt d. 29.09.2015

#	Query	Limiters/Expanders	Results
S17	S15 OR S16	Limiters - Published Date: 20110101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	76
S16	S3 AND S8	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	60
S15	S3 AND S8 AND S14	Search modes - Boolean/Phrase	102
S14	S9 OR S10 OR S11 OR S12 OR S13	Search modes - Boolean/Phrase	92,347
S13	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,014
S12	controlled clinical trial*	Search modes - Boolean/Phrase	4,834
S11	placebo	Search modes - Boolean/Phrase	23,818
S10	RCT OR "randomi#ed controlled study*" OR "double blind*"	Search modes - Boolean/Phrase	29,550
S9	randomi#ed N3 trial*	Search modes - Boolean/Phrase	67,649
S8	S4 OR S5 OR S6 OR S7	Search modes - Boolean/Phrase	3,496
S7	meditat*	Search modes - Boolean/Phrase	2,553
S6	(MH "Meditation")	Search modes - Boolean/Phrase	1,991
S5	mindfulness	Search modes - Boolean/Phrase	1,442
S4	(MH "Mindfulness")	Search modes - Boolean/Phrase	528
S3	(S1 OR S2)	Search modes - Boolean/Phrase	73,680
S2	depress*	Search modes - Boolean/Phrase	73,645
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,772

I alt 1042 referencer, heraf 596 unikke

## PICO 8

Database(s): **PsycINFO** 1806 to September Week 3 2015

Søgt d. 24.09.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102373
2	"depression (emotion)"/	22471
3	depress*.mp.	271901
4	or/1-3	272128
5	talking therap*.mp.	155
6	exp counseling/	69418
7	counselling.mp.	9280
8	counseling.mp.	83800
9	problem solving therap*.mp.	361
10	problem solving treatment*.mp.	142
11	exp Psychotherapy/	187079
12	psychotherap*.mp.	162042
13	or/5-12	312735
14	general practitioners/	5098
15	family physicians/	1429
16	primary health care/	13909
17	(primary adj2 care).mp.	27943
18	(general practitioner* or family physician*).mp.	12223
19	(general practice* or family practice* or family medicine).mp.	8345
20	(outpatient* or out-patient*).mp.	48553
21	or/14-20	86986
22	4 and 13 and 21	3196
23	(randomi#ed adj3 trial*).mp.	32248
24	(RCT or randomi#ed controlled study* or "double blind").mp.	23028
25	placebo.mp.	33357
26	controlled clinical trial*.mp.	2403
27	or/23-26	68015
28	22 and 27	697
29	limit 22 to "2000 treatment outcome/clinical trial"	512
30	28 or 29	894
31	limit 30 to ((danish or english or norwegian or swedish) and yr="2011 - 2015")	353

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 24.09.2015

Search Strategy:

#	Searches	Results
1	Depression/	85141
2	exp Depressive Disorder/	86736
3	depress*.mp.	423467
4	1 or 2 or 3	424041
5	General Practitioners/	2633
6	Physicians, Family/	14960
7	Physicians, Primary Care/	1683
8	exp Primary Health Care/	86469
9	exp General Practice/	66300
10	(primary adj2 care).mp.	119007
11	(general practitioner* or family physician*).mp.	52479
12	(general practice* or family practice* or family medicine).mp.	92936
13	(outpatient* or out-patient*).mp.	147056
14	or/5-13	383226
15	4 and 14	25403
16	exp Randomized Controlled Trials as Topic/	103960
17	exp randomized controlled trial/	411466
18	(randomi#ed adj3 trial).mp.	452768
19	(RCT or randomi#ed controlled study* or "double blind*").mp.	185208
20	placebo.mp.	174198
21	controlled clinical trial*.mp.	115064
22	controlled clinical trial/	91658
23	or/16-22	705799
24	15 and 23	4865
25	limit 15 to (controlled clinical trial or randomized controlled trial)	3752
26	24 or 25	4865
27	talking therap*.mp.	85
28	exp Counseling/	35333
29	counseling.mp.	76706
30	counselling.mp.	19639
31	problem solving therap*.mp.	270
32	problem solving treatment*.mp.	126
33	exp Psychotherapy/	158124
34	psychotherap*.mp.	71688
35	or/27-34	254697
36	26 and 35	1367

37	limit 36 to (yr="2011 - 2015" and (danish or english or norwegian or swedish))	502
----	--	-----

Database(s): **Embase** 1974 to 2015 September 23

Søgt d. 24.09.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	320447
2	depress*.ti,ab,kw.	454340
3	1 or 2	556059
4	talking therap*.mp.	116
5	exp counseling/	119752
6	counseling.mp.	137534
7	counselling.mp.	29605
8	problem solving therap*.mp.	376
9	problem solving treatment*.mp.	153
10	exp psychotherapy/	203102
11	psychotherap*.mp.	102088
12	or/4-11	351898
13	general practitioner/	70283
14	exp primary health care/	119752
15	general practice/	73363
16	(primary adj2 care).mp.	165105
17	(general practitioner* or family physician*).mp.	104843
18	(general practice* or family practice* or family medicine).mp.	101820
19	(outpatient* or out-patient*).mp.	235329
20	or/13-19	521197
21	3 and 12 and 20	6591
22	"randomized controlled trial (topic)"/	83023
23	randomized controlled trial/	386178
24	exp controlled clinical trial/	524612
25	(randomi#ed adj3 trial).mp.	530033
26	(RCT or randomi#ed controlled study* or "double blind*").mp.	226534
27	placebo.mp.	359474
28	controlled clinical trial*.mp.	412100
29	or/22-28	931771



30	21 and 29	1750
31	limit 21 to (randomized controlled trial or controlled clinical trial)	1158
32	30 or 31	1750
33	limit 32 to ((danish or english or norwegian or swedish) and yr="2011 - 2015")	739

## CINAHL

Søgt d. 24.09.2015

#	Query	Limiters/Expanders	Results
S29	S27 OR S28	Limiters - Published Date: 20110101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	104
S28	S3 AND S12 AND S26	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	116
S27	S3 AND S12 AND S18 AND S26	Search modes - Boolean/Phrase	292
S26	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25	Search modes - Boolean/Phrase	118,194
S25	"outpatient*" or "out-patient"	Search modes - Boolean/Phrase	52,295
S24	"general practice*" or "family practice*" or "family medicine"	Search modes - Boolean/Phrase	16,259
S23	("general practitioner*" OR "family physician")	Search modes - Boolean/Phrase	9,590
S22	primary N2 care	Search modes - Boolean/Phrase	51,075
S21	(MH "Family Practice")	Search modes - Boolean/Phrase	10,955
S20	(MH "Primary Health Care")	Search modes - Boolean/Phrase	31,728
S19	(MH "Physicians, Family")	Search modes - Boolean/Phrase	8,547
S18	S13 OR S14 OR S15 OR S16 OR S17	Search modes - Boolean/Phrase	92,347
S17	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,014
S16	controlled clinical trial*	Search modes - Boolean/Phrase	4,834
S15	placebo	Search modes - Boolean/Phrase	23,818
S14	RCT or "randomi#ed controlled study*" or "double blind"	Search modes - Boolean/Phrase	29,550
S13	randomi#ed N3 trial*	Search modes - Boolean/Phrase	67,649
S12	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	Search modes - Boolean/Phrase	123,072
S11	psychotherap*	Search modes - Boolean/Phrase	16,222
S10	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	93,086
S9	problem solving treatment*	Search modes - Boolean/Phrase	114

S8	problem solving therap*	Search modes - Boolean/Phrase	192
S7	talking therap*	Search modes - Boolean/Phrase	170
S6	counselling	Search modes - Boolean/Phrase	6,893
S5	counseling	Search modes - Boolean/Phrase	27,813
S4	(MH "Counseling+")	Search modes - Boolean/Phrase	18,213
S3	(S1 OR S2)	Search modes - Boolean/Phrase	73,680
S2	depress*	Search modes - Boolean/Phrase	73,645
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,772

I alt 1698 referencer, heraf 948 unikke.

## PICO 8, 2. omgang

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 23.11.2015

Search Strategy:

#	Searches	Results
1	Depression/	86537
2	exp Depressive Disorder/	87676
3	depress*.mp.	426718
4	1 or 2 or 3	427295
5	General Practitioners/	2734
6	Physicians, Family/	15014
7	Physicians, Primary Care/	1760
8	exp Primary Health Care/	87766
9	exp General Practice/	66749
10	(primary adj2 care).mp.	120017
11	(general practitioner* or family physician*).mp.	52933
12	(general practice* or family practice* or family medicine).mp.	93400
13	(outpatient* or out-patient*).mp.	148648
14	or/5-13	386818
15	4 and 14	25622
16	exp Randomized Controlled Trials as Topic/	105769
17	exp randomized controlled trial/	417001
18	(randomi#ed adj3 trial).mp.	457706
19	(RCT or randomi#ed controlled study* or "double blind*").mp.	186633
20	placebo.mp.	175466
21	controlled clinical trial*.mp.	115877
22	controlled clinical trial/	92231
23	or/16-22	713006
24	15 and 23	4906
25	limit 15 to (controlled clinical trial or randomized controlled trial)	3798
26	24 or 25	4906
27	talking therap*.mp.	87
28	exp Counseling/	35718
29	counseling.mp.	77362
30	counselling.mp.	19828
31	problem solving therap*.mp.	271
32	problem solving treatment*.mp.	124
33	exp Psychotherapy/	159567
34	psychotherap*.mp.	72222

35	or/27-34	256953
36	26 and 35	1384
37	limit 36 to (yr="2013 - 2015" and (danish or english or norwegian or swedish))	324

Database(s): **Embase** 1974 to 2015 November 20

Søgt d. 23.11.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	325226
2	depress*.ti,ab,kw.	460294
3	1 or 2	563432
4	talking therap*.mp.	117
5	exp counseling/	121389
6	counseling.mp.	139357
7	counselling.mp.	30060
8	problem solving therap*.mp.	383
9	problem solving treatment*.mp.	155
10	exp psychotherapy/	205324
11	psychotherap*.mp.	102921
12	or/4-11	356108
13	general practitioner/	71206
14	exp primary health care/	121337
15	general practice/	73821
16	(primary adj2 care).mp.	167305
17	(general practitioner* or family physician*).mp.	105954
18	(general practice* or family practice* or family medicine).mp.	102507
19	(outpatient* or out-patient*).mp.	239090
20	or/13-19	527920
21	3 and 12 and 20	6703
22	"randomized controlled trial (topic)"/	87527
23	randomized controlled trial/	391854
24	exp controlled clinical trial/	531092
25	(randomi#ed adj3 trial).mp.	541335
26	(RCT or randomi#ed controlled study* or "double blind*").mp.	229672
27	placebo.mp.	363719

28	controlled clinical trial*.mp.	413561
29	or/22-28	946460
30	21 and 29	1795
31	limit 21 to (randomized controlled trial or controlled clinical trial)	1183
32	30 or 31	1795
33	limit 32 to ((danish or english or norwegian or swedish) and yr="2013 -Current")	502

Database(s): **PsycINFO** 1806 to November Week 3 2015

Søgt d. 23.11.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	103597
2	"depression (emotion)"/	22547
3	depress*.mp.	275125
4	or/1-3	275352
5	talking therap*.mp.	159
6	exp counseling/	69758
7	counselling.mp.	9387
8	counseling.mp.	84288
9	problem solving therap*.mp.	369
10	problem solving treatment*.mp.	144
11	exp Psychotherapy/	188503
12	psychotherap*.mp.	163074
13	or/5-12	314941
14	general practitioners/	5153
15	family physicians/	1441
16	primary health care/	14121
17	(primary adj2 care).mp.	28452
18	(general practitioner* or family physician*).mp.	12370
19	(general practice* or family practice* or family medicine).mp.	8464
20	(outpatient* or out-patient*).mp.	48991
21	or/14-20	88046
22	4 and 13 and 21	3229
23	(randomi#ed adj3 trial*).mp.	33077
24	(RCT or randomi#ed controlled study* or "double blind*").mp.	23326
25	placebo.mp.	33678
26	controlled clinical trial*.mp.	2434
27	or/23-26	69147
28	22 and 27	713
29	limit 22 to "2000 treatment outcome/clinical trial"	523

30	28 or 29	912
31	limit 30 to ((danish or english or norwegian or swedish) and yr="2013 - 2015")	239

## CINAHL

Søgt d. 23.11.2015

#	Query	Limiters/Expanders	Results
S29	S27 OR S28	Limiters - Published Date: 20130101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	70
S28	S3 AND S12 AND S26	Limiters - Publication Type: Clinical Trial Search modes - Boolean/Phrase	138
S27	S3 AND S12 AND S18 AND S26	Search modes - Boolean/Phrase	315
S26	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25	Search modes - Boolean/Phrase	122,488
S25	"outpatient*" or "out-patient"	Search modes - Boolean/Phrase	53,714
S24	"general practice*" or "family practice*" or "family medicine"	Search modes - Boolean/Phrase	17,323
S23	("general practitioner*" OR "family physician*")	Search modes - Boolean/Phrase	10,009
S22	primary N2 care	Search modes - Boolean/Phrase	53,053
S21	(MH "Family Practice")	Search modes - Boolean/Phrase	11,599
S20	(MH "Primary Health Care")	Search modes - Boolean/Phrase	32,388
S19	(MH "Physicians, Family")	Search modes - Boolean/Phrase	8,844
S18	S13 OR S14 OR S15 OR S16 OR S17	Search modes - Boolean/Phrase	99,204
S17	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,802
S16	controlled clinical trial*	Search modes - Boolean/Phrase	5,092
S15	placebo	Search modes - Boolean/Phrase	27,873
S14	RCT or "randomi#ed controlled study*" or "double blind"	Search modes - Boolean/Phrase	34,402
S13	randomi#ed N3 trial*	Search modes - Boolean/Phrase	72,220
S12	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	Search modes - Boolean/Phrase	125,155
S11	psychotherap*	Search modes - Boolean/Phrase	16,613
S10	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	94,173
S9	problem solving treatment*	Search modes - Boolean/Phrase	123
S8	problem solving therap*	Search modes - Boolean/Phrase	202

S7	talking therap*	Search modes - Boolean/Phrase	173
S6	counselling	Search modes - Boolean/Phrase	7,144
S5	counseling	Search modes - Boolean/Phrase	28,572
S4	(MH "Counseling+")	Search modes - Boolean/Phrase	18,496
S3	(S1 OR S2)	Search modes - Boolean/Phrase	76,922
S2	depress*	Search modes - Boolean/Phrase	76,887
S1	(MH "Depression+")	Search modes - Boolean/Phrase	49,596

## PICO 9

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 01.10.2015

Search Strategy:

#	Searches	Results
1	Depression/	85236
2	exp Depressive Disorder/	86817
3	depress*.mp.	422169
4	(friend* and (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	5709
5	(friend* and therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	4157
6	(relatives and (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	4341
7	(relatives and therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	3177
8	(network adj2 (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	316
9	(network adj2 therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	275
10	Family Therapy/	7886
11	(family adj (therap* or intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	10068
12	Couples Therapy/	457
13	Marital Therapy/	1420
14	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	2467
15	1 or 2 or 3	422743
16	or/4-14	27418
17	15 and 16	2272
18	exp Randomized Controlled Trials as Topic/	104032
19	exp randomized controlled trial/	411550
20	(randomi#ed adj3 trial*).mp.	588538



21	(RCT or randomi#ed controlled study* or "double blind*").mp.	184726
22	placebo.mp.	173575
23	controlled clinical trial*.mp.	114990
24	controlled clinical trial/	91674
25	or/18-24	744220
26	17 and 25	501
27	limit 17 to (controlled clinical trial or randomized controlled trial)	341
28	26 or 27	501
29	limit 28 to (yr="2005 - 2015" and (danish or english or norwegian or swedish))	340

Database(s): **Embase** 1974 to 2015 September 30

Søgt d. 01.10.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	320828
2	depress*.ti,ab,kw.	454797
3	1 or 2	556622
4	(friend* and (intervention* or counsel*)).mp.	8140
5	(friend* and therap*).mp.	8429
6	(relatives and (intervention* or counsel*)).mp.	6445
7	(relatives and therap*).mp.	7304
8	(network adj2 (intervention* or counsel*)).mp.	381
9	(network adj2 therap*).mp.	352
10	family therapy/	11745
11	(family adj (therap* or intervention* or counsel*)).mp.	19647
12	marital therapy/	2811
13	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	3730
14	or/4-13	48309
15	3 and 14	4751
16	"randomized controlled trial (topic)"/	83513
17	randomized controlled trial/	386765
18	exp controlled clinical trial/	525287
19	(randomi#ed adj3 trial*).mp.	595594
20	(RCT or randomi#ed controlled study* or "double blind*").mp.	226758
21	placebo.mp.	359759

22	controlled clinical trial*.mp.	412250
23	or/16-22	982207
24	15 and 23	810
25	limit 15 to (randomized controlled trial or controlled clinical trial)	410
26	24 or 25	810
27	limit 26 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	612

Database(s): **PsycINFO** 1806 to September Week 5 2015

Søgt d. 01.10.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	102707
2	"depression (emotion)"/	22490
3	depress*.mp.	272720
4	1 or 2 or 3	272947
5	(friend* and (intervention* or counsel*)).mp.	7437
6	(friend* and therap*).mp.	4927
7	(relatives and (intervention* or counsel*)).mp.	2125
8	(relatives and therap*).mp.	1836
9	(network adj2 (intervention* or counsel*)).mp.	294
10	(network adj2 therap*).mp.	226
11	exp Family therapy/	19907
12	(family adj (therap* or intervention* or counsel*)).mp.	27527
13	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	9723
14	exp marriage counseling/	4981
15	exp couples therapy/	3480
16	or/5-15	48113
17	4 and 16	4084
18	(randomi#ed adj3 trial*).mp.	32467
19	(RCT or randomi#ed controlled study* or "double blind*").mp.	23092
20	placebo.mp.	33420
21	controlled clinical trial*.mp.	2409
22	or/18-21	68298
23	17 and 22	338
24	limit 17 to "2000 treatment outcome/clinical trial"	219
25	23 or 24	427
26	limit 25 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	327

**CINAHL**

Søgt d. 01.10.2015

#	Query	Limiters/Expanders	Results
S23	S21 OR S22	Limiters - Published Date: 20050101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	103
S22	S3 AND S14	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	43
S21	S3 AND S14 AND S20	Search modes - Boolean/Phrase	123
S20	S15 OR S16 OR S17 OR S18 OR S19	Search modes - Boolean/Phrase	92,347
S19	(MH "Randomized Controlled Trials")	Search modes - Boolean/Phrase	24,014
S18	controlled clinical trial*	Search modes - Boolean/Phrase	4,834
S17	placebo	Search modes - Boolean/Phrase	23,818
S16	RCT OR "randomi#ed controlled study*" OR "double blind**"	Search modes - Boolean/Phrase	29,550
S15	randomi#ed N3 trial*	Search modes - Boolean/Phrase	67,649
S14	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13	Search modes - Boolean/Phrase	10,521
S13	((couple* or marriage or marital) N1 (therap* or counsel* or intervention*))	Search modes - Boolean/Phrase	1,317
S12	(MH "Couples Counseling")	Search modes - Boolean/Phrase	969
S11	(family N1 (therap* or intervention* or counsel*))	Search modes - Boolean/Phrase	3,820
S10	(MH "Family Therapy")	Search modes - Boolean/Phrase	2,139
S9	(network N2 therap*)	Search modes - Boolean/Phrase	94
S8	(network N2 (intervention* or counsel*))	Search modes - Boolean/Phrase	136
S7	(relatives and therap*)	Search modes - Boolean/Phrase	870
S6	(relatives and (intervention* or counsel*))	Search modes - Boolean/Phrase	1,069
S5	(friend* and therap*)	Search modes - Boolean/Phrase	2,170
S4	(friend* and (intervention* or counsel*))	Search modes - Boolean/Phrase	2,335
S3	S1 OR S2	Search modes - Boolean/Phrase	73,680
S2	depress*	Search modes - Boolean/Phrase	73,645

S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,772
----	--------------------	-------------------------------	--------

I alt 1382 referencer, heraf 878 unikke.

## PICO 10

Database(s): Ovid **MEDLINE**(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)  
1946 to Present

Søgt d. 03.09.2015

Search Strategy:

#	Searches	Results
1	Depression/	84819
2	exp Depressive Disorder/	86487
3	depress*.mp.	422315
4	dysthymi*.mp.	3205
5	or/1-4	423104
6	Case Management/	8762
7	Cooperative Behavior/	32877
8	Interinstitutional Relations/	9880
9	exp Interprofessional Relations/	58399
10	exp Patient Care Team/	57593
11	physician-nurse relations/	2049
12	exp Patient Compliance/	59382
13	Patient-Centered Care/	12345
14	Pharmacists/ut [Utilization]	272
15	(collaborat* care or collaborat* health* or collaborat* work* or collaborat* interven* or collaborat* service* or collaborat* model* or collaborat* effort* or collaborat* manag*).ti,ab.	6574
16	(coordinat* care or coordinat* health* or coordinat* work* or coordinat* interven* or coordinat* service* or coordinat* model* or coordinat* effort* or coordinat* manag*).ti,ab.	3459
17	(co-ordinat* care or co-ordinat* health* or co-ordinat* work* or co-ordinat* interven* or co-ordinat* service* or co-ordinat* model* or co-ordinat* effort* or co-ordinat* manag*).ti,ab.	220
18	(shared care or shared health* or shared work* or shared interven* or shared service* or shared model* or shared effort* or shared manag*).ti,ab.	1476
19	(integrat* care or integrat* health* or integrat* work* or integrat* interven* or integrat* service* or integrat* model* or integrat* effort* or integrat* manag*).ti,ab.	11938
20	(stepped care or stepped health* or stepped work* or stepped interven* or stepped service* or stepped model* or stepped effort* or stepped manag*).ti,ab.	884
21	(systematic care or systematic health* or systematic work* or systematic interven* or systematic service* or systematic model* or systematic effort* or systematic manag*).ti,ab.	1278
22	(augment* care* or augment* health* or augment* communicat*).ti,ab.	235
23	(enhance* care* or enhance* health* or enhance* communicat*).ti,ab.	2200
24	(care manage* or chronic care* or complex intervention* or cooperative behav* or co-operative behav* or joint working or pathway or interprofessional or inter-professional or interdisciplinary or inter-disciplinary or multidisciplin* or multi-disciplin* or	588457

	multiprofession* or multi-profession* or transdisciplin* or trans-disciplin* or multifacet* or multi-facet* or complex intervention*).ti,ab.	
25	(multiple intervention* or multi-intervention* or organisational intervention* or organizational intervention* or interpersonal relation* or inter-personal relation* or interinstitutional relation* or inter-institutional relation* or consultation liaison or algorithm* or treatment guideline* or treatment protocol* or treatment delivery or treatment model or patient care team or patient care management or patient care planning or case management or managed care program*).ti,ab.	194305
26	((healthcare adj3 delivery) or (continuity adj3 care) or professional-patient relations or interprofessional relations or inter-professional relations).ti,ab.	9018
27	(collaborative adj2 care).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1857
28	or/6-27	989252
29	5 and 28	20920
30	exp Randomized Controlled Trials as Topic/	103709
31	exp randomized controlled trial/	410338
32	(randomi#ed adj3 trial).mp.	451284
33	(RCT or randomi#ed controlled study*).mp.	18444
34	controlled clinical trial*.mp.	114917
35	controlled clinical trial/	91580
36	or/30-35	642629
37	29 and 36	2592
38	limit 29 to (controlled clinical trial or randomized controlled trial)	1986
39	37 or 38	2592
40	limit 39 to (yr="2012 - 2015" and (danish or english or norwegian or swedish))	842

Database(s): **Embase** 1974 to 2015 September 02

Søgt d. 03.09.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involuntional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	318870
2	depress*.ti,ab,kw.	451879
3	dysthymi*.mp.	7755
4	or/1-3	553353
5	(collaborative adj2 care).mp.	2478
6	case management/	8554

7	exp cooperation/	46308
8	public relations/	56233
9	exp patient care/	579976
10	doctor nurse relation/	2229
11	exp patient compliance/	112678
12	pharmacist/	53539
13	teamwork/	12733
14	(collaborat* care or collaborat* health* or collaborat* work* or collaborat* interven* or collaborat* service* or collaborat* model* or collaborat* effort* or collaborat* manag*).ti,ab.	8530
15	(coordinat* care or coordinat* health* or coordinat* work* or coordinat* interven* or coordinat* service* or coordinat* model* or coordinat* effort* or coordinat* manag*).ti,ab.	4418
16	(co-ordinat* care or co-ordinat* health* or co-ordinat* work* or co-ordinat* interven* or co-ordinat* service* or co-ordinat* model* or co-ordinat* effort* or co-ordinat* manag*).ti,ab.	289
17	(shared care or shared health* or shared work* or shared interven* or shared service* or shared model* or shared effort* or shared manag*).ti,ab.	2037
18	(integrat* care or integrat* health* or integrat* work* or integrat* interven* or integrat* service* or integrat* model* or integrat* effort* or integrat* manag*).ti,ab.	15126
19	(stepped care or stepped health* or stepped work* or stepped interven* or stepped service* or stepped model* or stepped effort* or stepped manag*).ti,ab.	1135
20	(systematic care or systematic health* or systematic work* or systematic interven* or systematic service* or systematic model* or systematic effort* or systematic manag*).ti,ab.	1599
21	(augment* care* or augment* health* or augment* communicat*).ti,ab.	330
22	(enhance* care* or enhance* health* or enhance* communicat*).ti,ab.	2804
23	(care manage* or chronic care* or complex intervention* or cooperative behav* or co-operative behav* or joint working or pathway or interprofessional or inter-professional or interdisciplinary or inter-disciplinary or multidisciplin* or multi-disciplin* or multiprofession* or multi-profession* or transdisciplin* or trans-disciplin* or multifacet* or multi-facet* or complex intervention*).ti,ab.	724820
24	(multiple intervention* or multi-intervention* or organisational intervention* or organizational intervention* or interpersonal relation* or inter-personal relation* or interinstitutional relation* or inter-institutional relation* or consultation liaison or algorithm* or treatment guideline* or treatment protocol* or treatment delivery or treatment model or patient care team or patient care management or patient care planning or case management or managed care program*).ti,ab.	236382
25	((healthcare adj3 delivery) or (continuity adj3 care) or professional-patient relations or interprofessional relations or inter-professional relations).ti,ab.	11358
26	or/5-25	1729671
27	4 and 26	49049
28	"randomized controlled trial (topic)"/	81445
29	randomized controlled trial/	384092
30	exp controlled clinical trial/	522212

31	(randomi#ed adj3 trial).mp.	525735
32	(RCT or randomi#ed controlled study*).mp.	28801
33	controlled clinical trial*.mp.	411569
34	or/28-33	683747
35	27 and 34	5595
36	limit 27 to (randomized controlled trial or controlled clinical trial)	3952
37	35 or 36	5595
38	limit 37 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	2188

Database(s): **PsycINFO** 1806 to August Week 4 2015

Søgt d. 03.09.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	101959
2	"depression (emotion)"/	22452
3	depress*.mp.	270770
4	dysthymi*.mp.	3649
5	or/1-4	271349
6	(collaborative adj2 care).mp.	1147
7	exp case management/	3020
8	exp Collaboration/	6610
9	cooperation/	12943
10	interdisciplinary treatment approach/	6242
11	exp compliance/	15712
12	pharmacists/	1027
13	(collaborat* care or collaborat* health* or collaborat* work* or collaborat* interven* or collaborat* service* or collaborat* model* or collaborat* effort* or collaborat* manag*).ti,ab.	4506
14	(coordinat* care or coordinat* health* or coordinat* work* or coordinat* interven* or coordinat* service* or coordinat* model* or coordinat* effort* or coordinat* manag*).ti,ab.	1366
15	(co-ordinat* care or co-ordinat* health* or co-ordinat* work* or co-ordinat* interven* or co-ordinat* service* or co-ordinat* model* or co-ordinat* effort* or co-ordinat* manag*).ti,ab.	59
16	(shared care or shared health* or shared work* or shared interven* or shared service* or shared model* or shared effort* or shared manag*).ti,ab.	566
17	(integrat* care or integrat* health* or integrat* work* or integrat* interven* or integrat* service* or integrat* model* or integrat* effort* or integrat* manag*).ti,ab.	7867
18	(stepped care or stepped health* or stepped work* or stepped interven* or stepped service* or stepped model* or stepped effort* or stepped manag*).ti,ab.	534
19	(systematic care or systematic health* or systematic work* or systematic interven* or systematic service* or systematic model* or systematic effort* or systematic	806



	manag*).ti,ab.	
20	(augment* care* or augment* health* or augment* communicat*).ti,ab.	309
21	(enhance* care* or enhance* health* or enhance* communicat*).ti,ab.	1198
22	(care manage* or chronic care* or complex intervention* or cooperative behav* or co-operative behav* or joint working or pathway or interprofessional or inter-professional or interdisciplinary or inter-disciplinary or multidisciplin* or multi-disciplin* or multiprofession* or multi-profession* or transdisciplin* or trans-disciplin* or multifacet* or multi-facet* or complex intervention*).ti,ab.	74315
23	(multiple intervention* or multi-intervention* or organisational intervention* or organizational intervention* or interpersonal relation* or inter-personal relation* or interinstitutional relation* or inter-institutional relation* or consultation liaison or algorithm* or treatment guideline* or treatment protocol* or treatment delivery or treatment model or patient care team or patient care management or patient care planning or case management or managed care program*).ti,ab.	45031
24	((healthcare adj3 delivery) or (continuity adj3 care) or professional-patient relations or interprofessional relations or inter-professional relations).ti,ab.	2513
25	or/6-24	169090
26	5 and 25	12620
27	(randomi#ed adj3 trial).mp.	21951
28	(RCT or randomi#ed controlled study*).mp.	3408
29	controlled clinical trial*.mp.	2387
30	or/27-29	25730
31	26 and 30	828
32	limit 26 to "2000 treatment outcome/clinical trial"	826
33	31 or 32	1258
34	limit 33 to ((danish or english or norwegian or swedish) and yr="2012 - 2015")	463

## CINAHL

Søgt d. 03.09.2015

#	Query	Limiters/Expanders	Results
S36	S34 OR S35	Limiters - Published Date: 20120101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	158
S35	S4 AND S29	Limiters - Publication Type: Randomized Controlled Trial Search modes - Boolean/Phrase	243
S34	S4 AND S29 AND S33	Search modes - Boolean/Phrase	423
S33	S30 OR S31 OR S32	Search modes -	40,603

		Boolean/Phrase	
S32	"controlled clinical trial**"	Search modes - Boolean/Phrase	3,406
S31	RCT OR "randomi?ed controlled study**"	Search modes - Boolean/Phrase	4,340
S30	randomi?ed N3 trial	Search modes - Boolean/Phrase	35,466
S29	S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28	Search modes - Boolean/Phrase	167,144
S28	TI (collaborative N2 care) OR AB (collaborative N2 care)	Search modes - Boolean/Phrase	1,274
S27	TI ( ((healthcare N3 delivery) or (continuity N3 care) or "professional-patient relations" or "interprofessional relations" or "inter-professional relations" ) ) OR AB ( ((healthcare N3 delivery) or (continuity N3 care) or "professional-patient relations" or "interprofessional relations" or "inter-professional relations" ) )	Search modes - Boolean/Phrase	4,130
S26	TI ( ("multiple intervention*" or "multi-intervention*" or "organisational intervention*" or "organizational intervention*" or "interpersonal relation*" or "inter- personal relation*" or "interinstitutional relation*" or "inter-institutional relation*" or "consultation liaison" or "algorithm*" or "treatment guideline*" or "treatment protocol*" or "treatment delivery" or "treatment model" or "patient care team" or "patient care management" or "patient care planning" or "case management" or "managed care program*" ) ) OR AB ( ("multiple intervention*" or "multi-intervention*" or "organisational intervention*" or "organizational intervention*" or "interpersonal relation*" or "inter- personal relation*" or "interinstitutional relation*" or "inter-institutional relation*" or "consultation liaison" or "algorithm*" or "treatment guideline*" or "treatment protocol*" or "treatment delivery" or "treatment model" or "patient care team" or "patient care management" or "patient care planning" or "case management" or "managed care program*" ) )	Search modes - Boolean/Phrase	20,664
S25	TI ( ("care manage*" or "chronic care*" or "complex intervention*" or "cooperative behav*" or "co- operative behav*" or "joint working" or "pathway" or "interprofessional" or "inter-professional" or "interdisciplinary" or "inter-disciplinary" or "multidisciplin*" or "multi-disciplin*" or "multiprofession*" or "multi-profession*" or "transdisciplin*" or "trans-disciplin*" or "multifacet*" or	Search modes - Boolean/Phrase	46,612

	“multi-facet*” or “complex intervention*” ) OR AB ( (“care manage*” or “chronic care*” or “complex intervention*” or “cooperative behav*” or “co-operative behav*” or “joint working” or “pathway” or “interprofessional” or “inter-professional” or “interdisciplinary” or “inter-disciplinary” or “multidisciplin*” or “multi-disciplin*” or “multiprofession*” or “multi-profession*” or “transdisciplin*” or “trans-disciplin*” or “multifacet*” or “multi-facet*” or “complex intervention*” ) )		
S24	TI ( (“enhance* care*” or “enhance* health*” or “enhance* communicat*”) ) OR AB ( (“enhance* care*” or “enhance* health*” or “enhance* communicat*”) )	Search modes - Boolean/Phrase	1,119
S23	TI ( (“augment* care*” or “augment* health*” or “augment* communicat*”) ) OR AB ( (“augment* care*” or “augment* health*” or “augment* communicat*”) )	Search modes - Boolean/Phrase	166
S22	TI ( (“systematic care” or “systematic health*” or “systematic work*” or “systematic interven*” or “systematic service*” or “systematic model*” or “systematic effort*” or “systematic manag*”) ) OR AB ( (“systematic care” or “systematic health*” or “systematic work*” or “systematic interven*” or “systematic service*” or “systematic model*” or “systematic effort*” or “systematic manag*”) )	Search modes - Boolean/Phrase	243
S21	TI ( (“stepped care” or “stepped health*” or “stepped work*” or “stepped interven*” or “stepped service*” or “stepped model*” or “stepped effort*” or “stepped manag*”) ) OR AB ( (“stepped care” or “stepped health*” or “stepped work*” or “stepped interven*” or “stepped service*” or “stepped model*” or “stepped effort*” or “stepped manag*”) )	Search modes - Boolean/Phrase	212
S20	TI ( (“integrat* care” or “integrat* health*” or “integrat* work*” or “integrat* interven*” or “integrat* service*” or “integrat* model*” or “integrat* effort*” or “integrat* manag*”) ) OR AB ( (“integrat* care” or “integrat* health*” or “integrat* work*” or “integrat* interven*” or “integrat* service*” or “integrat* model*” or “integrat* effort*” or “integrat* manag*”) )	Search modes - Boolean/Phrase	4,171
S19	TI ( (“shared care” or “shared health*” or “shared work*” or “shared interven*” or “shared service*” or “shared model*” or “shared effort*” or “shared manag*”) ) OR AB ( (“shared care” or “shared health*” or “shared work*” or “shared interven*” or “shared service*” or “shared model*” or “shared effort*” or “shared manag*”) )	Search modes - Boolean/Phrase	505
S18	TI ( (“co-ordinat* care” or “co-ordinat* health*” or “co-ordinat* work*” or “co-ordinat* interven*” or “co-	Search modes - Boolean/Phrase	92

	ordinat* service*" or "co-ordinat* model*" or "co-ordinat* effort*" or "co-ordinat* manag*" ) OR AB ( ("co-ordinat* care" or "co-ordinat* health*" or "co-ordinat* work*" or "co-ordinat* interven*" or "co-ordinat* service*" or "co-ordinat* model*" or "co-ordinat* effort*" or "co-ordinat* manag*" ) )		
S17	TI ( ("coordinat* care" or "coordinat* health*" or "coordinat* work*" or "coordinat* interven*" or "coordinat* service*" or "coordinat* model*" or "coordinat* effort*" or "coordinat* manag*" ) ) OR AB ( ("coordinat* care" or "coordinat* health*" or "coordinat* work*" or "coordinat* interven*" or "coordinat* service*" or "coordinat* model*" or "coordinat* effort*" or "coordinat* manag*" ) )	Search modes - Boolean/Phrase	1,284
S16	TI ( ("collaborat* care" or "collaborat* health*" or "collaborat* work*" or "collaborat* interven*" or "collaborat* service*" or "collaborat* model*" or "collaborat* effort*" or "collaborat* manag*" ) ) OR AB ( ("collaborat* care" or "collaborat* health*" or "collaborat* work*" or "collaborat* interven*" or "collaborat* service*" or "collaborat* model*" or "collaborat* effort*" or "collaborat* manag*" ) )	Search modes - Boolean/Phrase	2,997
S15	(MH "Teamwork")	Search modes - Boolean/Phrase	8,636
S14	(MH "Pharmacists/UT")	Search modes - Boolean/Phrase	50
S13	(MH "Patient Centered Care")	Search modes - Boolean/Phrase	14,495
S12	(MH "Patient Compliance")	Search modes - Boolean/Phrase	16,281
S11	(MH "Nurse-Physician Relations")	Search modes - Boolean/Phrase	4,058
S10	(MH "Multidisciplinary Care Team+")	Search modes - Boolean/Phrase	24,009
S9	(MH "Interprofessional Relations+")	Search modes - Boolean/Phrase	17,194
S8	(MH "Interinstitutional Relations")	Search modes - Boolean/Phrase	6,650
S7	(MH "Cooperative Behavior")	Search modes - Boolean/Phrase	3,256
S6	(MH "Collaboration")	Search modes - Boolean/Phrase	22,636
S5	(MH "Case Management")	Search modes - Boolean/Phrase	12,028
S4	S1 OR S2 OR S3	Search modes -	73,266

		Boolean/Phrase	
S3	dysthym*	Search modes - Boolean/Phrase	441
S2	depress*	Search modes - Boolean/Phrase	73,216
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,544

I alt 3651 referencer, heraf 2500 unikke.