

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxypop (Sum of haloxypop, its esters, salts and conjugates expressed as haloxypop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
0100000	FRUITS, FRESH or FROZEN; TREE NUTS				0.01*				
0110000	Citrus fruits	15	0.01*	0.01*			0.01*	8	0.02*
0110010	Grapefruits					0.7			
0110020	Oranges					0.7			
0110030	Lemons					0.5			
0110040	Limes					0.5			
0110050	Mandarins					0.5			
0110990	Others					0.5			
0120000	Tree nuts		0.01*	0.01*		0.05*	0.01*		0.02*
0120010	Almonds	0.01						0.2	
0120020	Brazil nuts	0.01						0.02*	
0120030	Cashew nuts	0.01						0.02*	
0120040	Chestnuts	0.01						0.02*	
0120050	Coconuts	0.01						0.02*	
0120060	Hazelnuts/cobnuts	0.01						0.02*	
0120070	Macadamias	0.01						0.02*	
0120080	Pecans	0.01						0.02*	
0120090	Pine nut kernels	0.01						0.02*	
0120100	Pistachios	1						0.2	
0120110	Walnuts	0.01						0.02*	
0120990	Others	0.01						0.02*	
0130000	Pome fruits	0.01*		0.01*		1	0.1	15	0.02*
0130010	Apples		0.01*						
0130020	Pears		0.8 (+)						
0130030	Quinces		0.01*						
0130040	Medlars		0.01*			**	**		**
0130050	Loquats/Japanese medlars		0.01*			**	**		**
0130990	Others		0.01*						
0140000	Stone fruits	2	0.01*	0.01*		0.05*			0.02*
0140010	Apricots						0.01*	10	
0140020	Cherries (sweet)						0.4	4	
0140030	Peaches						0.01*	10	
0140040	Plums						0.01*	2	
0140990	Others						0.01*	0.01*	
0150000	Berries and small fruits								
0151000	(a) grapes	3		0.01*			0.01*	5	5
0151010	Table grapes		0.01*			2			
0151020	Wine grapes		0.9 (+)			1			
0152000	(b) strawberries	10	0.01*	0.2 (+)		0.6	0.15	5	0.02*
0153000	(c) cane fruits	5	0.01*	0.01*		0.05*	0.01*		0.02*
0153010	Blackberries							10	
0153020	Dewberries							0.01*	
0153030	Raspberries (red and yellow)							10	
0153990	Others							0.01*	
0154000	(d) other small fruits and berries		0.01*	0.1			0.01*		0.02*
0154010	Blueberries	5				0.05*		5	
0154020	Cranberries	0.5				0.05*		5	
0154030	Currants (black, red and white)	5				0.4		5	
0154040	Gooseberries (green, red and yellow)	5				0.4		5	
0154050	Rose hips	5				**	**	5	**
0154060	Mulberries (black and white)	5				**	**	5	**
0154070	Azaroles/Mediterranean medlars	5				**	**	15	**
0154080	Elderberries	5				**	**	5	**
0154990	Others	5				0.05*		5	
0160000	Miscellaneous fruits with			0.01*		0.05*	0.01*		0.02*
0161000	(a) edible peel		0.01*						
0161010	Dates	0.01*						0.01*	
0161020	Figs	0.01*						0.01*	
0161030	Table olives	0.01*						0.02*	
0161040	Kumquats	0.01*						0.01*	
0161050	Carambolas	0.1				**	**	0.01*	**
0161060	Kaki/Japanese persimmons	0.01*				**	**	15	**
0161070	Jambuls/jambolans	0.01*				**	**	0.01*	**

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
0161990	Others	0.01*						0.01*	
0162000	(b) inedible peel, small		0.01*					0.01*	
0162010	Kiwi fruits (green, red, yellow)	0.01*							
0162020	Litchis/lychees	0.01*							
0162030	Passionfruits/maracujas	4							
0162040	Prickly pears/cactus fruits	0.01*				**	**		**
0162050	Star apples/cainitos	0.01*				**	**		**
0162060	American persimmons/Virginia kaki	0.01*				**	**		**
0162990	Others	0.01*							
0163000	(c) inedible peel, large								
0163010	Avocados	0.01*	0.01*					0.01*	
0163020	Bananas	2	0.09					0.1	
0163030	Mangoes	0.7	0.01*					0.01*	
0163040	Papayas	0.3	0.01*					0.01*	
0163050	Granate apples/pomegranates	0.01*	0.01*					0.01*	
0163060	Cherimoyas	0.01*	0.01*			**	**	0.01*	**
0163070	Guavas	0.01*	0.01*			**	**	0.01*	**
0163080	Pineapples	0.01*	0.01*					0.01*	
0163090	Breadfruits	0.01*	0.01*			**	**	0.01*	**
0163100	Durians	0.01*	0.01*			**	**	0.01*	**
0163110	Soursops/guanabanas	0.01*	0.01*			**	**	0.01*	**
0163990	Others	0.01*	0.01*					0.01*	
0200000	VEGETABLES, FRESH or FROZEN								
0210000	Root and tuber vegetables		0.01*				0.01*		0.02*
0211000	(a) potatoes	7		0.15	0.01*	0.05*		0.05*	
0212000	(b) tropical root and tuber vegetables	1			0.01*	0.05*		0.01*	
0212010	Cassava roots/manioc			0.01*					
0212020	Sweet potatoes			0.01*					
0212030	Yams			0.15					
0212040	Arrowroots			0.01*		**	**		**
0212990	Others			0.01*					
0213000	(c) other root and tuber vegetables except sugar beets								
0213010	Beetroots	1		0.5	0.01*	0.05*		0.01*	
0213020	Carrots	1		0.3 (+)	0.09 (+)	0.1		1	
0213030	Celeriacs/turnip rooted celeries	1		0.5	0.01*	0.05*		0.01*	
0213040	Horseradishes	1		0.5	0.01*	0.1		0.01*	
0213050	Jerusalem artichokes	1		0.5	0.01*	0.05*		0.01*	
0213060	Parsnips	1		0.5	0.01*	0.1		0.01*	
0213070	Parsley roots/Hamburg roots parsley	1		0.5	0.01*	0.05*		0.01*	
0213080	Radishes	1.5		0.5	0.01*	0.1		0.01*	
0213090	Salsifies	1		0.5	0.01*	0.05*		0.01*	
0213100	Swedes/rutabagas	1		0.5	0.01*	0.05*		0.01*	
0213110	Turnips	1		0.5	0.01*	0.05*		0.01*	
0213990	Others	1		0.5	0.01*	0.05*		0.01*	
0220000	Bulb vegetables	10	0.01*				0.01*		0.02*
0220010	Garlic			0.3	0.01*	0.5		0.01*	
0220020	Onions			0.3	0.2 (+)	0.5		0.2	
0220030	Shallots			0.3	0.01*	0.5		0.01*	
0220040	Spring onions/green onions and Welsh onions			0.01*	0.01*	0.2		3	
0220990	Others			0.01*	0.01*	0.05*		0.01*	
0230000	Fruiting vegetables				0.01*		0.01*		
0231000	(a) solanacea	3							
0231010	Tomatoes		0.7 (+)	0.01*		0.2		1	0.5
0231020	Sweet peppers/bell peppers		0.01*	0.01*		0.5		2	0.02*
0231030	Aubergines/eggplants		0.7 (+)	1		0.05*		1	0.02*
0231040	Okra/lady's fingers		0.01*	0.01*		0.05*		0.01*	0.02*
0231990	Others		0.01*	0.01*		0.05*		0.01*	0.02*
0232000	(b) cucurbits with edible peel	1	0.01*					0.7	2
0232010	Cucumbers			0.03		0.5			
0232020	Gherkins			0.03		0.05*			
0232030	Courgettes			0.01*		0.05*			
0232990	Others			0.01*		0.05*			
0233000	(c) cucurbits with inedible peel	1	0.01*	0.01*				0.01*	2

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxypop (Sum of haloxypop, its esters, salts and conjugates expressed as haloxypop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
0270040	Florence fennels	10		0.3		0.05*		0.01*	
0270050	Globe artichokes	5		0.9		0.05*		0.01*	
0270060	Leeks	10		0.01*		0.2		4	
0270070	Rhubarbs	0.6		0.3		0.05*		0.01*	
0270080	Bamboo shoots	0.01*		0.01*		**	**	0.01*	**
0270090	Palm hearts	0.01*		0.01*		**	**	0.01*	**
0270990	Others	0.01*		0.01*		0.05*		0.01*	
0280000	Fungi, mosses and lichens	0.01*	0.01*	0.01*	0.01*	0.05*	0.01*	0.01*	0.02*
0280010	Cultivated fungi								
0280020	Wild fungi								
0280990	Mosses and lichens								
0290000	Algae and prokaryotes organisms	0.01*	0.01*	0.01*	0.01*	**	**	0.01*	**
0300000	PULSES	0.15	0.01*	4		0.05*	0.02*		0.02*
0300010	Beans				0.15 (+)			0.5	
0300020	Lentils				0.01*			0.5	
0300030	Peas				0.15 (+)			0.5	
0300040	Lupins/lupini beans				0.01*			0.5	
0300990	Others				0.01*			0.01*	
0400000	OILSEEDS AND OIL FRUITS		0.01*					0.02*	
0401000	Oilseeds					0.1*			0.05*
0401010	Linseeds	0.4		9	0.01*		0.01*		
0401020	Peanuts/groundnuts	0.2		0.01*	0.01*		0.9		
0401030	Poppy seeds	0.5		9	0.01*		0.01*		
0401040	Sesame seeds	0.01*		0.01*	0.01*		0.01*		
0401050	Sunflower seeds	0.5		0.1	0.4 (+)		0.01*		
0401060	Rapeseeds/canola seeds	0.5		9	0.2 (+)		0.01*		
0401070	Soyabeans	0.5		15	0.5		0.01*		
0401080	Mustard seeds	0.5		4	0.01*		0.01*		
0401090	Cotton seeds	0.7		0.01*	0.01*		0.01*		
0401100	Pumpkin seeds	0.01*		5	0.01*		0.01*		
0401110	Safflower seeds	0.4		9	0.01*	**	**		**
0401120	Borage seeds	0.4		4	0.01*	**	**		**
0401130	Gold of pleasure seeds	0.5		9	0.01*	**	**		**
0401140	Hemp seeds	0.01*		0.01*	0.01*		0.01*		
0401150	Castor beans	0.01*		0.01*	0.01*	**	**		**
0401990	Others	0.01*		0.01*	0.01*		0.01*		
0402000	Oil fruits	0.01*		0.01*	0.01*		0.01*		
0402010	Olives for oil production					0.05*			0.02*
0402020	Oil palms kernels					**	**		**
0402030	Oil palms fruits					**	**		**
0402040	Kapok					**	**		**
0402990	Others					0.1*			0.05*
0500000	CEREALS		0.01*	0.01*	0.01*	0.05*			0.02*
0500010	Barley	1.5					0.1	0.05* (+)	
0500020	Buckwheat and other pseudo-cereals	0.01*					0.02*	0.01*	
0500030	Maize/corn	0.02					0.02*	0.01*	
0500040	Common millet/proso millet	0.01*					0.02*	0.01*	
0500050	Oat	1.5					0.1	0.05* (+)	
0500060	Rice	5					0.02*	0.05*	
0500070	Rye	0.5					0.1	0.05* (+)	
0500080	Sorghum	10					0.02*	0.05*	
0500090	Wheat	0.5					0.1	0.05* (+)	
0500990	Others	0.01*					0.02*	0.01*	
0600000	TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS		0.05*		0.05*	0.1*	0.05*		0.05*
0610000	Teas	0.05*		0.05*				0.05*	
0620000	Coffee beans	0.03		0.05*		**	**	0.05*	**
0630000	Herbal infusions from					**	**		**
0631000	(a) flowers	60		0.04* (+)		**	**	0.05*	**
0631010	Chamomile					**	**		**
0631020	Hibiscus/roselle					**	**		**
0631030	Rose					**	**		**
0631040	Jasmine					**	**		**
0631050	Lime/linden					**	**		**

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
0631990	Others					**	**		**
0632000	(b) leaves and herbs	60		0.04* (+)		**	**	0.05*	**
0632010	Strawberry					**	**		**
0632020	Rooibos					**	**		**
0632030	Mate/maté					**	**		**
0632990	Others					**	**		**
0633000	(c) roots	0.3		4 (+)		**	**		**
0633010	Valerian					**	**	0.05*	**
0633020	Ginseng					**	**	1.5	**
0633990	Others					**	**	0.05*	**
0639000	(d) any other parts of the plant	0.05*		0.05*		**	**	0.05*	**
0640000	Cocoa beans	0.05*		0.05*		**	**	0.05*	**
0650000	Carobs/Saint John's breads	0.05*		0.05*		**	**	0.05*	**
0700000	HOPS	30	0.05*	0.05* (+)	0.05*	10	0.01*	0.05*	0.05*
0800000	SPICES					**	**		**
0810000	Seed spices	0.3	0.05*	0.03* (+)	0.05*	**	**	0.05*	**
0810010	Anise/aniseed					**	**		**
0810020	Black caraway/black cumin					**	**		**
0810030	Celery					**	**		**
0810040	Coriander					**	**		**
0810050	Cumin					**	**		**
0810060	Dill					**	**		**
0810070	Fennel					**	**		**
0810080	Fenugreek					**	**		**
0810090	Nutmeg					**	**		**
0810990	Others					**	**		**
0820000	Fruit spices	0.3	0.05*	0.03* (+)	0.05*	**	**	0.05*	**
0820010	Allspice/pimento					**	**		**
0820020	Sichuan pepper					**	**		**
0820030	Caraway					**	**		**
0820040	Cardamom					**	**		**
0820050	Juniper berry					**	**		**
0820060	Peppercorn (black, green and white)					**	**		**
0820070	Vanilla					**	**		**
0820080	Tamarind					**	**		**
0820990	Others					**	**		**
0830000	Bark spices	0.05*	0.05*	0.05*	0.05*	**	**	0.05*	**
0830010	Cinnamon					**	**		**
0830990	Others					**	**		**
0840000	Root and rhizome spices			(+)		**	**		**
0840010	Liquorice	0.05*	0.05*	4	0.05*	**	**	0.05*	**
0840020	Ginger	0.05*	0.05*	4	0.05*	**	**	0.05*	**
0840030	Turmeric/curcuma	0.05*	0.05*	4	0.05*	**	**	0.05*	**
0840040	Horseradish	(+)	(+)		(+)	**	**	(+)	**
0840990	Others	0.05*	0.05*	4	0.05*	**	**	0.05*	**
0850000	Bud spices	0.05*	0.05*	0.05*	0.05*	**	**	0.05*	**
0850010	Cloves					**	**		**
0850020	Capers					**	**		**
0850990	Others					**	**		**
0860000	Flower pistil spices	0.05*	0.05*	0.05*	0.05*	**	**	0.05*	**
0860010	Saffron					**	**		**
0860990	Others					**	**		**
0870000	Aril spices	0.05*	0.05*	0.05*	0.05*	**	**	0.05*	**
0870010	Mace					**	**		**
0870990	Others					**	**		**
0900000	SUGAR PLANTS		0.01*			**	**	0.01*	**
0900010	Sugar beet roots	0.2		0.5	0.2 (+)	**	**		**
0900020	Sugar canes	0.01*		0.01*	0.01*	**	**		**
0900030	Chicory roots	0.09		0.01*	0.01*	**	**		**
0900990	Others	0.01*		0.01*	0.01*	**	**		**
1000000	PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS					0.05*		(+)	
1010000	Tissues from		0.01*				0.01*		0.01*
1011000	(a) swine	(+)						0.1*	

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
1011010	Muscle	0.01*		0.02 (+)	0.01* (+)				
1011020	Fat tissue	0.05		0.04 (+)	0.01* (+)				
1011030	Liver	0.07		0.03 (+)	0.03 (+)				
1011040	Kidney	0.07		0.06 (+)	0.06 (+)				
1011050	Edible offals (other than liver and kidney)	0.07		0.06	0.06				
1011990	Others	0.01*		0.01*	0.01*				
1012000	(b) bovine	(+)							
1012010	Muscle	0.01*		0.02 (+)	0.01* (+)			0.1*	
1012020	Fat tissue	0.05		0.04 (+)	0.01* (+)			0.1*	
1012030	Liver	0.07		0.03 (+)	0.03 (+)			0.1*	
1012040	Kidney	0.07		0.07 (+)	0.07 (+)			0.2	
1012050	Edible offals (other than liver and kidney)	0.07		0.07	0.07			0.1*	
1012990	Others	0.01*		0.01*	0.01*			0.1*	
1013000	(c) sheep	(+)							
1013010	Muscle	0.01*		0.02 (+)	0.01* (+)			0.1*	
1013020	Fat tissue	0.05		0.04 (+)	0.01* (+)			0.1*	
1013030	Liver	0.07		0.03 (+)	0.03 (+)			0.1*	
1013040	Kidney	0.07		0.07 (+)	0.07 (+)			0.2	
1013050	Edible offals (other than liver and kidney)	0.07		0.07	0.07			0.1*	
1013990	Others	0.01*		0.01*	0.01*			0.1*	
1014000	(d) goat	(+)							
1014010	Muscle	0.01*		0.02 (+)	0.01* (+)			0.1*	
1014020	Fat tissue	0.05		0.04 (+)	0.01* (+)			0.1*	
1014030	Liver	0.07		0.03 (+)	0.03 (+)			0.1*	
1014040	Kidney	0.07		0.07 (+)	0.07 (+)			0.2	
1014050	Edible offals (other than liver and kidney)	0.07		0.07	0.07			0.1*	
1014990	Others	0.01*		0.01*	0.01*			0.1*	
1015000	(e) equine					**	**		**
1015010	Muscle	0.01*		0.02	0.01*	**	**	0.1*	**
1015020	Fat tissue	0.05		0.04	0.01*	**	**	0.1*	**
1015030	Liver	0.07		0.03	0.03	**	**	0.1*	**
1015040	Kidney	0.07		0.07	0.07	**	**	0.2	**
1015050	Edible offals (other than liver and kidney)	0.07		0.07	0.07	**	**	0.1*	**
1015990	Others	0.01*		0.01*	0.01*	**	**	0.1*	**
1016000	(f) poultry	0.01* (+)						0.05*	
1016010	Muscle			0.02 (+)	0.01* (+)				
1016020	Fat tissue			0.02 (+)	0.015 (+)				
1016030	Liver			0.04 (+)	0.03 (+)				
1016040	Kidney			0.01*	0.01*				
1016050	Edible offals (other than liver and kidney)			0.04	0.03				
1016990	Others			0.01*	0.01*				
1017000	(g) other farmed terrestrial animals					**	**		**
1017010	Muscle	0.01*		0.02	0.01*	**	**	0.1*	**
1017020	Fat tissue	0.05		0.04	0.01*	**	**	0.1*	**
1017030	Liver	0.07		0.03	0.03	**	**	0.1*	**
1017040	Kidney	0.07		0.07	0.07	**	**	0.2	**
1017050	Edible offals (other than liver and kidney)	0.07		0.07	0.07	**	**	0.1*	**
1017990	Others	0.01*		0.01*	0.01*	**	**	0.1*	**
1020000	Milk	0.01* (+)	0.01*	0.08	0.015		0.01*	0.05	0.01*
1020010	Cattle			(+)	(+)				
1020020	Sheep			(+)	(+)				
1020030	Goat			(+)	(+)				
1020040	Horse								
1020990	Others								
1030000	Birds eggs	0.01* (+)	0.01*	0.02 (+)	0.01* (+)		0.01*	0.01*	0.01*
1030010	Chicken					**	**		**
1030020	Duck					**	**		**
1030030	Geese					**	**		**
1030040	Quail					**	**		**
1030990	Others					**	**		**
1040000	Honey and other apiculture products	0.05*	0.05*	0.05*	0.05*	**	**	0.05*	**
1050000	Amphibians and Reptiles	0.01*	0.01*	0.01*	0.01*	**	**	0.05*	**
1060000	Terrestrial invertebrate animals	0.01*	0.01*	0.01*	0.01*	**	**	0.05*	**

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
1070000	Wild terrestrial vertebrate animals	0.01*	0.01*	0.01*	0.01*	**	**	0.05*	**

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Azoxystrobin

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2017, or, if that information is not submitted by that date, the lack of it.

0251010 Lamb's lettuces/corn salads

0251030 Escaroles/broad-leaved endives

0251040 Cresses and other sprouts and shoots

0251050 Land cresses

0251060 Roman rocket/rucola

0251070 Red mustards

0251080 Baby leaf crops (including brassica species)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on toxicity of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2017, or, if that information is not submitted by that date, the lack of it.

1011000 (a) swine

1011010 Muscle

1011020 Fat tissue

1011030 Liver

1011040 Kidney

1011050 Edible offals (other than liver and kidney)

1011990 Others

1012000 (b) bovine

1012010 Muscle

1012020 Fat tissue

1012030 Liver

1012040 Kidney

1012050 Edible offals (other than liver and kidney)

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metaxyl and metaxyl-M (metaxyl including other mixtures of constituent isomers including metaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
1012990	Others								
1013000	(c) sheep								
1013010	Muscle								
1013020	Fat tissue								
1013030	Liver								
1013040	Kidney								
1013050	Edible offals (other than liver and kidney)								
1013990	Others								
1014000	d) goat								
1014010	Muscle								
1014020	Fat tissue								
1014030	Liver								
1014040	Kidney								
1014050	Edible offals (other than liver and kidney)								
1014990	Others								
1016000	(f) poultry								
1016010	Muscle								
1016020	Fat tissue								
1016030	Liver								
1016040	Kidney								
1016050	Edible offals (other than liver and kidney)								
1016990	Others								
1020000	Milk								
1020010	Cattle								
1020020	Sheep								
1020030	Goat								
1020040	Horse								
1020990	Others								
1030000	Birds eggs								
1030010	Chicken								
1030020	Duck								
1030030	Geese								
1030040	Quail								
1030990	Others								

Diethofencarb

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

0130020 Pears

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
-------------	--	--------------	---------------	--	---	--	--	------------------	----------

0151020 Wine grapes

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

0231010 Tomatoes

0231030 Aubergines/eggplants

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

0152000 (b) strawberries

0213020 Carrots

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

0631000 (a) flowers

0631010 Chamomile

0631020 Hibiscus/roselle

0631030 Rose

0631040 Jasmine

0631050 Lime/linden

0631990 Others

0632000 (b) leaves and herbs

0632010 Strawberry

0632020 Rooibos

0632030 Mate/maté

0632990 Others

0633000 (c) roots

0633010 Valerian

0633020 Ginseng

0633990 Others

0700000 HOPS

0810000 Seed spices

0810010 Anise/aniseed

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metaxyl and metaxyl-M (metaxyl including other mixtures of constituent isomers including metaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
0810020	Black caraway/black cumin								
0810030	Celery								
0810040	Coriander								
0810050	Cumin								
0810060	Dill								
0810070	Fennel								
0810080	Fenugreek								
0810090	Nutmeg								
0810990	Others								
0820000	Fruit spices								
0820010	Allspice/pimento								
0820020	Sichuan pepper								
0820030	Caraway								
0820040	Cardamom								
0820050	Juniper berry								
0820060	Peppercorn (black, green and white)								
0820070	Vanilla								
0820080	Tamarind								
0820990	Others								
0840000	Root and rhizome spices								
0840010	Liquorice								
0840020	Ginger								
0840030	Turmeric/curcuma								
<div>(+) The applicable maximum residue level for horseradish (<i>Armoracia rusticana</i>) in the spice group (code 0840040) is the one set for horseradish (<i>Armoracia rusticana</i>) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.</div>									
0840040	Horseradish								
<div>(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.</div>									
0840990	Others								
1011010	Muscle								
1011020	Fat tissue								
1011030	Liver								
1011040	Kidney								
1012010	Muscle								
1012020	Fat tissue								
1012030	Liver								
1012040	Kidney								

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
1013010	Muscle								
1013020	Fat tissue								
1013030	Liver								
1013040	Kidney								
1014010	Muscle								
1014020	Fat tissue								
1014030	Liver								
1014040	Kidney								
1016010	Muscle								
1016020	Fat tissue								
1016030	Liver								
1020010	Cattle								
1020020	Sheep								
1020030	Goat								
1030000	Birds eggs								
1030010	Chicken								
1030020	Duck								
1030030	Geese								
1030040	Quail								
1030990	Others								

Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)) (F) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Haloxyfop — code 1000000 except 1040000: Sum of haloxyfop, its salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

0213020 Carrots

0220020 Onions

0300010 Beans

0300030 Peas

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

0401050 Sunflower seeds

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
-------------	--	--------------	---------------	--	---	--	--	------------------	----------

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, residue trials, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies and the northern Good Agricultural Practice as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

0401060 Rapeseeds/canola seeds

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, residue trials, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

0900010 Sugar beet roots

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

1011010 Muscle

1011020 Fat tissue

1011030 Liver

1011040 Kidney

1012010 Muscle

1012020 Fat tissue

1012030 Liver

1012040 Kidney

1013010 Muscle

1013020 Fat tissue

1013030 Liver

1013040 Kidney

1014010 Muscle

1014020 Fat tissue

1014030 Liver

1014040 Kidney

1016010 Muscle

1016020 Fat tissue

1016030 Liver

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
-------------	--	--------------	---------------	--	---	--	--	------------------	----------

(+) The European Food Safety Authority identified some information on storage stability, the nature of residues in processed commodities and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

1020010 Cattle

1020020 Sheep

1020030 Goat

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

1030000 Birds eggs

1030010 Chicken

1030020 Duck

1030030 Geese

1030040 Quail

1030990 Others

Pyrimethanil (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Pyrimethanil - code 1020000: Sum of pyrimethanil and 2-anilino-4.6-dimethylpyrimidine-5-ol, expressed as pyrimethanil

Pyrimethanil - codes 1011000/1012000/1013000/1014000/1015000/1017000: Sum of pyrimethanil and 2-(4-hydroxyanilino)-4.6-dimethylpyrimidine, expressed as pyrimethanil

(+) The European Food Safety Authority identified some information on crop metabolism with seed treatment as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

0500010 Barley

0500050 Oat

0500070 Rye

0500090 Wheat

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

1000000 PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metaxyl and metaxyl-M (metaxyl including other mixtures of constituent isomers including metaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
1010000	Tissues from								
1011000	(a) swine								
1011010	Muscle								
1011020	Fat tissue								
1011030	Liver								
1011040	Kidney								
1011050	Edible offals (other than liver and kidney)								
1011990	Others								
1012000	(b) bovine								
1012010	Muscle								
1012020	Fat tissue								
1012030	Liver								
1012040	Kidney								
1012050	Edible offals (other than liver and kidney)								
1012990	Others								
1013000	(c) sheep								
1013010	Muscle								
1013020	Fat tissue								
1013030	Liver								
1013040	Kidney								
1013050	Edible offals (other than liver and kidney)								
1013990	Others								
1014000	d) goat								
1014010	Muscle								
1014020	Fat tissue								
1014030	Liver								
1014040	Kidney								
1014050	Edible offals (other than liver and kidney)								
1014990	Others								
1015000	(e) equine								
1015010	Muscle								
1015020	Fat tissue								
1015030	Liver								
1015040	Kidney								
1015050	Edible offals (other than liver and kidney)								
1015990	Others								
1016000	(f) poultry								
1016010	Muscle								
1016020	Fat tissue								
1016030	Liver								

[AnnexII-1]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Azoxystrobin	Diethofencarb	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Haloxifop (Sum of haloxifop, its esters, salts and conjugates expressed as haloxifop (sum of the R- and S- isomers at any ratio)) (F) (R)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	Pyrimethanil (R)	Zoxamide
-------------	--	--------------	---------------	--	---	--	--	------------------	----------

- 1016040 Kidney
- 1016050 Edible offals (other than liver and kidney)
- 1016990 Others
- 1017000 (g) other farmed terrestrial animals
- 1017010 Muscle
- 1017020 Fat tissue
- 1017030 Liver
- 1017040 Kidney
- 1017050 Edible offals (other than liver and kidney)
- 1017990 Others
- 1020000 Milk
- 1020010 Cattle
- 1020020 Sheep
- 1020030 Goat
- 1020040 Horse
- 1020990 Others
- 1030000 Birds eggs
- 1030010 Chicken
- 1030020 Duck
- 1030030 Geese
- 1030040 Quail
- 1030990 Others
- 1040000 Honey and other apiculture products
- 1050000 Amphibians and Reptiles
- 1060000 Terrestrial invertebrate animals
- 1070000 Wild terrestrial vertebrate animals