

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

EN

ANNEX

| Identi- fication number of the feed additive | Additive | Composition, chemical formula, description, analytical method | Species or category of animal | Maxi mum age | Minimum content | Maximum content | Other provisions | End of period of authorisa- tion |
|---|--------------------------|---|-------------------------------------|--------------------|---|--------------------|--|--|
| | | | | | mg of additive/kg of complete feedingstuff with a moisture content of 12% | | | |
| Category: Sensory additives. Functional group: Flavouring compounds | | | | | | | | |
| 2b276-eo | Cajeput essential oil | Additive composition Essential oil from the leaves of <i>Melaleuca cajuputi</i> Maton & Sm. ex R. Powell and <i>Melaleuca leucadendra</i> (L.) L. Liquid form Characterisation of active substance Cajeput essential oil | All animal species | - | - | - | 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and the stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: “Recommended maximum content of the active substance per kg of | [to be completed by the OP: insert precise date 10 years from the date of entry into force of this Regulation] |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | <p>Essential oil as defined by the Council of Europe¹ extracted by steam distillation from the leaves of <i>Melaleuca cajuputi</i> Maton & Sm. ex R. Powell and <i>Melaleuca leucadendra</i> (L.) L.</p> <p>CAS number: 8008-98-8 for essential oil from <i>Melaleuca leucandendron</i> L. EINECS number: 931-800-6 FEMA number: 2225 CoE number: 276</p> <p>Specifications</p> <ul style="list-style-type: none"> - 1,8-Cineole (eucalyptol): 50-70% - α-Terpineol: 4-12% - d-Limonene: 3-9% - methyleugenol, estragole and safrole: $\leq 0,01$ mg/kg <p>Analytical method (²)</p> <p>For the determination of 1,8-cineole (phytochemical marker) in the feed additive:</p> <ul style="list-style-type: none"> - gas chromatography coupled with flame ionisation detection (GC-FID) (ISO 11024) | | | | | <p>complete feedingstuff with a moisture content of 12 %:</p> <ul style="list-style-type: none"> - 23 mg for turkeys for fattening; - 18 mg for chickens for fattening and minor poultry for fattening; - 18 mg for all poultry reared for laying or breeding; - 26 mg for all poultry for laying and breeding; - 18 mg for ornamental birds; - 37 mg for pigs for fattening; - 31 mg for pigs for fattening of minor <i>Suidae</i>; - 31 mg for piglets (suckling and weaned) of all <i>Suidae</i>; - 30 mg for all <i>Suidae</i> for reproduction; - 78 mg for calves for fattening up to 6 months; - 69 mg for sheep and goats; - 69 mg for cattle for fattening, other | |
|--|--|--|--|--|--|--|--|--|

¹ Natural sources of flavourings – Report No 2 (2007).

² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | | | | <p>ruminants for fattening except sheep and goats, and <i>Camelidae</i> for fattening;</p> <ul style="list-style-type: none"> - 45 mg for all other ruminants, and all other <i>Camelidae</i>; - 50 mg for <i>Equidae</i>; - 28 mg for rabbits; - 40 mg for salmonids and minor fin fish; - 30 mg for dogs; - 5 mg for cats; - 50 mg for ornamental fish; - 5 mg for other species and categories.” <p>4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3.</p> <p>5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such</p> | |
|--|--|--|--|--|--|--|---|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | | | | procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. | |
|--|--|--|--|--|--|--|---|--|

DRAFT