

ANNEX

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg active substance/kg complete feedingstuff with 12 % moisture content			
Category: technological additives. Functional group: antioxidants								
1b310	Propyl gallate	Additive composition Propyl gallate ≥ 97 % Solid form Sulphated ash < 0,1 % Gallic acid < 0,5 % Chlorinated organic compounds < 100 mg/kg Solid form Characterisation of the active substance Propyl gallate Produced by esterification of gallic acid from gallnuts Chemical formula: C ₁₀ H ₁₂ O ₅	Bovines	-	-	40	1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment.	
			Sheep					
			Goats					
			Cervids					
			Camelids					
			Sows of all Suidae species					
			Equines					
			Salmonids and minor fin fish					
			Ornamental fish					
</								

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg active substance/kg complete feedingstuff with 12 % moisture content			
Category: technological additives. Functional group: antioxidants								
		CAS No: 121-79-9	Chickens for fattening			15		
		Analytical method¹ For the quantification of propyl gallate in the feed additive: - Spectrophotometry at 275 nm (European Pharmacopoeia monograph 1039)	Minor poultry for fattening and reared for laying or reproduction					
		For the quantification of propyl gallate in premixtures and compound feed:	Ornamental birds					
		- Reversed Phase High Performance Liquid Chromatography coupled to UltraViolet-Diode-Array Detection (RP-HPLC-UV(DAD), 285 nm)	Turkeys for fattening			20		
	Laying hens							
	Minor poultry species for laying or reproduction							
		Leporids						

¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg active substance/kg complete feedingstuff with 12 % moisture content			
Category: technological additives. Functional group: antioxidants								
			Piglets of all Suidae species			27		
			All Suidae species for fattening and reared for breeding					
			Dogs Cats			71		
			All other animal species			15		