

EN

ANNEX

In Table 2 (Specifications) of the Annex to Implementing Regulation (EU) 2017/2470, the entry for partially defatted rapeseed powder from *Brassica rapa* L. and *Brassica napus* L. is replaced by the following:

‘

Authorised Novel Food	Specification
Partially defatted rapeseed powder from <i>Brassica rapa</i> L. and <i>Brassica napus</i> L.	<p>Definition: The powder is produced from the partially defatted seeds of non-genetically modified <i>Brassica rapa</i> L. and <i>Brassica napus</i> L. double low (00) cultivars through a series of processing steps to reduce glucosinolates and phytates.</p> <p>Source: <i>Brassica rapa</i> L. and <i>Brassica napus</i> L. seeds</p> <p>Characteristics/Composition: Protein (N × 6,25): 28.0 - 43.0% Lipids: 10.0 – 22.0% Total Carbohydrates (*): 33.0 – 45.0% Total Fibre (**): 33.0 – 46.0% Moisture: < 11.0% Ash: < 8.0% Total Glucosinolates: < 0.3 mmol/kg (≤ 120 mg/kg) Phytate: < 1.5% Peroxide value (in novel food weight): ≤ 3.0 mEq O₂/kg</p> <p>Heavy Metals: Lead: < 0.2 mg/kg Arsenic (inorganic): < 0.2 mg/kg Cadmium: < 0.2 mg/kg Mercury: < 0.1 mg/kg Aluminium: < 35.0 mg/kg</p> <p>Microbiological criteria: Total plate count (30 °C): < 5 000 CFU/g Enterobacteriaceae: < 10 CFU/g Salmonella sp.: Negative/25 g Yeast and mould: < 100 CFU/g Bacillus cereus: < 100 CFU/g</p> <p>(*) By difference: 100% – [protein % + moisture % + fat % + ash %]</p> <p>(**) AOAC 2011.25 (Enzymatic gravimetry)</p>

	CFU: Colony Forming Units, AOAC: Association of Official Agricultural Chemists
--	--

,