

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

ANNEX

The Annex to Implementing Regulation (EU) 2017/2470 is amended as follows:

(1) in Table 1 (Authorised novel foods), the following entry is inserted: [OP, please insert in the EN version in alphabetical order.]

| Authorised novel food | Conditions under which the novel food may be used | | Additional specific labelling requirements | Other requirements | Data protection |
|---|---|-----------------------|--|--------------------|-----------------|
| <i>Cyperus esculentus</i> (Tiger nuts) oil | Specified food category | Maximum levels | The designation of the novel food on the labelling of the foodstuffs containing it shall be ' <i>Cyperus esculentus</i> (Tiger nuts) oil'. | | |
| | For cooking oil/as seasoning | | | | |
| | Pasta and similar products | 30 mL/100 g | | | |
| | Bread and similar products | 30 mL/100 g | | | |
| | Snacks other than chips and similar (crackers) | 30 mL/100 g | | | |
| | Salad dressing | 50 mL/100 g | | | |
| | Margarines and similar | 80 mL/100 g | | | |
| | Various types of pastry | 30 mL/100 g | | | |
| | Cream and cream products | 60 mL/100 g | | | |

(2) in Table 2 (Specifications), the following entry is inserted: [OP, please insert in the EN version in alphabetical order.]

| Authorised Novel Food | Specifications |
|---|---|
| <p><i>Cyperus esculentus</i> (Tiger nuts) oil</p> | <p>Description: The novel food is obtained from a pasteurisation of <i>Cyperus esculentus</i> (Tiger nuts) L. followed by a cold-pressing process.</p> <p>Fatty acid composition: Palmitic acid: 12-15 % Stearic acid: 5-8 % Oleic acid: 65-69 % Linoleic acid: 9-12 %</p> <p>Characteristics Acidity: ≤ 2 % Peroxide value: ≤ 20 meq/kg Saponification value: ≤ 189 <i>p</i>-anisidine: < 1</p> <p>Heavy metals: Lead: ≤ 0.1 mg/kg Cadmium: ≤ 0.1 mg/kg</p> <p>Mycotoxins: Aflatoxins (sum of B1, B2, G1, G2): < 4 µg/kg Aflatoxin B1: < 1 µg/kg Ochratoxin A: < 3 µg/kg</p> <p>Microbiological:</p> |

| | |
|--|---|
| | <p>Total Aerobic Microbial Count: $\leq 10^3$ CFU /g</p> <p>Total Yeast and Mould Count: $\leq 10^2$ CFU /g</p> <p>Coliforms: ≤ 10 CFU /g</p> <p><i>Salmonella</i>: Not detected in 25g</p> <p><i>Listeria monocytogenes</i>: Not detected in 25g</p> <p>Enterobacteriaceae: $< 10^2$ CFU /g</p> <p>CFU: colony forming units</p> |
|--|---|