

ANNEX

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg of additive/kg of complete feedingstuff with a moisture content of 12 %			
Category: technological additives. Functional group: binders								
1g562	Sepiolite	Additive composition Hydrated magnesium silicate of sedimentary origin, containing ≥ 60 % sepiolite, ≤ 30 % montmorillonite, free of asbestos ¹ Solid form ----- Characterisation of the active substance Sepiolite (hydrous magnesium silicate): ≥ 60 %, ≤ 30 % montmorillonite CAS number: 63800-37-3 Chemical formula: Mg ₄ Si ₆ O ₁₅ (OH) ₂ ·6H ₂ O ----- Analytical method ²	All animal species	-	-	20 000	<ol style="list-style-type: none">1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated.2. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin and breathing protective equipment.	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹ Method employed: Transmission Electron Microscopy (TEM).

² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg of additive/kg of complete feedingstuff with a moisture content of 12 %			
Category: technological additives. Functional group: binders								
		For the characterisation of the feed additive: — X-ray diffraction (XRD) and — X-ray fluorescence (XRF) or atomic absorption spectrometry (AAS)						

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					mg of additive/kg of complete feedingstuff with a moisture content of 12 %			
Category: technological additives. Functional group: anticaking agents								
1g562	Sepiolite	Additive composition Hydrated magnesium silicate of sedimentary origin, containing ≥ 60 % sepiolite, ≤ 30 % montmorillonite, free of asbestos ³ Solid form ----- Characterisation of the active substance Sepiolite (hydrous magnesium silicate): ≥ 60 %, ≤ 30 % montmorillonite CAS number: 63800-37-3 Chemical formula: Mg ₄ Si ₆ O ₁₅ (OH) ₂ ·6H ₂ O ----- Analytical method⁴ For the characterisation of the feed additive: — X-ray diffraction (XRD) and	All animal species	-	-	20 000	1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin and breathing protective equipment.	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

³ Method employed: Transmission Electron Microscopy (TEM).

⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of additive/kg of complete feedingstuff with a moisture content of 12 %			
Category: technological additives. Functional group: anticaking agents								
		— X-ray fluorescence (XRF) or atomic absorption spectrometry (AAS)						