

## ANNEX

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
1k20713	<i>Lactiplantibacillus plantarum</i> NCIMB 41028	<b>Additive composition</b> Preparation of <i>Lactiplantibacillus plantarum</i> NCIMB 41028 containing a minimum of 7 × 10 <sup>10</sup> CFU/g additive.  Solid form  ----- <b>Characterisation of the active substance</b> Viable cells of <i>Lactiplantibacillus plantarum</i> NCIMB 41028  ----- <b>Analytical method<sup>1</sup></b> Identification of <i>Lactiplantibacillus plantarum</i> NCIMB 41028:  - DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697)	All animal species	-	-	-	<div>1. In the directions for use of the additive and premixtures, the storage conditions shall be indicated.</div> <div>2. Minimum dose of the additive when it is not used in combination with other micro- organisms as silage additives: 1x10<sup>9</sup> CFU/kg fresh plant material.</div> <div>3. The preparation of <i>Lactiplantibacillus plantarum</i> NCIMB 41028 may contain, as cryoprotectants: - glycine ≤ 14 % - sodium erythorbate ≤ 14 %</div> <div>4. For users of the additive and premixtures, feed business operators shall establish</div>	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

<sup>1</sup> Details of the analytical methods are available at the following address of the Reference Laboratory: [https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports\\_en](https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en).

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
		Enumeration of <i>Lactiplantibacillus plantarum</i> NCIMB 41028:  – Spread plate (or pour plate) method on MRS agar (EN 15787)					operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment.	

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
1k20714	<i>Lactiplantibacillus plantarum</i> NCIMB 30148	<b>Additive composition</b> Preparation of <i>Lactiplantibacillus plantarum</i> NCIMB 30148 containing a minimum of 7 × 10 <sup>10</sup> CFU/g additive  Solid form  ----- <b>Characterisation of the active substance</b> Viable cells of <i>Lactiplantibacillus plantarum</i> NCIMB 30148  ----- <b>Analytical method<sup>2</sup></b> Identification of <i>Lactiplantibacillus plantarum</i> NCIMB 30148:  - DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697)  Enumeration of <i>Lactiplantibacillus plantarum</i> NCIMB 30148:  – Spread plate (or pour plate) method on MRS agar (EN 15787)	All animal species	-	-	-	1. In the directions for use of the additive and premixtures, the storage conditions shall be indicated.  2. Minimum dose of the additive when it is not used in combination with other micro- organisms as silage additives: 1x10 <sup>9</sup> CFU/kg fresh plant material.  3. The preparation of <i>Lactiplantibacillus plantarum</i> NCIMB 30148 may contain, as cryoprotectants: - glycine ≤ 21 % - sodium erythorbate ≤ 21 %  4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

<sup>2</sup> Details of the analytical methods are available at the following address of the Reference Laboratory: [https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports\\_en](https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en).

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
							from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment.	