



EUROPEAN
COMMISSION

Brussels, XXX
[...] (2025) XXX draft

ANNEX

ANNEX

to the

Commission Implementing Regulation

**laying down rules for the application of Regulation (EU) 2023/956 of the European
Parliament and of the Council as regards the calculation of the free allocation
adjustment to the number of CBAM certificates to be surrendered**

ANNEX

1. DEFINITIONS

For the purpose of this Annex, the following definitions shall apply:

- (1) ‘aggregated goods categories’ means aggregated goods categories pursuant to Table 1 of point 2 of Annex I to Commission Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions];
- (2) ‘reporting period’ means the period corresponding to the calendar year during which the good was produced and to be used by the authorised CBAM declarant as reference for the determination of embedded emissions;
- (3) ‘production route’ means a specific technology used in a production process to produce goods;

2. CALCULATION OF THE FREE ALLOCATION ADJUSTMENT

For each good g other than electricity listed in the CBAM declaration pursuant to Article 6 of Regulation (EU) 2023/956, the free allocation adjustment pursuant to Article 31 of that Regulation shall be calculated using the following equation:

$$FAA_g = SEFA_{g,y} \cdot M_g \quad \text{Equation (1)}$$

Where:

- | | |
|--------------|---|
| FAA_g | is the free allocation adjustment of good g . |
| $SEFA_{g,y}$ | is the specific embedded free allocation of good g in year y expressed as t CO ₂ e / tonne of good g . |
| M_g | is the mass of good g imported during the year to which the CBAM declaration applies. |
| y | is the reporting period identified in accordance with Article 7 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions]. |

3. CALCULATION OF SPECIFIC EMBEDDED FREE ALLOCATION (SEFA) OF A GOOD USING ACTUAL DATA

3.1. Production process

For a single production process, the process-level specific free allocation shall be calculated using the following equation:

$$SFA_{Proc\,g,y} = CBAM_y \cdot CSCF_y \cdot BM_g^* \quad \text{Equation (2)}$$

Where:

$SFA_{Proc\,g,y}$	is the process-level specific free allocation in year y calculated for the production process which yields good g , expressed as t CO ₂ e / tonne of good g
y	is the reporting period related to the production of good g .
$CBAM_y$	is the CBAM factor referred to in Article 10a(1a) of Directive 2003/87/EC for the year y (dimensionless).
$CSCF_y$	is the cross-sectoral correction factor for year y determined by the Commission pursuant to Article 14(6) of Delegated Regulation (EU) 2019/331 and published in accordance with Article 10a(5) of Directive 2003/87/EC (dimensionless).
BM_g^*	is the process-related CBAM benchmark for the production process which yields good g , expressed as t CO ₂ e / tonne of g produced, as set out in point 5, Column A, of this Annex.

3.2. SEFA of a simple good

The SEFA of a simple good g shall be calculated using the following equation:

$$SEFA_{g,y} = SFA_{Proc\,g,y} \quad \text{Equation (3)}$$

Where:

$SFA_{Proc\,g,y}$	is the direct result of Equation (2).
-------------------	---------------------------------------

3.3. SEFA of a complex good

For a complex good, the calculation of the SEFA shall take into account the production process as well as the SEFA of each precursor and shall be calculated using the following equation:

$$SEFA_{g,y} = SFA_{Proc\,g,y} + \sum_{i=1}^n m_{i,y} \cdot SEFA_{i,y_i'} \quad \text{Equation (4)}$$

Where:

$SEFA_{g,y}$	is the specific embedded free allocation for the complex good g in year y , expressed as t CO ₂ e / tonne of good g
$SFA_{Proc\,g,y}$	is the process-related specific free allocation in year y calculated for the production process which yields good g in accordance with Equation (2)

expressed as t CO₂e / tonne of good *g*

m_i is the specific mass of precursor *i* consumed for the production of one tonne of good *g*, as determined by the operator in accordance with the rules set out in Implementing Regulation (EU) XX/XX [Art. 7 methodology], expressed as t/t

$SEFA_{i,y'}$ is the specific embedded free allocation of precursor *i* in year y_i' , expressed as t CO₂e / tonne of precursor *i*

y is the reporting period identified in accordance with Article 7 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions].

y_i' is the reporting period of precursor *i* used in the calculation of $SEFA_i$ as identified in accordance with Article 13 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions].

The specific mass $m_{i,y}$ of each precursor used shall be determined using the following equation:

$$m_{i,y} = \frac{M_{i,y}}{AL_{i,y}} \quad \text{Equation (5)}$$

Where:

$M_{i,y}$ is the total mass of the precursor *i* expressed in tonnes used during reporting period *y* for the production process related to the aggregated goods category to which good *g* belongs. $M_{i,y}$ is determined in accordance with point xxx of Annex xxx to Regulation (EU) XX/XX [methodology]

$AL_{i,y}$ is the activity level, meaning the quantity of goods produced within the system boundaries of a production process, in year *y* of the production process related to the aggregated goods category to which good *g* belongs expressed in tonnes. $AL_{i,y}$ is determined in accordance with point xxx of Annex xxx to Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions]

y is the reporting period identified in accordance with Article 7 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions].

Where precursors are themselves complex goods, the calculation of $SEFA_{i,y'}$ shall be repeated recursively using Equations (2), (3) and (4), as appropriate, until no more precursors are relevant.

$SEFA_{i,y_i'}$ for each precursor shall be determined using one of the following methods:

- (1) where the default reporting period of the precursor is used in accordance with Article 13 of Commission Implementing Regulation (EU) XX/XX [on the calculation of

embedded emissions], the operator shall use Equations (3), (4) and (5), with y_i' being the reporting period y of the complex good, and by selecting the appropriate BM_i^* value from point 5, Column A, of this Annex for the production process and production route which yields the precursor i , taking into account the following factors:

- (a) the country of origin of precursor i ;
 - (b) the CN code for precursor i ;
 - (c) if applicable, further parameters defining the precursor i , as specified in Annex of Regulation (EU) XX/XX (methodology);
 - (d) if applicable, the [default] production route specified for the country of origin of precursor i as specified in Annex to Regulation (EU) XX/XX (methodology).
- (2) where there is sufficient evidence to identify the actual year of production in accordance with Article 13 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions], the operator shall use the $SEFA_{i,y_i'}$ value for the precursor i provided by the producer of precursor i and verified in accordance with Article 8 of Regulation (EU) 2023/956.

4. CALCULATION OF SPECIFIC EMBEDDED FREE ALLOCATION (SEFA) OF A GOOD USING DEFAULT VALUES

Where default values are used, the SEFA is calculated using the following equation:

$$SEFA_{g,y} = CBAM_y \cdot CSCF_y \cdot BM_g \quad \text{Equation (6)}$$

Where:

$CBAM_y$ is the CBAM factor referred to in Article 10a(1a) of Directive 2003/87/EC for the year production y (dimensionless).

$CSCF_y$ is the cross-sectoral correction factor for the reporting period y determined by the Commission pursuant to Article 14(6) of Delegated Regulation (EU) 2019/331 and published in accordance with Article 10a(5) of Directive 2003/87/EC (dimensionless).

BM_g is the default CBAM benchmark set out in point 5, Column B, of this Annex.

y is the reporting period as identified in accordance with Article 7 of Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions].

For the purpose of selecting the appropriate value for BM_g the following parameters shall be taken into account:

- (a) the country of origin of good g ;
- (b) the CN code for good g ;

- (c) if applicable, the [default] production route specified for the country of origin as specified in Annex xxx to Implementing Regulation (EU) XX/XX [on the calculation of embedded emissions].

5. PROVISIONAL CBAM BENCHMARK VALUES

5.1. Rules for selecting the appropriate CBAM benchmark value when using default values

Where default values are used to determine SEFA of a final good or of a precursor, the same production route shall be used as indicated in Annex XXX to Implementing Regulation XX/XXX [methodology] for the country of origin of that good or precursor.

Where different alloy grades for steel are given in the table for the same CN code, the highest benchmark value given for the relevant production year is used.

5.2. Rules for selecting the appropriate CBAM benchmark value when using actual data

5.2.1. *Cement*

‘White cement clinker’ means cement clinker for use as main binding component in the formulation of materials such as joint fillers, ceramic tile adhesives, insulation, and anchorage mortars, industrial floor mortars, ready mixed plaster, repair mortars, and water-tight coatings with maximum average contents of 0,4 mass-% Fe_2O_3 , 0,003 mass-% Cr_2O_3 and 0,03 mass-% Mn_2O_3 .

‘Grey cement clinker’ means other cement clinker than white cement clinker.

Cements shall be considered white cement if the fraction of white cement clinker is higher than [50%] of the total content of cement clinker and calcined clay.

5.2.2. *Fertilisers*

Where actual data for complex goods are to be calculated, the following substances may be considered precursors: Anhydrous ammonia; Nitric acid (calculated as 100% HNO_3); Potassium nitrate; Urea calculated as 100% pure Urea; Ammonium sulphate; Ammonium nitrate calculated as 100% pure substance; Mono- or di-ammonium phosphate.

5.2.3. *Iron and steel*

‘Carbon steel’ means steel other than stainless or alloy steel.

‘Stainless steel’ means alloy steels containing, by weight, 1,2 % or less of carbon and 10,5 % or more of chromium, with or without other elements.

‘High alloy steel’ means steel other than stainless steel containing 8 % [or more metallic alloying elements or where high surface quality and processability is required].

‘Low alloy steel’ means alloy steel other than stainless or high-alloy steel.

Where actual data for complex goods are to be calculated, the following substances may be considered precursors:

For CN codes under heading 7201: sintered ore;

For CN codes under heading 7202: sintered ore, if relevant;

For CN codes under heading 7205: pig iron or crude steel, as applicable;

For CN codes under headings 7206 to 7224: pig iron or crude steel after continuous casting;

For CN codes under heading 7225 and higher: crude steel, except for products of cast iron, for which pig iron is considered precursor.

For selecting the appropriate production route / composition, the following rules apply, using the total production of goods from the same aggregated goods category over the whole reporting period:

If more than [50%] of mass of the crude steel produced or used is sourced from scrap, the production route to be selected is “Scrap/EAF” (Scrap-based electric arc furnace);

If more than [50%] of mass of the crude steel produced or used is sourced from DRI, the production route to be selected is “DRI/EAF” (direct reduced iron and electric arc furnace);

If more than [50%] of mass of the crude steel produced or used is sourced from a blast furnace or smelting reduction route, the production route to be selected is “BF/BOF” (blast furnace and basic oxygen furnace);

If neither of the three routes above contribute more than [50%] of the final steel, the production route is selected based on the component contributing the highest mass of the steel.

5.2.4. *Aluminium*

For selecting the appropriate production route, the following rule applies, using the total production of goods from the same aggregated goods category over the whole reporting period: If more than [50%] of mass of the unwrought aluminium produced or used is sourced from scrap, the production route to be selected is “secondary aluminium”.

5.3. [Provisional] CBAM benchmarks

Where more than one benchmark value is given for a specific CN code, the meaning of the indicators is as follows:

- (1)...Value is to be used for production years 2026-27
- (2)... Value is to be used for production years 2028-30
- (A)...grey clinker / cement
- (B)...white clinker / cement
- (C) ...Carbon Steel based on BF/BOF
- (D)...Carbon Steel based on DRI/EAF
- (E)...Carbon Steel based on Scrap/EAF
- (F)...Low alloy Steel based on BF/BOF
- (G)...Low alloy Steel based on DRI/EAF
- (H)...Low alloy Steel based on scrap/EAF
- (J)...High alloy Steel (based on EAF)
- (K)...primary Aluminium
- (L)...secondary Aluminium

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
Cement			
25070080	Kaolinic clays (other than kaolin)	0,693	0,693
25231000	Cement clinkers	0,693 (A) 0,957 (B)	0,693 (A) 0,957 (B)
25232100	White portland cement, whether or not artificially coloured	0	0,957
25232900	Portland cement (excl. white, whether or not artificially coloured)	0	0,693
25233000	Aluminous cement	0,744 (1) 0,719 (2)	0,744 (1) 0,719 (2)
25239000	Cement, whether or not coloured (excl. portland cement and aluminous cement)	0	0,693 (A) 0,941 (B)
Hydrogen			
28041000	Hydrogen	6,840	6,840
Fertilisers			
28080000	Nitric acid; sulphonitric acids	0,230	0,674
28141000	Anhydrous ammonia	1,570	1,570
28142000	Ammonia in aqueous solution	0,471	0,471
28342100	Nitrate of potassium	0,028	0,706
31021012	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8% but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,027	0,322
31021015	Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2% but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)	0,044	0,534
31021019	Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the	0,025	0,301

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg, or in aqueous solution containing ≥ 31,8% but ≤ 55% by weight of urea)		
31021090	Urea, whether or not in aqueous solution, containing ≤ 45% by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)	0,080	0,970
31022100	Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,033	0,438
31022900	Double salts and mixtures of ammonium sulphate and ammonium nitrate (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)	0,028	0,624
31023010	Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)	0,000	0,562
31023090	Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,028	0,856
31024010	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,028	0,775
31024090	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28% nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,028	0,775
31025000	Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,028	0,528
31026000	Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or	0,064	0,724

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	similar forms, or in packages with a gross weight of <= 10 kg)		
31028000	Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)	0,000	0,344
31029000	Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg)	0,080	0,364
31051000	Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg	0,028	0,427
31052010	Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,137	0,520
31052090	Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,137	0,393
31053000	Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,009	0,353
31054000	Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)	0,009	0,182
31055100	Mineral or chemical fertilisers containing nitrates	0,137	0,648

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	and phosphates (excl. ammonium dihydrogenorthophosphate "Monoammonium phosphate", diammonium hydrogenorthophosphate "Diammonium phosphate", and those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)		
31055900	Mineral or chemical fertilisers containing the two fertilising elements nitrogen (excl. nitrate) and phosphorus but not nitrates (excl. ammonium dihydrogenorthophosphate "monoammonium phosphate", diammonium hydrogenorthophosphate "diammonium phosphate" in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,009	0,414
31059020	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10% nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)	0,028	0,539
31059080	Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10% (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)	0,028	0,284
Iron & Steel			
26011200	Agglomerated iron ores and concentrates (excl. roasted iron pyrites)	0,157	0,157
72011011	Non-alloy pig iron in pigs, blocks or other primary forms, containing by weight ≤ 0,5% phosphorus, ≥ 0,4% manganese and ≤ 1% silicon	1,288	1,511
72011019	Non-alloy pig iron in pigs, blocks or other primary forms, containing by weight ≤ 0,5% phosphorus, ≥ 0,4% manganese and > 1%	1,288	1,511

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	silicon		
72011030	Non-alloy pig iron in pigs, blocks or other primary forms, containing by weight ≤ 0,5% phosphorus, and ≥ 0,1% but < 0,4% manganese	1,288	1,511
72011090	Non-alloy pig iron in pigs, blocks or other primary forms, containing by weight ≤ 0,5% phosphorus, and ≤ 0,1% manganese	1,288	1,511
72012000	Non-alloy pig iron in pigs, blocks or other primary forms, containing by weight ≥ 0,5% phosphorus	1,288	1,511
72015010	Alloy pig iron in pigs, blocks or other primary forms, containing by weight ≥ 0,3% but ≤ 1% titanium and ≥ 0,5% but ≤ 1% vanadium	1,288	1,511
72015090	Alloy pig iron and spiegeleisen, in pigs, blocks or other primary forms (excl. alloy iron containing, by weight, ≥ 0,3% but ≤ 1% titanium and ≥ 0,5% but ≤ 1% vanadium)	1,288	1,511
72021120	Ferro-manganese, containing by weight > 2% carbon, with a granulometry ≤ 5 mm and a manganese content by weight > 65%	1,397 (1) 1,310 (2)	1,397 (1) 1,310 (2)
72021180	Ferro-manganese, containing by weight > 2% carbon (excl. ferro-manganese with a granulometry of ≤ 5 mm and containing by weight > 65% manganese)	1,397 (1) 1,310 (2)	1,397 (1) 1,310 (2)
72021900	Ferro-manganese, containing by weight ≤ 2% carbon	1,397 (1) 1,310 (2)	1,397 (1) 1,310 (2)
72024110	Ferro-chromium, containing by weight > 4% but ≤ 6% carbon	2,005 (1) 1,881 (2)	2,005 (1) 1,881 (2)
72024190	Ferro-chromium, containing by weight > 6% carbon	2,005 (1) 1,881 (2)	2,005 (1) 1,881 (2)
72024910	Ferro-chromium, containing by weight ≤ 0,05% carbon	2,005 (1) 1,881 (2)	2,005 (1) 1,881 (2)
72024950	Ferro-chromium, containing by weight > 0,05% but ≤ 0,5% carbon	2,005 (1) 1,881 (2)	2,005 (1) 1,881 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72024990	Ferro-chromium, containing by weight > 0,5% but <= 4% carbon	2,005 (1) 1,881 (2)	2,005 (1) 1,881 (2)
72026000	Ferro-nickel	3,376 (1) 3,167 (2)	3,376 (1) 3,167 (2)
72031000	Ferrous products obtained by direct reduction of iron ore, in lumps, pellets or similar forms	0,500	0,723
72039000	Spongy ferrous products, obtained from molten pig iron by atomisation, iron of a purity of >= 99,94%, in lumps, pellets or similar forms	0,500	0,723
72051000	Granules, of pig iron, spiegeleisen, iron or steel (excl. granules of ferro-alloys, turnings and filings of iron or steel, certain small calibre items, defective balls for ball-bearings)	0	1,420 (C) 0,938 (D) 0,215 (E)
72052100	Powders, of alloy steel (excl. powders of ferro-alloys and radioactive iron powders "isotopes")	0	1,686 (F)(1) 1,243 (G)(1) 0,640 (H)(1) 1,393 (J)(1) 1,660 (F)(2) 1,217 (G)(2) 0,614 (H)(2) 1,324 (J)(2)
72052900	Powders, of pig iron, spiegeleisen, iron or non-alloy steel (excl. powders of ferro-alloys and radioactive iron powders "isotopes")	0	1,420 (C) 0,938 (D) 0,215 (E)
72061000	Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)	0	1,420 (C) 0,938 (D) 0,215 (E)
72069000	Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)	0	1,420 (C) 0,938 (D) 0,215 (E)
72071111	Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72071114	Semi-finished products, of iron or non-alloy steel,	0,057	1,520 (C)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of ≤ 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)		1,023 (D) 0,279 (E)
72071116	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72071190	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular cross-section, the width < twice the thickness, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72071210	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring ≥ twice the thickness, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72071290	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of rectangular "other than square" cross-section, the width ≥ twice the thickness, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72071912	Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72071919	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon, of circular or polygonal cross-section, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72071980	Semi-finished products of iron or non-alloy steel, containing by weight < 0,25% carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72072011	Semi-finished products, of non-alloy free-cutting steel, containing by weight ≥ 0,25% carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
72072015	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25\%$ but $< 0,6\%$ carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72072017	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6\%$ carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72072019	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25\%$ carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72072032	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring \geq twice the thickness, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72072039	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25\%$ carbon, of rectangular "other than square" cross-section and the width \geq twice the thickness, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72072052	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25\%$ carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72072059	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6\%$ carbon, of circular or polygonal cross-section, forged	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72072080	Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25\%$ carbon (excl. those of square, rectangular, circular or polygonal cross-section)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72081000	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, with patterns in relief directly due to the rolling process	0,067	1,530 (C) 1,033 (D) 0,288 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72082500	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of $\geq 4,75$ mm, pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72082600	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of ≥ 3 mm but $< 4,75$ mm, pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72082700	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of < 3 mm, pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72083600	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of ≥ 10 mm, not pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72083700	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of $\geq 4,75$ mm but < 10 mm, not pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72083800	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of ≥ 3 mm but $< 4,75$ mm, not pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72083900	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply hot-rolled, not clad, plated or coated, of a thickness of < 3 mm, not pickled, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72084000	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, with patterns in relief directly due to the rolling process	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085120	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of	0,067	1,530 (C) 1,033 (D) 0,288 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	> 15 mm, without patterns in relief		
72085191	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 2.050 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of > 10 mm but ≤ 15 mm, without patterns in relief (excl. "wide flats")	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085198	Flat-rolled products of iron or non-alloy steel, of a width of < 2.050 mm but ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of > 10 mm but ≤ 15 mm, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085210	Flat-rolled products of iron or non-alloy steel, of a width of ≤ 1.250 mm, not in coils, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085291	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 2.050 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085299	Flat-rolled products of iron or non-alloy steel, of a width of < 2.050 mm but ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, without patterns in relief (excl. rolled on four faces or in a closed bow pass of a width ≤ 1.250 mm)	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085310	Flat-rolled products of iron or non-alloy steel, of a width of ≤ 1.250 mm, not in coils, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a thickness of ≥ 4 mm but $< 4,75$ mm, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72085390	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of ≥ 3 mm but $< 4,75$ mm, without patterns in relief (excl. rolled on four faces or in a closed bow pass of a width ≤ 1.250 mm and of a thickness of ≥ 4 mm)	0,067	1,530 (C) 1,033 (D) 0,288 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72085400	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply hot-rolled, not clad, plated or coated, of a thickness of < 3 mm, without patterns in relief	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72089020	Flat-rolled products of iron or steel, of a width ≥ 600 mm, hot-rolled and further worked, but not clad, plated or coated, perforated	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72089080	Flat-rolled products of iron or steel, of a width ≥ 600 mm, hot-rolled and further worked, but not clad, plated or coated, non-perforated	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72091500	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of ≥ 3 mm	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091610	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091690	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091710	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but ≤ 1 mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091790	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of $\geq 0,5$ mm but ≤ 1 mm (excl. electrical)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091810	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72091891	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a	0,119	1,641 (C) 1,124 (D) 0,350 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	thickness of $\geq 0,35$ mm but $< 0,5$ mm (excl. electrical)		
72091899	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of $< 0,35$ mm (excl. electrical)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092500	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of ≥ 3 mm	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092610	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092690	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of > 1 mm but < 3 mm (excl. electrical)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092710	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but ≤ 1 mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092790	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of $\geq 0,5$ mm but ≤ 1 mm (excl. electrical)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092810	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72092890	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, not in coils, simply cold-rolled "cold-reduced", not clad, plated or coated, of a thickness of $< 0,5$ mm (excl. electrical)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72099020	Flat-rolled products of iron or steel, of a width of ≥ 600 mm, cold-rolled "cold-reduced" and	0,119	1,641 (C) 1,124 (D)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	further worked, but not clad, plated or coated, perforated		0,350 (E)
72099080	Flat-rolled products of iron or steel, of a width of ≥ 600 mm, cold-rolled "cold-reduced" and further worked, but not clad, plated or coated, non-perforated	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72101100	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", tinned, of a thickness of $\geq 0,5$ mm	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72101220	Tinplate of iron or non-alloy steel, of a width of ≥ 600 mm and of a thickness of $< 0,5$ mm, tinned [coated with a layer of metal containing, by weight, $\geq 97\%$ of tin], not further worked than surface-treated	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72101280	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with tin, of a thickness of $< 0,5$ mm (excl. tinplate)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72102000	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with lead, incl.terne-plate	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72103000	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", electrolytically plated or coated with zinc	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72104100	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", corrugated, plated or coated with zinc (excl. electrolytically plated or coated with zinc)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72104900	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", not corrugated, plated or coated with zinc (excl. electrolytically plated or coated with zinc)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72105000	Flat-rolled products of iron or non-alloy steel, of a	0,170	1,692 (C)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with chromium oxides or with chromium and chromium oxides		1,175 (D) 0,400 (E)
72106100	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with aluminium-zinc alloys	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72106900	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with aluminium (excl. products plated or coated with aluminium-zinc alloys)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72107010	Tinplate of a width of ≥ 600 mm and of a thickness of $< 0,5$ mm, tinned [coated with a layer of metal containing, by weight, $\geq 97\%$ of tin], not further worked than varnished, and flat products plated or coated with chromium oxides or with chromium and chromium oxides, of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", varnished	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72107080	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", painted, varnished or plastic coated (excl. tinplate and products electrolytically plated or coated with chrome, varnished)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72109030	Flat-rolled products of iron or non-alloy steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced", clad	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72109040	Flat-rolled products of iron or non-alloy steel, tinned and printed, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced"	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72109080	Flat-rolled products of iron or non-alloy steel, hot-rolled or cold-rolled "cold-reduced", of a width of ≥ 600 mm, plated or coated (excl. plated or coated with thin, lead "incl.terne-plate", zinc, aluminium, chromium, chromium oxides, plastics, platinum, painted or varnished, clad and tinned and printed)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72111300	Flat-rolled products of iron or non-alloy steel,	0,067	1,530 (C)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of ≥ 4 mm, not in coils, without patterns in relief, commonly known as "wide flats"		1,033 (D) 0,288 (E)
72111400	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of ≥ 4,75 mm (excl. "wide flats")	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72111900	Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")	0,067	1,530 (C) 1,033 (D) 0,288 (E)
72112320	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon "electrical"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72112330	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm and of a thickness of ≥ 0,35 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon (excl. electrical plate)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72112380	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm and of a thickness of < 0,35 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25% of carbon (excl. electrical plate)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72112900	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight ≥ 0,25% of carbon	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72119020	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated, perforated	0,119	1,641 (C) 1,124 (D) 0,350 (E)
72119080	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated non-perforated	0,119	1,641 (C) 1,124 (D) 0,350 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72121010	Tinplate of iron or non-alloy steel, of a width of < 600 mm and of a thickness of < 0,5 mm, tinned [coated with a layer of metal containing, by weight, >= 97% of tin], not further worked than surface-treated	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72121090	Flat-rolled products of iron or non-alloy steel, hot-rolled or cold-rolled "cold-reduced", of a width of < 600 mm, tinned (excl. tinplate, not further worked than surface-treated)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72122000	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", electrolytically plated or coated with zinc	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72123000	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", tinned (excl. electrolytically plated or coated with zinc)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72124020	Tinplate of a width of < 600 mm and of a thickness of < 0,5 mm, tinned [coated with a layer of metal containing, by weight, >= 97% of tin], not further worked than varnished, and flat products plated or coated with chromium oxides or with chromium and chromium oxides, of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", varnished	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72124080	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", painted, varnished or plastic coated (excl. tinplate, not further worked than varnished, and products plated or coated with chromium oxides or with chromium and chromium oxides, varnished)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72125020	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with chromium oxides or with chromium and chromium oxides (excl. varnished)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72125030	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with chromium	0,170	1,692 (C) 1,175 (D)

CN code	CN Description	Column A BM_g^* [tCO₂e/t]	Column B BM_g [tCO₂e/t]
	or nickel		0,400 (E)
72125040	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with copper	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72125061	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with aluminium-zinc alloys	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72125069	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", plated or coated with aluminium (excl. products plated or coated with aluminium-zinc alloys)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72125090	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad (excl. products plated or coated with tin or zinc, copper, with chromium oxides or with chromium and chromium oxides, chromium, nickel or aluminium, painted or varnished, and plastic-coated)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72126000	Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad	0,170	1,692 (C) 1,175 (D) 0,400 (E)
72131000	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel, with indentations, ribs, grooves or other deformations produced during the rolling process	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72132000	Bars and rods, hot-rolled, in irregularly wound coils, of non-alloy free-cutting steel (excl. bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139110	Bars and rods, hot-rolled, of the type used for concrete reinforcement, smooth, of iron or non-alloy steel, in irregularly wound coils, of circular cross-section measuring < 14 mm in diameter	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139120	Bars and rods, hot-rolled, of the type used for tyre cord, smooth, of iron or non-alloy steel, in	0,057	1,520 (C) 1,023 (D)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	irregularly wound coils		0,279 (E)
72139141	Bars and rods, hot-rolled, of iron or non-alloy steel, in irregularly wound coils, containing by weight ≤ 0,06% of carbon, of circular cross-section measuring < 14 mm in diameter (excl. free-cutting steel, bars and rods, hot-rolled, for concrete reinforcement and tyre cord, and bars and rods, hot-rolled, containing indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139149	Bars and rods, hot-rolled, of iron or non-alloy steel, in irregularly wound coils, containing by weight > 0,06% and < 0,25% of carbon, of circular cross-section, measuring < 14 mm in diameter (excl. of free-cutting steel, bars and rods, hot-rolled, for concrete reinforcement and tyre cord and bars and rods, hot-rolled, containing indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139170	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel, containing by weight ≥ 0,25% but ≤ 0,75% carbon, of circular cross-section measuring < 14 mm in diameter (excl. of free-cutting steel, and bars and rods, smooth, for concrete reinforcement and tyre cord, and bars and rods with indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139190	Bars and rods, hot-rolled, of iron or non-alloy steel, in irregularly wound coils, containing by weight > 0,75% of carbon, of circular cross-section measuring < 14 mm in diameter (excl. of free-cutting steel, bars and rods, smooth, for tyre cord and bars and rods with indentations, ribs, grooves and other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72139910	Bars and rods, of iron or non-alloy steel, hot-rolled, in irregularly wound coils, containing by weight < 0,25% carbon (excl. products of circular cross-section measuring < 14 mm in diameter, bars and rods of free-cutting steel, and bars and rods with indentations, ribs, grooves or other	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	deformations produced during the rolling process)		
72139990	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel, containing by weight $\geq 0,25\%$ carbon (excl. products of circular cross-section measuring < 14 mm diameter, bars and rods of free-cutting steel, and bars and rods with indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72141000	Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)	1,279	2,741 (C) 2,245 (D) 1,500 (E)
72142000	Bars and rods, of iron or non-alloy steel, with indentations, ribs, grooves or other deformations produced during the rolling process	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72143000	Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149110	Bars and rods of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, containing by weight $< 0,25\%$ of carbon, of rectangular "other than square" cross-section (excl. those with indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling, and free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149190	Other bars and rods of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded, containing by weight $\geq 0,25\%$ of carbon, of rectangular "other than square" cross-section (excl. those with indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling, and free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149910	Bars and rods of the type used for concrete reinforcement, smooth, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded, containing $< 0,25\%$ of carbon, of square	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A BM_g^* [tCO ₂ e/t]	Column B BM_g [tCO ₂ e/t]
	cross-section or of a cross-section other than rectangular		
72149931	Bars and rods of iron or non-alloy steel, only hot-rolled, hot-drawn or hot-extruded, containing < 0,25% of carbon, of circular cross-section, of a maximum diameter of ≥ 80 mm (other than of free-cutting steel, smooth bars and rods, for reinforced concrete, or bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process, or wound after rolling)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149939	Bars and rods of iron or non-alloy steel, only hot-rolled, hot-drawn or hot-extruded, containing < 0,25% of carbon, of circular cross-section of a maximum diameter of < 80 mm (other than of free-cutting steel, smooth bars and rods, for reinforced concrete, or bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process, or wound after rolling)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149950	Bars and rods of iron or non-alloy steel, only hot-rolled, hot-drawn or hot-extruded, containing by weight < 0,25% of carbon, of square cross-section or of a cross-section other than square or circular (other than of free-cutting steel, smooth bars and rods, for reinforced concrete, or bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process, or wound after rolling)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149971	Bars and rods of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded, containing by weight $\geq 0,25\%$ carbon, of circular cross-section measuring ≥ 80 mm in diameter (excl. bars and rods with indentations, ribs, grooves or other deformations produced during the rolling process, twisted after rolling, and of free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72149979	Bars and rods of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded, containing by weight $\geq 0,25\%$ carbon, of circular cross-section measuring < 80 mm in diameter (excl. bars and rods with indentations,	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	ribs, grooves or other deformations produced during the rolling process, twisted after rolling, and of free-cutting steel)		
72149995	Bars and rods of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded, containing by weight $\geq 0,25\%$ carbon, of square or of other than rectangular or circular cross-section (excl. indentations, ribs, grooves or other deformations produced during the rolling process, twisted after rolling, and of free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72151000	Bars and rods, of non-alloy free-cutting steel, not further worked than cold-formed or cold-finished	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72155011	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight $< 0,25\%$ of carbon of rectangular "other than square" cross-section (excl. those of free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72155019	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight $< 0,25\%$ of carbon, of square or other than rectangular cross-section (excl. those of free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72155080	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight $\geq 0,25\%$ of carbon (excl. those of free-cutting steel)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72159000	Bars or rods, of iron or non-alloy steel, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s.	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72161000	U, I or H sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of < 80 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72162100	L sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of < 80 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72162200	T sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of	0,057	1,520 (C) 1,023 (D)

CN code	CN Description	Column A BM_g^* [tCO ₂ e/t]	Column B BM_g [tCO ₂ e/t]
	a height of < 80 mm		0,279 (E)
72163110	U sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height ≥ 80 mm but ≤ 220 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163190	U sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height > 220 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163211	I sections with parallel flange faces, of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height ≥ 80 mm but ≤ 220 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163219	I sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height ≥ 80 mm but ≤ 220 mm (excl. 7216.32.11)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163291	I sections with parallel flange faces, of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height > 220 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163299	I sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height > 220 mm (excl. 7216.32.91)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163310	H sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height ≥ 80 mm but ≤ 180 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72163390	H sections of iron or non-alloy steel, simply hot-rolled, hot-drawn or extruded, of a height > 180 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72164010	L sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of ≥ 80 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72164090	T sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of ≥ 80 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72165010	Sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, with a cross-section which is capable of being enclosed in a square the side of which is ≤ 80 mm (excl. U, I, H, L or T sections)	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72165091	Bulb sections "bulb flat", only hot-rolled, hot-drawn or hot-extruded	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72165099	Profile of iron or non-alloy steel, only hot-rolled, hot-drawn or hot-extruded (other than with a cross-section which is capable of being enclosed in a square the side of which is ≤ 80 mm, and U-, I-, H-, L- or T-sections and ribbed sections [ribbed steel])	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72166110	c, l, u, z, omega or open-ended sections of iron or non-alloy steel, simply cold-formed or cold-finished, obtained from flat-rolled products	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72166190	Angles, shapes and sections (other than c, l, u, z, omega or open-ended sections) of iron or non-alloy steel, simply cold-formed or cold-finished, obtained from flat-rolled products	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72166900	Angles, shapes and sections, of iron or non-alloy steel, not further worked than cold-formed or cold-finished (excl. profiled sheet)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72169110	Sheets sheets of iron or non-alloy steel, cold-formed or cold finished, profiled "ribbed"	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72169180	Angles, shapes and sections, of iron or non-alloy steel, cold-formed or cold-finished from flat-rolled products and further worked (excl. profiled sheet)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72169900	Angles, shapes and sections, of iron or non-alloy steel, cold-formed or cold-finished and further worked, or hot-forged, or hot-formed by other means and further worked, n.e.s. (excl. from flat-rolled products)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72171010	Wire of iron or non-alloy steel, in coils, containing by weight < 0,25% carbon, not plated or coated, whether or not polished, with a maximum cross-sectional dimension of < 0,8 mm	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72171031	Wire of iron or non-alloy steel, in coils, containing by weight < 0,25% carbon, with indentations, ribs, grooves or other deformations	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	produced during the rolling process, not plated or coated, with a maximum cross-sectional dimension of $\geq 0,8$ mm		
72171039	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, not plated or coated, with a maximum cross-sectional dimension of $\geq 0,8$ mm (without indentations, ribs, grooves or other deformations produced during the rolling process)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72171050	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,25\%$ but $< 0,6\%$ carbon, not plated or coated, whether or not polished (excl. hot-rolled bars and rods)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72171090	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,6\%$ carbon, not plated or coated, whether or not polished (excl. hot-rolled bars and rods)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
72172010	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, plated or coated with zinc, with a maximum cross-sectional dimension of $< 0,8$ mm	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72172030	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, plated or coated with zinc, with a maximum cross-sectional dimension of $< 0,8$ mm (excl. bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72172050	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,25\%$ but $< 0,6\%$ carbon, plated or coated with zinc (excl. bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72172090	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,6\%$ carbon, plated or coated with zinc (excl. bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72173041	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, copper-coated (excl. bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72173049	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, plated or coated with base metals (excl. products plated or	0,108	1,571 (C) 1,074 (D) 0,329 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	coated with zinc or copper and bars and rods)		
72173050	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,25\%$ but $< 0,6\%$ carbon, plated or coated with base metals (excl. products plated or coated with zinc, and bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72173090	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,6\%$ carbon, plated or coated with base metals (excl. products plated or coated with zinc, and bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72179020	Wire of iron or non-alloy steel, in coils, containing by weight $< 0,25\%$ carbon, plated or coated (excl. products plated or coated with base metals and bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72179050	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,25\%$ but $< 0,6\%$ carbon, plated or coated (excl. products plated or coated with with base metals, and bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72179090	Wire of iron or non-alloy steel, in coils, containing by weight $\geq 0,6\%$ carbon, plated or coated (excl. products plated or coated with base metals, and bars and rods)	0,108	1,571 (C) 1,074 (D) 0,329 (E)
72181000	Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)	1,279	3,190 (1) 3,089 (2)
72189110	Semi-finished products of stainless steel, of rectangular "other than square" cross-section, containing by weight $\geq 2,5\%$ nickel	0,110	2,021 (1) 1,920 (2)
72189180	Semi-finished products of stainless steel, of rectangular "other than square" cross-section, containing by weight $< 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72189911	Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting	0,110	2,021 (1) 1,920 (2)
72189919	Semi-finished products of stainless steel, of square cross-section, forged	1,279	3,190 (1) 3,089 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72189920	Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting	0,110	2,021 (1) 1,920 (2)
72189980	Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)	1,279	3,190 (1) 3,089 (2)
72191100	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm	0,110	2,021 (1) 1,920 (2)
72191210	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, containing by weight $\geq 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72191290	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, containing by weight $< 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72191310	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of ≥ 3 mm but $\leq 4,75$ mm, containing by weight $\geq 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72191390	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of ≥ 3 mm but $\leq 4,75$ mm, containing by weight $< 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72191410	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm, containing by weight $\geq 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72191490	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm, containing by weight $< 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72192110	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm, containing by weight $\geq 2,5$ nickel	0,110	2,021 (1) 1,920 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72192190	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm, containing by weight $< 2,5$ nickel	0,110	2,021 (1) 1,920 (2)
72192210	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, containing by weight $\geq 2,5\%$ nickel	0,110	2,021 (1) 1,920 (2)
72192290	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm but ≤ 10 mm, containing by weight $< 2,5\%$ nickel	0,110	2,021 (1) 1,920 (2)
72192300	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of ≥ 3 mm and $< 4,75$ mm	0,110	2,021 (1) 1,920 (2)
72192400	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm	0,110	2,021 (1) 1,920 (2)
72193100	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm	0,165	2,152 (1) 2,047 (2)
72193210	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≥ 3 mm but $\leq 4,75$ mm, containing by weight $\geq 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193290	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≥ 3 mm but $\leq 4,75$ mm, containing by weight $< 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193310	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm, containing by weight $\geq 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193390	Flat-rolled products of stainless steel, of a width	0,165	2,152 (1)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm, containing by weight $< 2,5\%$ nickel		2,047 (2)
72193410	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but ≤ 1 mm, containing by weight $\geq 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193490	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but ≤ 1 mm, containing by weight $< 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193510	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm, containing by weight $\geq 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72193590	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm, containing by weight $< 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)
72199020	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, perforated	0,165	2,152 (1) 2,047 (2)
72199080	Flat-rolled products of stainless steel, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, non-perforated	0,165	2,152 (1) 2,047 (2)
72201100	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of $\geq 4,75$ mm	0,110	2,021 (1) 1,920 (2)
72201200	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of $< 4,75$ mm	0,110	2,021 (1) 1,920 (2)
72202021	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≥ 3 mm and containing by weight $\geq 2,5\%$ nickel	0,165	2,152 (1) 2,047 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72202029	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≥ 3 mm and containing by weight < 2,5% nickel	0,165	2,152 (1) 2,047 (2)
72202041	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 0,35 mm but < 3 mm, and containing by weight ≥ 2,5% nickel	0,165	2,152 (1) 2,047 (2)
72202049	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 0,35 mm but < 3 mm, and containing by weight < 2,5% nickel	0,165	2,152 (1) 2,047 (2)
72202081	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≤ 0,35 mm and containing by weight ≥ 2,5% nickel	0,165	2,152 (1) 2,047 (2)
72202089	Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of ≤ 0,35 mm and containing by weight < 2,5% nickel	0,165	2,152 (1) 2,047 (2)
72209020	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, perforated	0,165	2,152 (1) 2,047 (2)
72209080	Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, non-perforated	0,165	2,152 (1) 2,047 (2)
72210010	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils, containing by weight ≥ 2,5% nickel	0,165	2,076 (1) 1,975 (2)
72210090	Bars and rods of stainless steel, hot-rolled, in irregularly wound coils, containing by weight < 2,5% nickel	0,165	2,076 (1) 1,975 (2)
72221111	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section of a diameter of ≥ 800 mm, containing by weight ≥ 2,5% nickel	0,165	2,076 (1) 1,975 (2)
72221119	Bars and rods of stainless steel, not further	0,165	2,076 (1)

CN code	CN Description	Column A BM_g^* [tCO ₂ e/t]	Column B BM_g [tCO ₂ e/t]
	worked than hot-rolled, hot-drawn or extruded, of circular cross-section of a diameter of ≥ 800 mm, containing by weight $< 2,5\%$ nickel		1,975 (2)
72221181	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring < 80 mm and containing by weight $\geq 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72221189	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring < 80 mm and containing by weight $< 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72221910	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, containing by weight $\geq 2,5\%$ nickel (excl. such products of circular cross-section)	0,165	2,076 (1) 1,975 (2)
72221990	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, containing by weight $< 2,5\%$ nickel (excl. such products of circular cross-section)	0,165	2,076 (1) 1,975 (2)
72222011	Bars and rods of stainless steel, of circular cross-section of a diameter ≥ 80 mm, simply cold-formed or cold-finished, containing by weight $\geq 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72222019	Bars and rods of stainless steel, of circular cross-section of a diameter ≥ 80 mm, simply cold-formed or cold-finished, containing by weight $< 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72222021	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section measuring ≥ 25 mm but < 80 mm and containing by weight $\geq 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72222029	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section measuring ≥ 25 mm but < 80 mm and containing by weight $< 2,5\%$ nickel	0,165	2,076 (1) 1,975 (2)
72222031	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section measuring < 25 mm and	0,165	2,076 (1) 1,975 (2)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	containing by weight >= 2,5% nickel		
72222039	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section measuring < 25 mm and containing by weight < 2,5% nickel	0,165	2,076 (1) 1,975 (2)
72222081	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, containing by weight >= 2,5% nickel (excl. such products of circular cross-section)	0,165	2,076 (1) 1,975 (2)
72222089	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished, containing by weight < 2,5% nickel (excl. such products of circular cross-section)	0,165	2,076 (1) 1,975 (2)
72223051	Other bars and rods of stainless steel, containing by weight >= 2,5% of nickel, forged	1,279	3,190 (1) 3,089 (2)
72223091	Other bars and rods of stainless steel, containing by weight < 2,5% of nickel, forged	1,279	3,190 (1) 3,089 (2)
72223097	Bars and rods of stainless steel, cold-formed or cold-finished and further worked, or hot-formed and further worked, n.e.s. (excl. forged products)	1,279	3,190 (1) 3,089 (2)
72224010	Angles, shapes and sections of stainless steel, only hot-rolled, only hot-drawn or only extruded	0,165	2,076 (1) 1,975 (2)
72224050	Angles, shapes and sections of stainless steel, not further worked than cold-formed or cold-finished	0,165	2,076 (1) 1,975 (2)
72224090	Angles, shapes and sections of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.	0,165	2,076 (1) 1,975 (2)
72230011	Wire of stainless steel, in coils, containing by weight 28% to 31% nickel and 20% to 22% chromium (excl. bars and rods)	0,165	2,076 (1) 1,975 (2)
72230019	Wire of stainless steel, in coils, containing by weight >= 2,5% nickel (excl. such products containing 28% to 31% nickel and 20% to 22% chromium, and bars and rods)	0,165	2,076 (1) 1,975 (2)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72230091	Wire of stainless steel, in coils, containing by weight < 2,5% nickel, 13% to 25% chromium and 3,5% to 6% aluminium (excl. bars and rods)	0,165	2,076 (1) 1,975 (2)
72230099	Wire of stainless steel, in coils, containing by weight < 2,5% nickel (excl. such products containing 13% to 25% chromium and 3,5% to 6% aluminium, and bars and rods)	0,165	2,076 (1) 1,975 (2)
72241010	Ingots and other primary forms, of tool steel	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72241090	Steel, alloy, other than stainless, in ingots or other primary forms (excl. of tool steel, waste and scrap in ingot form and products obtained by continuous casting)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72249002	Semi-finished products of tool steel	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249003	Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249005	Semi-finished products of steel containing by weight ≤ 0,7% of carbon, 0,5% to 1,2% of	0,110	1,847 (F)(1) 1,391 (G)(1)

CN code	CN Description	Column A <i>BM_g</i> [*] [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	manganese, 0,6% to 2,3% of silicon, or of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness		0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249007	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249014	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249018	Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72249031	Semi-finished products of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249038	Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	casting (excl. of tool steel and products containing by weight 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present, ≤ 0,5% of molybdenum)		1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72249090	Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72251100	Flat-rolled products of silicon-electrical steel, of a width of ≥ 600 mm, grain-oriented	0,110	1,573 (C) 1,076 (D) 0,332 (E)
72251910	Flat-rolled products of silicon-electrical steel, of a width of ≥ 600 mm, hot-rolled	0,110	1,573 (C) 1,076 (D) 0,332 (E)
72251990	Flat-rolled products of silicon-electrical steel, of a width of ≥ 600 mm, cold-rolled "cold-reduced", non-grain-oriented	0,165	1,686 (C) 1,169 (D) 0,395 (E)
72253010	Flat-rolled products of tool steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72253030	Flat-rolled products of high-speed steel, of a width of ≥ 600 mm, not further worked than hot-rolled, in coils	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72253090	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, not further	0,110	1,847 (F)(1) 1,391 (G)(1)

CN code	CN Description	Column A <i>BM_g</i> [*] [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	worked than hot-rolled, in coils (excl. products of tool steel, high-speed steel or silicon-electrical steel)		0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72254012	Flat-rolled products of tool steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72254015	Flat-rolled products of high-speed steel, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72254040	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm (excl. products of tool steel, high-speed steel or silicon-electrical steel)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72254060	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm but ≤ 10 mm (excl. products of tool steel, high-speed steel or silicon-electrical steel)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72254090	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, not further worked than hot-rolled, not in coils, of a thickness of $< 4,75$ mm (excl. products of tool steel, high-	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1)

CN code	CN Description	Column A <i>BM_g</i> [*] [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	speed steel or silicon-electrical steel)		1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72255020	Flat-rolled products of high-speed steel, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced"	0,165	1,971 (F)(1) 1,497 (G)(1) 0,850 (H)(1) 1,657 (J)(1) 1,943 (F)(2) 1,468 (G)(2) 0,822 (H)(2) 1,583 (J)(2)
72255080	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	0,165	1,971 (F)(1) 1,497 (G)(1) 0,850 (H)(1) 1,657 (J)(1) 1,943 (F)(2) 1,468 (G)(2) 0,822 (H)(2) 1,583 (J)(2)
72259100	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2) 0,873 (H)(2) 1,633 (J)(2)
72259200	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2) 0,873 (H)(2) 1,633 (J)(2)
72259900	Flat-rolled products of alloy steel other than stainless, of a width of ≥ 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
			0,873 (H)(2) 1,633 (J)(2)
72261100	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented	0,110	1,573 (C) 1,076 (D) 0,332 (E)
72261910	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled	0,110	1,573 (C) 1,076 (D) 0,332 (E)
72261980	Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented	0,165	1,686 (C) 1,169 (D) 0,395 (E)
72262000	Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72269120	Flat-rolled products of tool steel, of a width of < 600 mm, simply hot-rolled	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72269191	Flat-rolled products of alloy steel other than stainless steel, simply hot-rolled, of a thickness of >= 4,75 mm, of a width of < 600 mm (excl. of tool steel, silicon-electrical steel or high speed steel)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72269199	Flat-rolled products of alloy steel other than stainless steel, simply hot-rolled, of a thickness of < 4,75 mm, of a width of < 600 mm (excl. of tool steel, silicon-electrical steel or high speed steel)	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1) 1,545 (J)(1)

CN code	CN Description	Column A <i>BM_g</i> [*] [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
			1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
72269200	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)	0,165	1,971 (F)(1) 1,497 (G)(1) 0,850 (H)(1) 1,657 (J)(1) 1,943 (F)(2) 1,468 (G)(2) 0,822 (H)(2) 1,583 (J)(2)
72269910	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of high-speed steel or silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2) 0,873 (H)(2) 1,633 (J)(2)
72269930	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated, and products of high-speed steel or silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2) 0,873 (H)(2) 1,633 (J)(2)
72269970	Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc, and products of high-speed steel or silicon-electrical steel)	0,215	2,021 (F)(1) 1,547 (G)(1) 0,901 (H)(1) 1,708 (J)(1) 1,993 (F)(2) 1,519 (G)(2) 0,873 (H)(2) 1,633 (J)(2)
72271000	Bars and rods of high-speed steel, hot-rolled, in irregularly wound coils	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
			0,797 (H)(2) 1,528 (J)(2)
72272000	Bars and rods of silico-manganese steel, hot-rolled, in irregularly wound coils	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72279010	Bars and rods, hot-rolled, of steel containing by weight >= 0,0008% of boron with any other element < the minimum content referred to in Note 1 f to this chapter, in irregularly wound coils	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72279050	Bars and rods, hot-rolled, of steel containing by weight 0,9% to 1,15% carbon, 0,5% to 2% of chromium and, if present, <= 0,5 of molybdenum, in irregularly wound coils	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72279095	Bars and rods, hot-rolled, in irregularly wound coils of alloy steel other than stainless (excl. of high-speed steel or silico-manganese steel and bars and rods of subheadings 7227.90.10 and 7227.90.50)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72281020	Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72281050	Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
			2,642 (J)(2)
72281090	Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72282010	Bars and rods of silico-manganese steel, of rectangular "other than square" cross-section, hot-rolled on four faces (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72282091	Bars and rods of silico-manganese steel, of square or other than rectangular cross-section, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72282099	Bars and rods of silico-manganese steel, of square or other than rectangular cross-section, only cold-formed or cold-finished, incl. further worked, or hot-rolled and further worked (excl. hot-rolled, hot drawn or extruded, not further worked than clad, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72283020	Bars and rods of tool steel, only hot-rolled, only hot-drawn or only extruded (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
72283041	Bars and rods of steel containing by weight 0,9 to 1,15% of carbon and 0,5 to 2% of chromium, and, if present, ≤ 0,5% of molybdenum, only hot-rolled, hot-drawn or hot-extruded, of a circular cross-section of a diameter of ≥ 80 mm (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72283049	Bars and rods of steel containing by weight 0,9 to 1,15% of carbon and 0,5 to 2% of chromium, and, if present, ≤ 0,5% of molybdenum, only hot-rolled, only hot-drawn or hot-extruded (other than of circular cross-section, of a diameter of ≥ 80 mm and excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72283061	Bars and rods of alloy steel other than stainless steel, only hot-rolled, hot-drawn or hot-extruded, of circular cross-section, of a diameter of ≥ 80 mm (other than of high-speed steel, silico-manganese steel, tool steel, articles of subheading 7228.30.41 and excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72283069	Bars and rods or alloy steel other than stainless steel, only hot-rolled, hot-drawn or hot-extruded, of circular cross-section, of a diameter of < 80 mm (other than of high-speed steel, silico-manganese steel, tool steel and articles of subheading 7228.30.49 and excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72283070	Bars and rods of alloy steel other than stainless steel, of rectangular "other than square" cross-section, hot-rolled on four faces (other than of high-speed steel, silico-manganese steel, tool steel, articles of subheading 7228.30.41 and 7228.30.49 and excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72283089	Bars and rods of alloy steel other than stainless steel, only hot-rolled, hot-drawn or hot-extruded,	0,165	1,902 (F)(1) 1,446 (G)(1)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	of other than rectangular [other than square] cross-section, rolled on four faces, or of circular cross-section (other than of high-speed steel, silico-manganese steel, tool steel, articles of subheading 7228.30.49 and excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)		0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72284010	Bars and rods of tool steel, only forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72284090	Bars and rods of alloy steel, other than stainless steel, only forged (excl. of high-speed steel, silico-manganese steel, tool steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	1,279	3,015 (F)(1) 2,559 (G)(1) 1,938 (H)(1) 2,714 (J)(1) 2,988 (F)(2) 2,532 (G)(2) 1,911 (H)(2) 2,642 (J)(2)
72285020	Bars and rods of tool steel, only cold-formed or cold-finished (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72285040	Bars and rods of steel containing 0,9% to 1,15% of carbon, 0,5% to 2% of chromium and, if present <= 0,5% of molybdenum, only cold-formed or cold-finished (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72285061	Bars and rods of alloy steel, other than stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section, of a diameter of >= 80 mm (excl. of high-speed steel, silico-manganese steel, tool steel, articles of	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	subheading 7228.50.40, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)		1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72285069	Bars and rods of alloy steel, other than stainless steel, not further worked than cold-formed or cold-finished, of circular cross-section, of a diameter of < 80 mm (excl. of high-speed steel, silico-manganese steel, tool steel, articles of subheading 7228.50.40, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72285080	Bars and rods of alloy steel, other than stainless steel, not further worked than cold-formed or cold-finished (excl. of circular cross-section and products of high-speed steel, silico-manganese steel, tool steel, articles of subheading 7228.50.40, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72286020	Bars and rods of tool steel, cold-formed or cold-finished and further worked or hot-formed and further worked (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72286080	Bars and rods of alloy steel, other than stainless steel, cold-formed or cold-finished and further worked or hot-formed and further worked (excl. bars and rods of high-speed steel, silico-manganese steel or tool steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72287010	Angles, shapes and sections of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
			1,528 (J)(2)
72287090	Angles, shapes and sections of alloy steel other than stainless, n.e.s. (excl. products not further worked than hot-rolled, hot-drawn or extruded)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72288000	Hollow drill bars and rods, of alloy or non-alloy steel	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72292000	Wire of silico-manganese steel, in coils (excl. bars and rods)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72299020	Wire of high-speed steel, in coils (excl. bars and rods)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1) 1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
72299050	Wire of steel containing by weight 0,9% to 1,1% of carbon, 0,5% to 2% of chromium and, if present, <= 0,5% of molybdenum, in coils (excl. rolled bars and rods)	0,165	1,628 (C) 1,131 (D) 0,387 (E)
72299090	Wire of alloy steel other than stainless, in coils (excl. rolled bars and rods, wire of high-speed steel or silico-manganese steel and articles of subheading 7229.90.50)	0,165	1,902 (F)(1) 1,446 (G)(1) 0,824 (H)(1) 1,600 (J)(1)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
			1,874 (F)(2) 1,419 (G)(2) 0,797 (H)(2) 1,528 (J)(2)
73011000	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73012000	Angles, shapes and sections, of iron or steel, welded	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73021010	Current-conducting rails of iron or steel, with parts of non-ferrous metal, for railway or tramway track (excl. check-rails)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73021022	Vignole rails of iron or steel, for railway or tramway track, new, of a weight of ≥ 36 kg/m	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73021028	Vignole rails of iron or steel, for railway or tramway track, new, of a weight of < 36 kg/m	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73021040	Grooved rails of iron or steel, for railway or tramway track, new	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73021050	Rails of iron or steel, for railway or tramway track, new (excl. vignole rails, grooved rails, and current-conducting rails with parts of non-ferrous metal)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73021090	Rails of iron or steel, for railway or tramway track, used (excl. current-conducting rails with parts of non-ferrous metal)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73023000	Switch blades, crossing frogs, point rods and other crossing pieces, for railway or tramway track, of iron or steel	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73024000	Fish-plates and sole plates of iron or steel, for railways or tramways	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73029000	Sleepers "cross-ties", check-rails, rack rails, chairs, chair wedges, rail clips, bedplates and ties	0,086	1,549 (C) 1,052 (D)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	and other specialised material for the jointing or fixing of railway or tramway track, of iron or steel (excl. rails, switch blades, crossing frogs, point rods and other crossing pieces, and fish-plates and sole plates)		0,308 (E)
73030010	Tubes and pipes of a kind used in pressure systems, of cast iron	0,086	2,126
73030090	Tubes, pipes and hollow profiles, of cast iron (excl. products of a kind used in pressure systems)	0,086	2,126
73041100	Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel	0,086	1,997 (1) 1,896 (2)
73041910	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel, of an external diameter of ≤ 168,3 mm (excl. products of stainless steel or of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73041930	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. products of stainless steel or of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73041990	Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel, of an external diameter of > 406,4 mm (excl. products of stainless steel or of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73042200	Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas	0,086	1,997 (1) 1,896 (2)
73042300	Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73042400	Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel	0,086	1,997 (1) 1,896 (2)
73042910	Casing and tubing of a kind used for drilling for oil or gas, seamless, of iron or steel, of an external diameter ≤ 168,3 mm (excl. products of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73042930	Casing and tubing of a kind used for drilling for oil or gas, seamless, of iron or steel, of an external diameter > 168,3 mm, but ≤ 406,4 mm (excl.	0,086	1,549 (C) 1,052 (D)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	products of cast iron)		0,308 (E)
73042990	Casing and tubing of a kind used for drilling for oil or gas, seamless, of iron or steel, of an external diameter > 406,4 mm (excl. products of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043120	Precision tubes, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043180	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas and precision tubes)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043950	Threaded or threadable tubes "gas pipe", seamless, of iron or non-alloy steel (excl. of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043982	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm (excl. cold-drawn or cold-rolled, of cast iron, line pipe of a kind used for oil or gas pipelines, casing, tubing and drill pipe of a kind used in drilling for oil or gas and tubes, and gas pipes of subheading 7304 39 50)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043983	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. cold-drawn or cold-rolled, of cast iron, line pipe of a kind used for oil or gas pipelines, casing, tubing and drill pipe of a kind used in drilling for oil or gas and tubes, and gas pipes of subheading 7304 39 50)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73043988	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, of an external diameter of > 406,4 mm (excl. cold-drawn or cold-rolled, of cast iron, line pipe of a kind used for oil or gas pipelines, casing, tubing and drill pipe of a kind used in drilling for	0,086	1,549 (C) 1,052 (D) 0,308 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	oil or gas and tubes, and gas pipes of subheading 7304 39 50)		
73044100	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)	0,086	1,997 (1) 1,896 (2)
73044983	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, of an external diameter of ≤ 168,3 mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, and casing and tubing of a kind used for drilling for oil or gas and tubes)	0,086	1,997 (1) 1,896 (2)
73044985	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, and casing and tubing of a kind used for drilling for oil or gas and tubes)	0,086	1,997 (1) 1,896 (2)
73044989	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, of an external diameter of > 406,4 mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, and casing and tubing of a kind used for drilling for oil or gas and tubes)	0,086	1,997 (1) 1,896 (2)
73045110	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced", straight and of uniform wall-thickness, containing by weight ≥ 0,9% but ≤ 1,15% carbon and ≥ 0,5% but ≤ 2% chromium, whether or not containing by weight ≤ 0,5% molybdenum (excl. tubes, pipes and hollow profiles of subheadings 7304 19 to 7304 29)	0,086	1,823 (F)(1) 1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2) 1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73045181	Precision tubes, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil and	0,086	1,823 (F)(1) 1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	tubes, and pipes and hollow profiles, straight and of uniform wall-thickness, containing by weight $\geq 0,9\%$ but $\leq 1,15\%$ carbon and $\geq 0,5\%$ but $\leq 2\%$ chrome, whether or not containing by weight $\leq 0,5\%$ molybdenum)		1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73045189	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil, precision tubes, and , pipes and hollow profiles, straight and of uniform wall-thickness, containing by weight $\geq 0,9\%$ but $\leq 1,15\%$ carbon and $\geq 0,5\%$ but $\leq 2\%$ chrome, whether or not containing by weight $\leq 0,5\%$ molybdenum)	0,086	1,823 (F)(1) 1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2) 1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73045930	Tubes, pipes and hollow profiles of alloy steel (excl. stainless), seamless, of circular cross-section (not cold-drawn or cold-rolled), straight and of uniform wall-thickness, containing by weight $\geq 0,9\%$ but $\leq 1,15\%$ carbon and $\geq 0,5\%$ but $\leq 2\%$ chromium, whether or not containing by weight $\leq 0,5\%$ molybdenum (excl. tubes, pipes and hollow profiles of subheadings 7304 19 to 7304 29)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73045982	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, of an external diameter of $\leq 168,3$ mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas, and products of subheading 7304 59 30)	0,086	1,823 (F)(1) 1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2) 1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73045983	Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, of an external diameter of $> 168,3$ mm but $\leq 406,4$ mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas, and products of subheading 7304 59 30)	0,086	1,823 (F)(1) 1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2) 1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73045989	Tubes, pipes and hollow profiles, seamless, of	0,086	1,823 (F)(1)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	circular cross-section, of alloy steel other than stainless, of an external diameter of > 406,4 mm (excl. cold-drawn or cold-rolled, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas, and products of subheading 7304 59 30)		1,367 (G)(1) 0,745 (H)(1) 1,521 (J)(1) 1,795 (F)(2) 1,340 (G)(2) 0,718 (H)(2) 1,449 (J)(2)
73049000	Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73051100	Line pipe of a kind used for oil or gas pipelines, having circular cross-sections and an external diameter of > 406,4 mm, of iron or steel, longitudinally submerged arc welded	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73051200	Line pipe of a kind used for oil or gas pipelines, having circular cross-sections and an external diameter of > 406,4 mm, of iron or steel, longitudinally arc welded (excl. products longitudinally submerged arc welded)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73051900	Line pipe of a kind used for oil or gas pipelines, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel (excl. products longitudinally arc welded)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73052000	Casing of a kind used in drilling for oil or gas, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73053100	Tubes and pipes having circular cross-sections and an external diameter of > 406,4 mm, of iron or steel, longitudinally welded (excl. products of a kind used for oil or gas pipelines or of a kind used in drilling for oil or gas)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73053900	Tubes and pipes having circular cross-sections and an external diameter of > 406,4 mm, of iron or steel, welded (excl. products longitudinally welded or of a kind used for oil or gas pipelines or of a kind used in drilling for oil or gas)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73059000	Tubes and pipes having circular cross-sections	0,119	1,641 (C)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel, welded (excl. welded products or products of a kind used for oil or gas pipelines or of a kind used in drilling for oil or gas)		1,124 (D) 0,350 (E)
73061100	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	0,165	2,152 (1) 2,047 (2)
73061900	Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73062100	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm	0,165	2,152 (1) 2,047 (2)
73062900	Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73063012	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"	0,119	1,641 (C) 1,124 (D) 0,350 (E)
73063018	Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)	0,067	1,530 (C) 1,033 (D) 0,288 (E)
73063041	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73063049	Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73063072	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	0,170	1,692 (C) 1,175 (D) 0,400 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
73063077	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73063080	Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73064020	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	0,165	2,152 (1) 2,047 (2)
73064080	Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)	0,110	2,021 (1) 1,920 (2)
73065021	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"	0,165	1,971 (F)(1) 1,497 (G)(1) 0,850 (H)(1) 1,657 (J)(1) 1,943 (F)(2) 1,468 (G)(2) 0,822 (H)(2) 1,583 (J)(2)
73065029	Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl.	0,110	1,847 (F)(1) 1,391 (G)(1) 0,769 (H)(1)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	cold-drawn or cold-rolled)		1,545 (J)(1) 1,820 (F)(2) 1,364 (G)(2) 0,742 (H)(2) 1,474 (J)(2)
73065080	Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)	0,165	1,971 (F)(1) 1,497 (G)(1) 0,850 (H)(1) 1,657 (J)(1) 1,943 (F)(2) 1,468 (G)(2) 0,822 (H)(2) 1,583 (J)(2)
73066110	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel	0,165	2,152 (1) 2,047 (2)
73066192	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of ≤ 2 mm	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73066199	Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73066910	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)	0,165	2,152 (1) 2,047 (2)
73066990	Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or	0,170	1,692 (C) 1,175 (D) 0,400 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	rectangular cross-section)		
73069000	Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73071110	Tube or pipe fittings of non-malleable cast iron, of a kind used in pressure systems	1,279	3,203
73071190	Tube or pipe fittings of non-malleable cast iron (excl. products of a kind used in pressure systems)	1,279	3,203
73071910	Tube or pipe fittings of cast iron (excl. of non-malleable)	1,279	3,203
73071990	Cast tube or pipe fittings of steel	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73072100	Flanges of stainless steel (excl. cast products)	0,086	1,997 (1) 1,896 (2)
73072210	Sleeves, of stainless steel, threaded (excl. cast products)	0,086	1,997 (1) 1,896 (2)
73072290	Elbows and bends, of stainless steel, threaded (excl. cast products)	0,086	1,997 (1) 1,896 (2)
73072310	Butt welding elbows and bends of stainless steel (excl. cast products)	0,086	1,997 (1) 1,896 (2)
73072390	Butt welding tube or pipe fittings of stainless steel (excl. cast products and elbows and bends)	0,086	1,997 (1) 1,896 (2)
73072910	Threaded tube or pipe fittings of stainless steel (excl. cast products, flanges, elbows, bends and sleeves)	0,086	1,997 (1) 1,896 (2)
73072980	Tube or pipe fittings of stainless steel (excl. cast, threaded, butt welding fittings and flanges)	0,086	1,997 (1) 1,896 (2)
73079100	Flanges of iron or steel (excl. cast or stainless products)	0,086	1,549 (C) 1,052 (D) 0,308 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
73079210	Sleeves of iron or steel, threaded (excl. cast or of stainless steel)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079290	Elbows and bends, of iron or steel, threaded (excl. cast or of stainless steel)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079311	Butt welding elbows and bends, of iron or steel, with greatest external diameter ≤ 609,6 mm (excl. cast iron or stainless steel products)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079319	Butt welding fittings of iron or steel, with greatest external diameter ≤ 609,6 mm (excl. cast iron or stainless steel products, elbows, bends and flanges)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079391	Butt welding elbows and bends, of iron or steel, with greatest external diameter > 609,6 mm (excl. cast iron or stainless steel products)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079399	Butt welding fittings of iron or steel, with greatest external diameter > 609,6 mm (excl. cast iron or stainless steel products, elbows, bends and flanges)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079910	Threaded tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products, flanges, elbows, bends and sleeves)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73079980	Tube or pipe fittings, of iron or steel (excl. of cast iron or stainless steel, threaded, butt welding fittings, and flanges)	0,086	1,549 (C) 1,052 (D) 0,308 (E)
73081000	Bridges and bridge-sections, of iron or steel	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73082000	Towers and lattice masts, of iron or steel	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73083000	Doors, windows and their frames and thresholds for doors, of iron or steel	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73084000	Equipment for scaffolding, shuttering, propping	0,170	1,692 (C)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	or pit-propping (excl. composite sheetpiling products and formwork panels for poured-in-place concrete, which have the characteristics of moulds)		1,175 (D) 0,400 (E)
73089051	Panels comprising two walls of profiled "ribbed" sheet, of iron or steel, with an insulating core	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73089059	Structures and parts of structures, of iron or steel, solely or principally of sheet, n.e.s. (excl. doors and windows and their frames, and panels comprising two walls of profiled "ribbed" sheet, of iron or steel, with an insulating core)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73089098	Structures and parts of structures of iron or steel, n.e.s. (excl. bridges and bridge-sections; towers; lattice masts; doors, windows and their frames and thresholds; equipment for scaffolding, shuttering, propping or pit-propping, and products made principally of sheet)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73090010	Reservoirs, tanks, vats and similar containers, of iron or steel, for gases other than compressed or liquefied gas, of a capacity of > 300 l (excl. containers fitted with mechanical or thermal equipment and containers specifically constructed or equipped for one or more types of transport)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73090030	Reservoirs, tanks, vats and similar containers, of iron or steel, for liquids, lined or heat-insulated and of a capacity of > 300 l (excl. containers fitted with mechanical or thermal equipment and containers specifically constructed or equipped for one or more types of transport)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73090051	Reservoirs, tanks, vats and similar containers, of iron or steel, for liquids, of a capacity of > 100.000 l (excl. containers lined or heat-insulated or fitted with mechanical or thermal equipment and containers specifically constructed or equipped for one or more types of transport)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73090059	Reservoirs, tanks, vats and similar containers, of iron or steel, for liquids, of a capacity of ≤ 100.000 l but > 300 l (excl. containers lined or heat-insulated or fitted with mechanical or	0,170	1,692 (C) 1,175 (D) 0,400 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	thermal equipment and containers specifically constructed or equipped for one or more types of transport)		
73090090	Reservoirs, tanks, vats and similar containers, of iron or steel, for solids, of a capacity of > 300 l (excl. containers lined or heat-insulated or fitted with mechanical or thermal equipment and containers specifically constructed or equipped for one or more types of transport)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73101000	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material, of a capacity of >= 50 l but <= 300 l, n.e.s. (excl. containers for compressed or liquefied gas, or containers fitted with mechanical or thermal equipment)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102111	Cans of iron or steel, of a capacity of < 50 l, which are to be closed by soldering or crimping, of a kind used for preserving food	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102119	Cans of iron or steel, of a capacity of < 50 l, which are to be closed by soldering or crimping, of a kind used for preserving drink	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102191	Cans of iron or steel, of a capacity of < 50 l, which are to be closed by soldering or crimping, of a wall thickness of < 0,5 mm (excl. cans for compressed or liquefied gas, and cans of a kind used for preserving food and drink)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102199	Cans of iron or steel, of a capacity of < 50 l, which are to be closed by soldering or crimping, of a wall thickness of >= 0,5 mm (excl. cans for compressed or liquefied gas, and cans of a kind used for preserving food and drink)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102910	Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material, of a capacity of < 50 l and of a wall thickness of < 0,5 mm, n.e.s. (excl. containers for compressed or liquefied gas, or containers fitted with mechanical or thermal equipment, and cans which are to be closed by soldering or crimping)	0,170	1,692 (C) 1,175 (D) 0,400 (E)
73102990	Tanks, casks, drums, cans, boxes and similar	0,170	1,692 (C)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
	containers, of iron or steel, for any material, of a capacity of < 50 l and of a wall thickness of >= 0,5 mm, n.e.s. (excl. containers for compressed or liquefied gas, or containers fitted with mechanical or thermal equipment, and cans which are to be closed by soldering or crimping)		1,175 (D) 0,400 (E)
73110011	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity < 20 l (excl. containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73110013	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity >= 20 l to <= 50 l (excl. containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73110019	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity > 50 l (excl. containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73110030	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure < 165 bar (excl. containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73110091	Containers of iron or steel, seamless, for compressed or liquefied gas, of a capacity of < 1.000 l (excl. seamless containers and containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73110099	Containers of iron or steel, seamless, for compressed or liquefied gas, of a capacity of >= 1.000 l (excl. seamless containers and containers specifically constructed or equipped for one or more types of transport)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181100	Coach screws of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
73181210	Wood screws of stainless steel (excl. coach screws)	0,057	1,969 (1) 1,867 (2)
73181290	Wood screws of iron or steel other than stainless (excl. coach screws)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181300	Screw hooks and screw rings, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181410	Self-tapping screws, of stainless steel (excl. wood screws)	0,057	1,969 (1) 1,867 (2)
73181491	Spaced-thread screws of iron or steel other than stainless	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181499	Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181520	Screws and bolts, of iron or steel "whether or not with their nuts and washers", for fixing railway track construction material (excl. coach screws)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181535	Screws and bolts, of stainless steel "whether or not with their nuts and washers", without heads (excl. screws and bolts for fixing railway track construction material)	0,057	1,969 (1) 1,867 (2)
73181542	Screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers", without heads, with a tensile strength of < 800 MPa (excl. screws and bolts for fixing railway track construction material)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181548	Screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers", without heads, with a tensile strength of ≥ 800 MPa (excl. screws and bolts for fixing railway track construction material)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181552	Screws and bolts, of stainless steel "whether or not with their nuts and washers", with slotted or cross-recessed heads (excl. wood screws and self-tapping screws)	0,057	1,969 (1) 1,867 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
73181558	Screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers", with slotted or cross-recessed heads (excl. wood screws and self-tapping screws)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181562	Hexagonal-socket head screws and bolts, of stainless steel "whether or not with their nuts and washers" (excl. wood screws, self-tapping screws and screws and bolts for fixing railway track construction material)	0,057	1,969 (1) 1,867 (2)
73181568	Hexagonal-socket head screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers" (excl. wood screws, self-tapping screws and screws and bolts for fixing railway track construction material)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181575	Hexagon screws and bolts, of stainless steel "whether or not with their nuts and washers" (excl. with socket head, wood screws, self-tapping screws and screws and bolts for fixing railway track construction material)	0,057	1,969 (1) 1,867 (2)
73181582	Hexagon screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers", with a tensile strength of < 800 MPa (excl. with socket head, wood screws, self-tapping screws and screws and bolts for fixing railway track construction material)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181588	Hexagon screws and bolts, of iron or steel other than stainless "whether or not with their nuts and washers", with a tensile strength of => 800 MPa (excl. with socket head, wood screws, self-tapping screws and screws and bolts for fixing railway track construction material)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181595	Screws and bolts, of iron or steel "whether or not with their nuts and washers", with heads (excl. with slotted, cross-recessed or hexagonal head; wood screws, self-tapping screws and screws and bolts for fixing railway track construction material, screw hooks and screw rings)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181631	Blind rivet nuts of stainless steel	0,057	1,969 (1) 1,867 (2)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
73181639	Nuts of stainless steel (excl. blind rivet nuts)	0,057	1,969 (1) 1,867 (2)
73181640	Blind rivet nuts of iron or steel other than stainless	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181660	Self-locking nuts of iron or steel other than stainless	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181692	Nuts of iron or steel other than stainless, with an inside diameter ≤ 12 mm (excl. blind rivet nuts and self-locking nuts)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181699	Nuts of iron or steel other than stainless, with an inside diameter > 12 mm (excl. blind rivet nuts and self-locking nuts)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73181900	Threaded articles, of iron or steel, n.e.s.	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73182100	Spring washers and other lock washers, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73182200	Washers of iron or steel (excl. spring washers and other lock washers)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73182300	Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73182400	Cotters and cotter pins, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73182900	Non-threaded articles, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73261100	Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked	1,279	2,741 (C) 2,245 (D) 1,500 (E)

CN code	CN Description	Column A <i>BM_g</i> * [tCO ₂ e/t]	Column B <i>BM_g</i> [tCO ₂ e/t]
73261910	Articles of iron or steel, open-die forged, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73261990	Articles of iron or steel, closed-die forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73262000	Articles of iron or steel wire, n.e.s.	0,108	1,571 (C) 1,074 (D) 0,329 (E)
73269030	Ladders and steps, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73269040	Pallets and similar platforms for handling goods, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73269050	Reels for cables, piping and the like, of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73269060	Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel	0,057	1,520 (C) 1,023 (D) 0,279 (E)
73269092	Articles of iron or steel, open-die forged, n.e.s.	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73269094	Articles of iron or steel, closed-die forged, n.e.s.	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73269096	Sintered articles of iron or steel, n.e.s.	1,279	2,741 (C) 2,245 (D) 1,500 (E)
73269098	Articles of iron or steel, n.e.s.	0,170	1,692 (C) 1,175 (D) 0,400 (E)
Aluminium			
76011010	Aluminium slabs, not alloyed, unwrought	1,464 (K)	1,464 (K)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
		0,139 (L)	0,139 (L)
76011090	Aluminium, not alloyed, unwrought (excl. slabs)	1,464 (K) 0,139 (L)	1,464 (K) 0,139 (L)
76012030	Unwrought aluminium alloys in the form of slabs	1,464 (K) 0,139 (L)	1,464 (K) 0,139 (L)
76012040	Unwrought aluminium alloys in the form of billets	1,464 (K) 0,139 (L)	1,464 (K) 0,139 (L)
76012080	Unwrought aluminium alloys (excl. slabs and billets)	1,464 (K) 0,139 (L)	1,464 (K) 0,139 (L)
76031000	Powders of aluminium, of non-lamellar structure (excl. pellets of aluminium)	0,069	1,571 (K) 0,212 (L)
76032000	Powders of aluminium, of lamellar structure, and flakes of aluminium (excl. pellets of aluminium, and spangles)	0,069	1,571 (K) 0,212 (L)
76041010	Bars, rods and profiles, of non-alloy aluminium	0,086	1,556 (K) 0,225 (L)
76041090	Profiles of non-alloy aluminium, n.e.s.	0,091	1,565 (K) 0,231 (L)
76042100	Hollow profiles of aluminium alloys, n.e.s.	0,091	1,565 (K) 0,231 (L)
76042910	Bars and rods of aluminium alloys	0,086	1,556 (K) 0,225 (L)
76042990	Solid profiles, of aluminium alloys, n.e.s.	0,091	1,565 (K) 0,231 (L)
76051100	Wire of non-alloy aluminium, with a maximum cross-sectional dimension of > 7 mm (excl. stranded wire, cables, plaited bands and the like and other articles of heading 7614, and electrically insulated wires)	0,086	1,556 (K) 0,225 (L)
76051900	Wire of non-alloy aluminium, with a maximum cross-sectional dimension of ≤ 7 mm (other than stranded wires, cables, ropes and other articles of heading 7614, electrically insulated wires, strings for musical instruments)	0,086	1,556 (K) 0,225 (L)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
76052100	Wire of aluminium alloys, with a maximum cross-sectional dimension of > 7 mm (excl. stranded wire, cables, plaited bands and the like and other articles of heading 7614, and electrically insulated wires)	0,086	1,556 (K) 0,225 (L)
76052900	Wire, of aluminium alloys, having a maximum cross-sectional dimension of ≤ 7 mm (other than stranded wires, cables, ropes and other articles of heading 7614, electrically insulated wires, strings for musical instruments)	0,086	1,556 (K) 0,225 (L)
76061130	Aluminium Composite Panel, of non-alloy aluminium, of a thickness of > 0,2 mm	0,086	1,556 (K) 0,225 (L)
76061150	Plates, sheets and strip, of non-alloy aluminium, of a thickness of > 0,2 mm, square or rectangular, painted, varnished or coated with plastics (excl. Aluminium Composite Panel)	0,086	1,556 (K) 0,225 (L)
76061191	Plates, sheets and strip, of non-alloy aluminium, of a thickness of > 0,2 mm but < 3 mm, square or rectangular (excl. such products painted, varnished or coated with plastics, and expanded plates, sheets and strip)	0,086	1,556 (K) 0,225 (L)
76061193	Plates, sheets and strip, of non-alloy aluminium, of a thickness of ≥ 3 mm but < 6 mm, square or rectangular (excl. such products painted, varnished or coated with plastics)	0,086	1,556 (K) 0,225 (L)
76061199	Plates, sheets and strip, of non-alloy aluminium, of a thickness of ≥ 6 mm, square or rectangular (excl. such products painted, varnished or coated with plastics)	0,086	1,556 (K) 0,225 (L)
76061211	Beverage can body stock, of aluminium alloys, of a thickness of > 0,2 mm	0,086	1,556 (K) 0,225 (L)
76061219	Beverage can end stock and tab stock, of aluminium alloys, of a thickness of > 0,2 mm	0,086	1,556 (K) 0,225 (L)
76061230	Aluminium Composite Panel, of aluminium alloys, of a thickness of > 0,2 mm	0,086	1,556 (K) 0,225 (L)
76061250	Plates, sheets and strip, of aluminium alloys, of a thickness of > 0,2 mm, square or rectangular,	0,086	1,556 (K) 0,225 (L)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	painted, varnished or coated with plastics (excl. beverage can body stock, end stock and tab stock, and Aluminium Composite Panel)		
76061292	Plates, sheets and strip, of aluminium alloys, of a thickness of > 0,2 mm but < 3 mm, square or rectangular (excl. painted, varnished or coated with plastics, expanded plates, sheets and strip, beverage can body stock, end stock and tab stock)	0,086	1,556 (K) 0,225 (L)
76061293	Plates, sheets and strip, of aluminium alloys, of a thickness of >= 3 mm but < 6 mm, square or rectangular (excl. such products painted, varnished or coated with plastics)	0,086	1,556 (K) 0,225 (L)
76061299	Plates, sheets and strip, of aluminium alloys, of a thickness of >= 6 mm, square or rectangular (excl. such products painted, varnished or coated with plastics)	0,086	1,556 (K) 0,225 (L)
76069100	Plates, sheets and strip, of non-alloy aluminium, of a thickness of > 0,2 mm (other than square or rectangular)	0,086	1,556 (K) 0,225 (L)
76069200	Plates, sheets and strip, of aluminium alloys, of a thickness of > 0,2 mm (other than square or rectangular)	0,086	1,556 (K) 0,225 (L)
76071111	Aluminium foil, not backed, rolled but not further worked, of a thickness of < 0,021 mm, in rolls of a weight of <= 10 kg (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material)	0,252	1,727 (K) 0,392 (L)
76071119	Aluminium foil, not backed, rolled but not further worked, of a thickness of < 0,021 mm (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material and in rolls of a weight <= 10 kg)	0,252	1,727 (K) 0,392 (L)
76071190	Aluminium foil, not backed, rolled but not further worked, of a thickness of >= 0,021 mm but <= 2 mm (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material)	0,252	1,727 (K) 0,392 (L)
76071910	Aluminium foil, not backed, rolled and further	0,252	1,727 (K)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	worked, of a thickness of < 0,021 mm (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material)		0,392 (L)
76071990	Aluminium foil, not backed, rolled and further worked, of a thickness (excl. any backing) from 0,021 mm to 0,2 mm (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material)	0,252	1,727 (K) 0,392 (L)
76072010	Aluminium foil, backed, of a thickness (excl. any backing) of < 0,021 mm (excl. stamping foils of heading 3212, and foil made up as christmas tree decorating material)	0,252	1,727 (K) 0,392 (L)
76072091	Aluminium Composite Panel, of a thickness <= 0,2 mm	0,252	1,727 (K) 0,392 (L)
76072099	Aluminium foil, backed, of a thickness (excl. any backing) of >= 0,021 mm but <= 0,2 mm (excl. stamping foils of heading 3212, foil made up as christmas tree decorating material, and Aluminium Composite Panel)	0,252	1,727 (K) 0,392 (L)
76081000	Tubes and pipes of non-alloy aluminium (excl. hollow profiles)	0,091	1,565 (K) 0,231 (L)
76082020	Tubes and pipes of aluminium alloys, welded (excl. hollow profiles)	0,091	1,565 (K) 0,231 (L)
76082081	Tubes and pipes of aluminium alloys, not further worked than extruded (excl. hollow profiles)	0,091	1,565 (K) 0,231 (L)
76082089	Tubes and pipes of aluminium alloys (excl. such products welded or not further worked than extruded, and hollow profiles)	0,091	1,565 (K) 0,231 (L)
76090000	Aluminium tube or pipe fittings "e.g., couplings, elbows, sleeves"	0,091	1,565 (K) 0,231 (L)
76101000	Doors, windows and their frames and thresholds for door, of aluminium (excl. door furniture)	0,091	1,565 (K) 0,231 (L)
76109010	Bridges and bridge-sections, towers and lattice masts, of aluminium	0,091	1,565 (K) 0,231 (L)
76109090	Structures and parts of structures, of aluminium, n.e.s., and plates, rods, profiles, tubes and the like,	0,091	1,565 (K)

CN code	CN Description	Column A <i>BM_g</i>* [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
	prepared for use in structures, of aluminium, n.e.s. (excl. prefabricated buildings of heading 9406, doors and windows and their frames and thresholds for doors, bridges and bridge-sections, towers and lattice masts)		0,231 (L)
76110000	Reservoirs, tanks, vats and similar containers, of aluminium, for any material (other than compressed or liquefied gas), of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)	0,252	1,721 (K) 0,392 (L)
76121000	Collapsible tubular containers, of aluminium	0,252	1,721 (K) 0,392 (L)
76129020	Containers of a kind used for aerosols, of aluminium	0,252	1,721 (K) 0,392 (L)
76129030	Casks, drums, cans, boxes and similar containers, of aluminium, manufactured from foil of a thickness ≤ 0,2 mm	0,252	1,721 (K) 0,392 (L)
76129080	Casks, drums, cans, boxes and similar containers ≤ 300 l, of aluminium, for any material (other than compressed or liquefied gas), n.e.s. (other than collapsible tubular containers, containers for aerosols and containers manufactured from foil of a thickness ≤ 0,2 mm	0,252	1,721 (K) 0,392 (L)
76130000	Aluminium containers for compressed or liquefied gas	0,252	1,721 (K) 0,392 (L)
76141000	Stranded wire, cables, plaited bands and the like, of aluminium, with steel core (excl. such products electrically insulated)	0,086	1,556 (K) 0,225 (L)
76149000	Stranded wires, cables, ropes and similar articles, of aluminium (other than with steel core and electrically insulated products)	0,086	1,556 (K) 0,225 (L)
76161000	Nails, tacks, staples, screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles, of aluminium (excl. staples in strips, plugs, bungs and the like, threaded)	0,086	1,556 (K) 0,225 (L)

CN code	CN Description	Column A <i>BM_g</i>[*] [tCO₂e/t]	Column B <i>BM_g</i> [tCO₂e/t]
76169100	Cloth, grill, netting and fencing, of aluminium wire (excl. cloth of metal fibres for clothing, lining and similar uses, and cloth, grill and netting made into hand sieves or machine parts)	0,086	1,556 (K) 0,225 (L)
76169910	Articles of aluminium, cast, n.e.s.	0,069	1,571 (K) 0,212 (L)
76169990	Articles of aluminium, uncast, n.e.s.	0,086	1,556 (K) 0,225 (L)